

# **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/007/161/01/19/0284

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

France

**Description** 

PPE Type: a safety footwear

Product reference: LIBERTY BAS NOIR S3 CI - 5336310

**LIBERTY BAS PRUNE S3 CI - 5336308** 

**LIBERTY BAS CHOCOLAT S3 CI - 5336306** 

Article code: /

Construction and material of outsole : Injection PU interlayer / PU outsole

**Pictures:** 





LEMAITRE
17, rue de Bitschhoffen
67350 VAL DE MODER - FRANCE
LIBERTY BAS NOIR S3 CI - 5336310 37 23/12
LIBERTY BAS PRUNE S3 CI - 5336308 37 23/12
LIBERTY BAS CHOCOLAT S3 CI - 5336306 37 23/12
S3 CI SRC

EN ISO 20345 : 2011 Lot : 3237154023372 / 2351402 Lot : 3237154022375 / 2351402 Lot : 3237154021378 / 2351402

Reference standard: EN ISO 20345:2011

Classification: I Category: S3 Cl Size range: Slip resistance: SRC

Toecap nature: Non Metallic Insert nature: Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 03 dated from APRIL 2024 and the user instructions index .09.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Nadine PIPAZ

OTIFIED BOD'

Certification team leader



Date of first issue: 25 January 2019

Date of end of validity: 25 January 2029

Date of renewal 01: 05 April 2024





In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective

Equipment and repealing the Directive 89/686/EEC

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



### **LEMAITRE SECURITE**

# **MANUFACTURER'S TECHNICAL FILE**

Reference of the product : LIBERTY BAS NOIR S3 CI - 5336310
LIBERTY BAS PRUNE S3 CI - 5336308
LIBERTY BAS CHOCOLAT S3 CI - 5336306

Article code : /

Technical file index: 03

Last update: APRIL 2024

## **IDENTIFICATION**

Reference of the product : LIBERTY BAS NOIR S3 CI - 5336310

LIBERTY BAS PRUNE S3 CI - 5336308 LIBERTY BAS CHOCOLAT S3 CI - 5336306

Article Code : /

Basic model

Technical file index: 03

Last update : APRIL 2024

### Manufacturer:

### LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

#### France

tel: 388722880 fax: 388722886

### Factory:

#### **FACT**

Imm Hadded, Avenue Habib Bourguiba - 8030 GROMBALIA

### **TUNISIE**

Tel: +216 72 210 903

## **FOOTWEAR DESCRIPTION**

### Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

### Visual description:

General view:



Outsole view:



Reference of the mould: PARABOLIGHT

### Range of sizes:

35 - 42

### **Construction and material of outsole:**

Injection PU interlayer / PU outsole

#### Field of use

Light industry, Supply chain-Service sector, Distribution, Building finishings

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)  Applicable Covered by						
				Covered by		
	Requirements defined in the Annex II §1 are applicable to		$\boxtimes$	Standard		
§1	all PPE	⊠	$\boxtimes$	Instruction for use		
			$\boxtimes$	Marking		
	Manufacturer's instructions and information is available			Standard		
§1.4			$\boxtimes$	Instruction for use		
				Marking		
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.		$\boxtimes$	Standard		
			$\boxtimes$	Instruction for use		
	mast be equipped with means of absorbing perspiration.			Marking		
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	$\boxtimes$	$\boxtimes$	Standard		
			$\boxtimes$	Instruction for use		
			$\boxtimes$	Marking		
	PPE incorporating components which can be adjusted or removed by the user	$\boxtimes$	$\boxtimes$	Standard		
§2.9			$\boxtimes$	Instruction for use		
	removed by the user			Marking		
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and			Standard		
			$\boxtimes$	Instruction for use		
	safety		$\boxtimes$	Marking		
§2.14	Multi-risk PPE		$\boxtimes$	Standard		
			$\boxtimes$	Instruction for use		
			$\boxtimes$	Marking		
	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the	$\boxtimes$	$\boxtimes$	Standard		
§3.1.1			$\boxtimes$	Instruction for use		
	body with an obstacle		$\boxtimes$	Marking		
	The PPE is intended to protect against falls due to slipping	$\boxtimes$	$\boxtimes$	Standard		
§3.1.2.1			$\boxtimes$	Instruction for use		
			$\boxtimes$	Marking		
	The PPE is intended to protect against static compression	$\boxtimes$	$\boxtimes$	Standard		
§3.2			$\boxtimes$	Instruction for use		
	of a part of the body		$\boxtimes$	Marking		
§3.3	The PPE is intended to protect against mechanical injuries			Standard		
			$\boxtimes$	Instruction for use		
	, , ,			Marking		
§3.7	Protection against cold			Standard		
			$\boxtimes$	Instruction for use		
				Marking		

### **FOOTWEAR CONSTITUTION**

	Ref	Material	Color
	LS.C410	Buffalo grain leather 1,6 mm	Black
UPPER	LS.C370	Buffalo grain leather 1,6 mm	Plum
OTTER	LS.C420	Buffalo grain leather 1,6 mm	Chocolate
	LS.C222	Split leather 2,0 mm PU coated (buffalo)	Black
	LS.C410	Buffalo grain leather 1,6 mm	Black
TONGUE	LS.C370	Buffalo grain leather 1,6 mm	Plum
	LS.C420	Buffalo grain leather 1,6 mm	Chocolate
VAMP LINING	LS.DE01	Textile	Light grey
QUARTER LINING	LS.DQ061	Synthetic	Black
QUARTER LINING	LS.DQ08	Microfiber (seat region)	Black
INSOCK	LS.PP01	Polyethylene	Black
OUTSOLE	LS.SU46	PU mold PARABOLIGHT	Black/Black
INSOLE	LS.P08	High tenacity composite fabric	
TOE CAP	LS.BA19	Toecap LM AHG POLYCARBONATE	
INSERT	LS.P08	High tenacity composite fabric	

### **PROTECTION SCOPE**

### **Basic requirements:**

This product has been designed to be a safety footwear.

The technical rules are:

 $\label{property} \textbf{European Standard EN ISO 20344: 2011 Personal protective equipment-test methods for footwear}$ 

European Standard EN ISO 20345: 2011: Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345:2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345:2011 concerning cleated outsole. At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

### **Additional requirements:**

The additional requirements are:

- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper: Water penetration and water absorption
- Penetration resistance
- Cold insulation

### **MARKING - PACKAGING**

#### Information printed on the footwear:

- Logo of the Manufacturer
- \* Logo (€
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference LIBERTY BAS NOIR S3 CI 5336310

LIBERTY BAS PRUNE S3 CI - 5336308 LIBERTY BAS CHOCOLAT S3 CI - 5336306

- \* Article code /
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

#### Marking example:

LEMAITRE

17, rue de Bitschhoffen

67350 VAL DE MODER - FRANCE

LIBERTY BAS NOIR S3 CI - 5336310 37 23/12

LIBERTY BAS PRUNE S3 CI - 5336308 37 23/12

LIBERTY BAS CHOCOLAT S3 CI - 5336306 37 23/12

S3 CI SRC

EN ISO 20345 : 2011 Lot : 3237154023372 / 2351402 Lot : 3237154022375 / 2351402 Lot : 3237154021378 / 2351402

#### Method of marking on the footwear:

Label printing inner tongue

### Packaging:

Individual box and carton of 10 pairs

# References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References
СТС	1304-5938/1	СТС	L150404989_1
CTC	1307-11061/1	CTC	L150405441_1
CTC	1307-11063/1	CTC	L150405499_1
CTC	1310-16387/1	CTC	L150607954_1
CTC	1406-10504/1	CTC	L150607967_1
CTC	1412-23299/1	CTC	L150608995_1
CTC	1501-1199/1	CTC	L150507482_1
CTC	L150200836_1	CTC Inde	I151001270
CTC	L150200840_1	CTC Inde	1150600553
CTC	L150200841_1	CTC Inde	1160100072
CTC	L150201016_1	CTC Inde	1160100073
CTC	L150303857_1	CIMAC	RP 2015/0768-1-RP-5
CTC	L150404110_1		

### **MEANS OF CONTROL**

We are ISO 9001: 2015 certified, attached the certificate N° 1998/9390.10 issued by Afaq. Every week we do impact and compression tests.

At each delivery of material we do perforation tests.





N° 1998/9390.11

AFNOR Certification certifie que le système de management mis en place par : AFNOR Certification certifies that the management system implemented by:

#### LEMAITRE SECURITE

pour les activités sulvantes : for the following activities:

CHAUSSURES DE SECURITE, DE PROTECTION ET DE TRAVAIL A USAGE PROFESSIONNEL : CONCEPTION, PRODUCTION, VENTE, NEGOCE ET DISTRIBUTION. AUTRES EQUIPEMENT DE PROTECTION INDIVIDUELLE: NEGOCE ET DISTRIBUTION.

SAFETY, PROTECTIVE AND OCCUPATIONAL FOOTWEAR FOR PROFESSIONAL USE: DESIGN, PRODUCTION, SALE, TRADE AND DISTRIBUTION.
OTHER PERSONAL PROTECTIVE EQUIPMENT: TRADE AND DISTRIBUTION.

a été évalué et jugé conforme aux exigences requises par has been assessed and found to meet the requirements of:

ISO 9001: 2015

et est déployé sur les sites sulvants : and is developed on the following locations: 17, rue de Bitschhoffen LA WALCK FR-67350 VAL DE MODER 27 RUE DE STRASBOURG PFAFFENHOFFEN FR-67350 VAL DE MODER 38 RUE DU CERF UBERACH FR-67350 VAL DE MODER

2021-12-16

2024-11-06



Julien NIZRI

recteur Général d'AFNOR Certification anaging Director of AFNOR Certification

11 rue l'rencis de Pressensé - 93571 La Plaire Saint-Denis Cedes - France - T. +33 (0)1 41 62 80 00 - F. +33 (0)1 49 17 90 00 SAS su capital de 16 167 000 € - 479 076 002 RCS Boolony - www.afnor.org



### PPE subject to ageing :

Peremption period: 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

### Declaration of conformity:

Available on: www.lemaitre-securite.com/reg