

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/007/161/07/19/2226 EXT 04/01/20

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer: LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

France

Description

PPE Type : a safety footwear

Product reference : ADVENTURE S3 35-39

Article code:

Construction and material of outsole: Injected PU interlayer / PU outsole

Pictures:





LEMAITRE 17, rue de Bitschhoffen 67350 VAL DE MODER - FRANCE ADVENTURE S3 35-39 35 19/10 S3 CI SRC EN ISO 20345 : 2011

EN ISO 20345 : 2011 Lot : 3237154274354 / 1910343

Reference standard: EN ISO 20345: 2011

Classification: I Category: S3 CI

Size range: 35-39 Slip resistance: SRC

Toecap nature : Non Metallic Insert nature : Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from January 2020

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by

Maxence DREVET

Project Certification Manager





www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



Original CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

Date of first issue: 28 January 2020

End of validity date: 28 January 2025

LEMAITRE SECURITE

MANUFACTURER'S TECHNICAL FILE

Reference of the product : ADVENTURE S3 35-39

Article code :

Technical file index: 01

Last update : January 2020

IDENTIFICATION

Reference of the product: ADVENTURE S3 35-39

Article Code:

Major variant of model: PEGASO BTP S3 40-49

Technical file index: 01

Last update : January 2020

Manufacturer:

LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

France

Tel: 388722880 Fax: 388722886

Factory:

SOPIC

Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS

TUNISIE

Tel: +216 71 771 400 Fax: +216 71 771 477

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: C : half-knee boot

Visual description:

General view:



Outsole view:



Reference of the mould: TRAILIUM

Range of sizes:

35-39

Construction and material of outsole:

Injected PU interlayer / PU outsole

Field of use:

Construction and public works

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)						
		Applicable		Covered by		
	Requirements defined in the Annex II §1 are applicable	7	7	Standard		
§1	to all PPE	Ų.	<u> </u>	Instruction for use		
	to dii FF L		~	Marking		
	Manufacturer's instructions and information is available	7		Standard		
§1.4			~	Instruction for use		
				Marking		
	PPE is designed and manufactured in a way that		4	Standard		
§2.2	perspiration resulting from use is minimised. Otherwise	✓	<u> </u>	Instruction for use		
	it must be equipped with means of absorbing			Marking		
	perspiration. If it is known that the design performance of new PPE					
	may be significantly affected by ageing, the month and	7	V	Standard		
	year of manufacture and/or, if possible, the month and			1		
§2.4	year of obsolescence must be indelibly and		√	Instruction for use		
	unambiguously marked on each item of PPE placed on					
	the market and on its packaging.		\ \ \	Marking		
	PPE is intended for use in potentially explosive atmospheres	4	7	Standard		
§2.6			4	Instruction for use		
	aumospiicies		/	Marking		
	PPE incorporating components which can be adjusted or removed by the user	V	_	Standard		
§2.9			1	Instruction for use		
				Marking		
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	✓	7	Standard		
§2.12			4	Instruction for use		
			7	Marking		
	Multi-risk PPE	7	<u> </u>	Standard		
§2.14			-	Instruction for use		
			~	Marking		
	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the	~	7	Standard		
§3.1.1			1	Instruction for use		
	body with an obstacle		✓	Marking		
	The PPE is intended to protect against falls due to slipping	√	<u> </u>	Standard		
§3.1.2.1			✓	Instruction for use		
	7 17 0		V	Marking		
	The PPE is intended to protect against static compression of a part of the body	✓	✓	Standard		
52.2				Instruction for use		
§3.2			✓			
			/	Marking		
§3.3	The PPE is intended to protect against mechanical	✓	√	Standard		
			√	Instruction for use		
	injuries		7	Marking		
§3.7	Protection against cold	/	<u> </u>	Standard		
			<u>√</u>	Instruction for use		
			<u> </u>	Marking		
]	Iviaikiiig		

FOOTWEAR CONSTITUTION

	Ref	Material	Color
	LS.C230	Oiled split leather (buffalo) 2 mm	Dark brown
UPPER	LS.C222	Split leather PU coated (buffalo) 2 mm	Black
	LS.C610	Retro-reflective material	Grey
	LS.CO049	Eletra (synthetic)	Black
COLLAR	LS.RI02	Metallic rivets	Black
	LS.RI03	Rivets back plate (plastic)	Black
TONGUE	LS.SF01	Split leather (buffalo) 0,7 mm	Black
VAMP LINING	LS.DE01	Textile	Light grey
QUARTER LINING	LS.DQ061	Synthetic	Black
QUARTER LIMING	LS.DQ08	Microfiber	Black
INSOCK	LS.PP12	Polyethylene	Black and red
OUTSOLE	LS.SU51	PU mold TRAILIUM	Grey/black
INSOLE	LS.P08	High tenacity composite fabric	
TOE CAP	LS.BA21	Toecap LM AHG FIBER	
INSERT	LS.SA01 + LS.P08	Steel sole + High tenacity composite fabric	

PROTECTION SCOPE

Basic requirements:

This product has been designed to be a safety footwear.

The technical rules are:

European Standard EN ISO 20344: 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345: 2011: Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345: 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Additional requirements:

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper: Water penetration and water absorption
- Penetration resistance
- Cold insulation

MARKING - PACKAGING

Information printed on the footwear:

- * Logo of the authorized representative
- * Logo (6
- * Manufacturer's type designation
- * Postal address of manufacturer
- Footwear's reference

100tweat 3 telefelic

* Article code

- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example:

LEMAITRE 17, rue de Bitschhoffen 67350 VAL DE MODER - FRANCE ADVENTURE S3 35-39 35 19/10 S3 CI SRC EN ISO 20345 : 2011

EN ISO 20345 : 2011 Lot : 3237154274354 / 1910343 ϵ

ADVENTURE S3 35-39

The location of marking is: Tongue and outsole

Method of marking on the footwear:

Printed label inner tongue + stamps on the outsole

Packaging:

Individual box and carton of 5 pairs

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
СТС	D180101749_1	СТС	L180714973_1
СТС	D191020868_1	CTC	L180816527_2
СТС	L150200840_1	CTC	L180816528_1
CTC	L150811836_1	CTC	L180918624_1
CTC	L170100671_1	CTC	L181225758_1
CTC	L170100802_1	CTC	L190203748_1
CTC	L170100805_1	CTC	L190612915_1
CTC	L170304204_1	CTC	L190713154_1
CTC	L170610122_1	CTC	L190715058_1
СТС	L170610891_1	CTC	L190816551_1
CTC	L170610893_1	CTC	L190816559_1
CTC	L180714384_1	CTC	L191123209_1
CTC	L180714404_3		

MEANS OF CONTROL

We are ISO 9001: 2015 certified, attached the certificate N° 1998/9390.10 issued by Afaq. Every week we do impact and compression tests.

At each delivery of material we do perforation tests.



PPE subject to ageing :

Peremption period: 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity:

Available on: www.lemaitre-securite.com/reg