



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/007/161/01/25/0240 Ext 02/01/25

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : LEMAITRE SECURITE
17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER
France

Description

PPE Type : a safety footwear
Product reference : TUNDRA S3L 35-39
Article code : /
Construction and material of outsole : Injected PU interlayer / Nitrile outsole

Pictures :



LEMAITRE
17, rue de Bitschhoffen
67350 VAL DE MODER - FRANCE
TUNDRA S3L 35-39
37 24/07
S3L CI HI HRO FO SR
EN ISO 20345 : 2022
Lot : 3237154064351 / 2406325

Reference standard : EN ISO 20345:2022

Classification : I

Category : S3L CI HI HRO FO SR

Size range : 35-39

Toecap nature : Non Metallic

Insert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from February 2025 and the user instructions index V10 - 23/12/2022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

William GELAS
Certification manager



Date of first issue : 14 February 2025

End of validity date : 14 February 2030



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

LEMAITRE SECURITE

MANUFACTURER'S TECHNICAL FILE

Reference of the product: TUNDRA S3L 35-39

Article code: /

Technical file index: 01

Last update: February 2025

IDENTIFICATION

Reference of the product: TUNDRA S3L 35-39
Article Code: /
This article is a major variant of the model: FREEWIND S3L 40-49
Technical file index : 01
Last update : February 2025

Manufacturer

LEMAITRE SECURITE
17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER
France
Tel : 388722880
FAX : 388722886

Factory

SOPIC
Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS
TUNISIE
Tel : +216 71 771 400
Fax : +216 71 771 477

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is C : half-knee boot.

Visual description

General view :



Outsole view :



Reference of the mould : TRAIL PU NITRILE

Range of sizes

35-39

Construction and material of outsole

Injected PU interlayer / Nitrile outsole

Field of use

Construction and public works

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
				Instruction for use
				Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	LS.C048	Grain leather 2,0 mm (buffalo)	Black
	LS.C500	Buffalo Split Leather 2,0 mm PU coated (VERTI11)	Black
COLLAR	LS.C550 - ONDURA LASER 01	textile 41% PA + 44% PES + 15 % PU	Black
TONGUE	LS.SF01 - SOUF01	Buffalo split leather 0,7 mm	Black
VAMP LINING	LS.DE01 - AVP05	Synthetic 100% polyester fiber	LIGHT GRAY WHITE
QUARTER LINING	LS.DQ14 - ANN03	Synthetic 100% fibre polyester	Beige
	LS.DQ08 - seat region	Microfiber 100% PA	Black
INSOLE	LS.P08	High tenacity composite fabric	white/ red
IN SOCK	LS.PP12	10% PES + 5% Latex foam + 43% PU + 42% PU recycled	Black and red
OUTSOLE	LS.SU48	TRAIL PU NITRILE ANTISTATIC	Black
TOE CAP	LS.BA21	Toecap LM AHG FIBER	
INSERT	LS.P08	High tenacity composite fabric	white/ red
DECORATIVE ELEMENTS		LAC PASS	Black
		EYELET	BLACK

PROTECTION SCOPE

Basic requirements

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACH regulation (n° 1907/2006 and revisions)


Additional requirements

The claimed additional requirements are :

- Closed seat region
- Cleated outsole
- Perforation resistance (non-metallic insert type PL)
- Antistatic footwear
- Heat insulation
- Cold insulation
- Energy absorption of seat region
- Slip resistance (ceramic tile with glycerine)
- Upper : Water penetration and absorption of upper material
- Outsole :Resistance to hot contact
- Outsole : Fuel oil resistance

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo 
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example

LEMAITRE
 17, rue de Bitschhoffen
 67350 VAL DE MODER - FRANCE
 TUNDRA S3L 35-39
 37 24/07
 S3L CI HI HRO FO SR
 EN ISO 20345 : 2022
 Lot : 3237154064351 / 2406325

The location of the marking is : Tongue

Method of marking on the footwear: Printed label inner tongue + engravings on the outsole

Packaging

Individual box and carton of 10 pairs

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	References	Laboratory	References
CTC	L230407161_1	CTC	L220916631_1
CTC	L230508816_1	CTC	L240305127_2
CTC	L240814593_1	CTC	L240305129_1
CTC	L240814594_1	CTC	L230305895_2
CTC	L240815734_1	CTC	L230305952_1
CTC	L240713912_3	CTC	L230713731_1
CTC	L240713910_2	CTC	D220920154_1
CTC	L241019085_1	CTC	L240713876_1
CTC	L240407723_1	CTC	L241222482_1
CTC	L240203273_1	CTC	L230305876_1
CTC	L220100466_1	CTC	L220305232_1
CTC	L231222980_1	CTC	L220305234_1
CTC	L211019961_1	CTC	L240202741_2
CTC	L211223208_1	CTC	L240202744_1
CTC	L241020292_1	CTC	L220714264_1
CTC	L241020288_1	CTC	L241020316_1
CTC	L230610556_1	CTC	L241121935_1

MEANS OF CONTROL

We are ISO 9001 : 2015 certified, attached the certificate N° 1998/9390.11 issued by Afaq.
Every week, we carry out impact and compression tests in accordance with EN ISO 20345:2022
At each delivery of anti-penetration inserts we do perforation tests.



Certificat
Certificate

N° 1998/9390.11

AFNOR Certification certifie que le système de management mis en place par :
AFNOR Certification certifies that the management system implemented by:

LEMAITRE SECURITE

pour les activités suivantes :
for the following activities:

CHAUSSURES DE SECURITE, DE PROTECTION ET DE TRAVAIL A USAGE PROFESSIONNEL :
CONCEPTION, PRODUCTION, VENTE, NEGOCE ET DISTRIBUTION.
AUTRES EQUIPEMENT DE PROTECTION INDIVIDUELLE: NEGOCE ET DISTRIBUTION.

SAFETY, PROTECTIVE AND OCCUPATIONAL FOOTWEAR FOR PROFESSIONAL USE: DESIGN,
PRODUCTION, SALE, TRADE AND DISTRIBUTION.
OTHER PERSONAL PROTECTIVE EQUIPMENT: TRADE AND DISTRIBUTION.

a été évalué et jugé conforme aux exigences requises par :
has been assessed and found to meet the requirements of:

ISO 9001 : 2015

et est déployé sur les sites suivants :
and is developed on the following locations:

17, rue de Bitschhoffen LA WALCK FR-67350 VAL DE MODER
27 RUE DE STRASBOURG PFAFFENHOFFEN FR-67350 VAL DE MODER
38 RUE DU CERF UBERACH FR-67350 VAL DE MODER

Ce certificat est valable à compter du (année/mois/jour)
This certificate is valid from (year/month/day)

2021-12-16

Jusqu'au
Until

2024-11-06



Ce document est signé électroniquement. Il constitue un original électronique à valeur probante.
This document is electronically signed. It constitutes an electronic original with probative value.

Julien NIZRI
Directeur Général d'AFNOR Certification
Managing Director of AFNOR Certification

Seul le certificat électronique consultable sur www.afnor.org, tel qu'il est issu de la certification de l'organisme. The electronic certificate only, available at www.afnor.org, as it is issued by the certifying body.
 Ce document est un certificat de certification de l'organisme. Ce document est un certificat de certification de l'organisme. Ce document est un certificat de certification de l'organisme.
 AFNOR est une marque déposée. AFNOR is a registered trademark. CERTIF 10000 01/2020



Flutuez ce QR Code
pour vérifier la validité
du certificat

11 rue Francis de Pressensac - 93571 La Plaine Saint-Denis Cedex - France - T. +33 (0)1 41 82 90 00 - F. +33 (0)1 40 17 90 00
SAS au capital de 10 187 000 € - 479 076 002 RCS Bobigny - www.afnor.org

afnor
CERTIFICATION

PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The EU declaration of conformity can be accessed on the website: www.lemaitre-securite.com/reg