



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/007/161/07/23/1095 EXT 09/10/24

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : LEMAITRE SECURITE
17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER
France

Description

PPE Type : *a safety footwear*
Product reference : BALDER S3S 40-49
Article code : /
Construction and material of outsole : Injection PU interlayer / PU outsole
Pictures :



LEMAITRE
17, rue de Bitschhoffen
67350 VAL DE MODER - FRANCE
BALDER S3S 42 24/02
S3S CI HI FO SR LG SC
EN ISO 20345 : 2022
Lot : 3237154556429 / 2402306

Reference standard : EN ISO 20345:2022

Classification : I **Category :** S3S CI HI FO SR LG SC

Size range : 40-49

Toecap nature : Non Metallic **Insert nature : Non Metallic**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from NOVEMBER 2024 and the user instructions index V10 - 23/12/2022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

William GELAS

Certification manager

Date of first issue : 05 November 2024

Date of end of validity : 05 November 2029



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

LEMAITRE SECURITE

MANUFACTURER'S TECHNICAL FILE

Reference of the product: BALDER S3S 40-49

Article code: /

Technical file index: 01

Last update: NOVEMBER 2024

IDENTIFICATION

Reference of the product:	BALDER S3S 40-49
Article Code:	/
This article is a major variant of the model:	MISTRAL S3S 40-49
Technical file index :	01
Last update :	NOVEMBER 2024

Manufacturer

LEMAITRE SECURITE
17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER
France
Tel : 388722880
Tel : 388722886

Factory

SOPIC
Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS
TUNISIE
Tel : +216 71 771 400
Fax : +216 71 771 477

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is B : ankle boot.

Visual description

General view :



Outsole view :



Reference of the mould : TRAILIUM

Range of sizes

40-49

Construction and material of outsole

Injection PU interlayer / PU outsole

Field of use

Construction and public works

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
				Instruction for use
				Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	LS.C040	Buffalo grain leather 2,0 mm	Black
	LS.SF01	Buffalo split leather 0,7 mm	Black
COLLAR	LS.SF01	Buffalo split leather 0,7 mm	Black
	LS.C610	Retro-reflective material	Grey
	LS.AN06	Plastic	Black
TONGUE	LS.SF01	Buffalo split leather 0,7 mm	Black
	LS.C040	Buffalo grain leather 2,0 mm	Black
VAMP LINING	LS.DE12	Textile 100% fibre polyester - 270 g/m ²	Black
QUARTER LINING	LS.DQ061	Synthetic	Black
	LS.DQ08	Microfiber	Black
INSOLE	LS.P15	Textile - 50% recycled PET Fibers - 3950gr/m ²	White
IN SOCK	LS.PP20	65% recycled PU foam, 15% recycled polyester fabric, 20% binder PU based -	Black
OUTSOLE	LS.SU51	PU mold TRAILIUM	Black
TOE CAP	LS.BA20	Toecap 604 FIBER	
INSERT	LS.P15	Textile - 50% recycled PET Fibers - 3950gr/m ²	White
SCUFF CAP	LS.ST01	TPU (toe area)	Black

PROTECTION SCOPE

Basic requirements

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACH regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :


- Closed seat region
- Cleated outsole
- Perforation resistance (non-metallic insert type PS)
- Antistatic footwear
- Heat insulation
- Cold insulation
- Energy absorption of seat region
- Scuff cap abrasion
- Slip resistance (ceramic tile with glycerine)
- Upper : Water penetration and absorption of upper material
- Outsole : Fuel oil resistance
- Outsole : Ladder grip system

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example


 LEMAITRE
 17, rue de Bitschhoffen
 67350 VAL DE MODER - FRANCE
 BALDER S3S 42 24/02
 S3S CI HI FO SR LG SC
 EN ISO 20345 : 2022
 Lot : 3237154556429 / 2402306

The location of the marking is : Tongue

Method of marking on the footwear: Printed label inner tongue + engravings on the outsole

Packaging

Individual box and carton of 10 pairs

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	References	Laboratory	References	Laboratory	References
CTC	D220920154_1	CTC	L230407169_1	CTC	L240202744_1
CTC	L200203548_1	CTC	L230508816_1	CTC	L240202747_2
CTC	L220202886_1	CTC	L230611406_1	CTC	L240203522_1
CTC	L220303767_1	CTC	L231019666_1	CTC	L240509969_1
CTC	L230305876_1	CTC	L231019667_1	CTC	L240509972_1
CTC	L230305890_1	CTC	L231222979_1	CTC	L240712774_1
CTC	L230305893_1	CTC	L231222989_1	CTC	L240916350_1
CTC	L230407160_1	CTC	L240202741_2	CTC	L241018386_1
CTC	L230407161_1				

MEANS OF CONTROL

We are ISO 9001 : 2015 certified, attached the certificate N° 1998/9390.11 issued by Afaq.
Every week, we carry out impact and compression tests in accordance with EN ISO 20345.
At each delivery of anti-penetration inserts we do perforation tests.



Certificat
Certificate

N° 1998/9390.11

AFNOR Certification certifie que le système de management mis en place par :
AFNOR Certification certifies that the management system implemented by:

LEMAITRE SECURITE

pour les activités suivantes :
for the following activities:

CHAUSSURES DE SECURITE, DE PROTECTION ET DE TRAVAIL A USAGE PROFESSIONNEL :
CONCEPTION, PRODUCTION, VENTE, NEGOCE ET DISTRIBUTION.
AUTRES EQUIPEMENT DE PROTECTION INDIVIDUELLE: NEGOCE ET DISTRIBUTION.

SAFETY, PROTECTIVE AND OCCUPATIONAL FOOTWEAR FOR PROFESSIONAL USE: DESIGN,
PRODUCTION, SALE, TRADE AND DISTRIBUTION.
OTHER PERSONAL PROTECTIVE EQUIPMENT: TRADE AND DISTRIBUTION.

a été évalué et jugé conforme aux exigences requises par :
has been assessed and found to meet the requirements of:

ISO 9001 : 2015

et est déployé sur les sites suivants :
and is developed on the following locations:

17, rue de Bitschhoffen LA WALCK FR-67350 VAL DE MODER
27 RUE DE STRASBOURG PFAFFENHOFFEN FR-67350 VAL DE MODER
38 RUE DU CERF UBERACH FR-67350 VAL DE MODER

Ce certificat est valable à compter du (année/mois/jour)
This certificate is valid from (year/month/day)

2021-12-16

Jusqu'à
Until

2024-11-06



Ce document est signé électroniquement. Il constitue un original électronique à valeur probante.
This document is electronically signed. It stands for an electronic original with probative value.

Julien NIZRI
Directeur Général d'AFNOR Certification
Managing Director of AFNOR Certification

Noté le certificat électronique consultable sur <https://afnor.org>, tel qu'il est mentionné sur la certification de l'organisme. The electronic certificate is available on <https://afnor.org>, as mentioned on the certification of the organization. Pour en savoir plus sur les services AFNOR Certification, contactez-nous au [09 69 00 00 00](https://afnor.org) ou sur [www.afnor.org](https://afnor.org).
AFNOR Certification est accréditée par l'AFNOR Certification pour la certification de l'organisme. AFNOR Certification est accréditée par l'AFNOR Certification pour la certification de l'organisme.



Flutchez le QR Code
pour vérifier la validité
du certificat

11 rue Francis de Pressensac - 92571 La Plaine Saint-Denis Cedex - France - T: +33 (0)1 41 53 90 00 - F: +33 (0)1 40 17 90 00
SAS au capital de 18 167 000 € - 470 076 002 RCS Bobigny - www.afnor.org

afnor
CERTIFICATION

PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The EU declaration of conformity can be accessed on the website: www.lemaitre-securite.com/reg