# EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



 $(\epsilon)$ 

### Certificate N° 0075/007/161/12/20/2909 EXT 07/04/21

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :

### LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER France

Injected PU interlayer / Nitrile outsole

a safety footwear

**BORR S3 40-49** 

### **Description**

**PPE Type :** 

**Product reference :** 

Construction and material of outsole :

Pictures :



LEMAITRE
<ol><li>17, rue de Bitschhoffen</li></ol>
67350 VAL DE MODER - FRANCE
BORR S3 40-49 42 21/02
S3 CI HI HRO AN SRC
EN ISO 20345 : 2011
Lot: 3237154428429 / 2102306

Reference standard : Classification : I Size range : 40-49

**Toecap nature : Non Metallic** 

Category : S3 CI HI HRO AN Slip resistance : SRC Insert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

EN ISO 20345 : 2011

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from April 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

#### Issued in Lyon by

Didier GUISADO

Certification and Quality Manager

Juista



Date of first issue : 13 April 2021

End of validity date : 13 April 2026



#### Accreditation n# 5-0594 Corrections Scope available on:

www.cofrac.fr

In application of the Regulation 2016/425 of the European parliament – and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

### www.ctcgroupe.com

#### cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

### **LEMAITRE SECURITE**

# **MANUFACTURER'S TECHNICAL FILE**

Reference of the product :	BORR S3 40-49
Article code :	
Technical file index :	01
Last update :	April 2021

## **IDENTIFICATION**

Reference of the product :	BORR S3 40-49
Article Code :	
Major variant of model :	FREYR S3 40-49
Technical file index :	01
Last update :	April 2021

#### Manufacturer :

#### LEMAITRE SECURITE

### 17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

#### France

Tel: 388722880 Fax: 388722886

#### Factory :

#### SOPIC

Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS

#### TUNISIE

Tel : +216 71 771 400 Fax : +216 71 771 477

## **FOOTWEAR DESCRIPTION**

#### Footwear description :

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: B : ankle boot

#### Visual description :

General view :



Outsole view :



Reference of the mould : TRAIL PU NITRILE

Range of sizes :

40-49

#### Construction and material of outsole :

Injected PU interlayer / Nitrile outsole

#### Field of use :

Construction and public works

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
	Applicable		Covered by	
			$\checkmark$	Standard
§1	Requirements defined in the Annex II §1 are applicable	$\checkmark$	$\checkmark$	Instruction for use
	to all PPE		$\checkmark$	Marking
				Standard
§1.4	Manufacturer's instructions and information is available	$\checkmark$	$\checkmark$	Instruction for use
				Marking
	PPE is designed and manufactured in a way that		~	Standard
§2.2	perspiration resulting from use is minimised. Otherwise	$\checkmark$	~	Instruction for use
32.2	it must be equipped with means of absorbing			
	perspiration.			Marking
	If it is known that the design performance of new PPE		$\checkmark$	Standard
	may be significantly affected by ageing, the month and	$\checkmark$		
§2.4	year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and		$\checkmark$	Instruction for use
	unambiguously marked on each item of PPE placed on			
	the market and on its packaging.		$\checkmark$	Marking
	PPE is intended for use in potentially explosive		$\checkmark$	Standard
§2.6	atmospheres	$\checkmark$	$\checkmark$	Instruction for use
	atmospheres		$\checkmark$	Marking
			$\checkmark$	Standard
§2.9	PPE incorporating components which can be adjusted or removed by the user	$\checkmark$	$\checkmark$	Instruction for use
	removed by the user			Marking
	PPE bearing one or more identification markings or		$\checkmark$	Standard
§2.12	indicators directly or indirectly relating to health and	$\checkmark$	$\checkmark$	Instruction for use
-	safety		$\checkmark$	Marking
		V	$\checkmark$	Standard
§2.14	Multi-risk PPE		$\checkmark$	Instruction for use
			~	Marking
	The PPE is intended to protect against impact caused by		~	Standard
§3.1.1	falling or ejected objects and collisions of parts of the	$\checkmark$	~	Instruction for use
-	body with an obstacle		~	Marking
§3.1.2.1		<b></b>	~	Standard
	The PPE is intended to protect against falls due to		~	Instruction for use
	slipping		~	Marking
§3.2			~	Standard
	The PPE is intended to protect against static compression of a part of the body	V		Instruction for use
			~	Marking
	The PPE is intended to protect against mechanical		$\checkmark$	Standard
§3.3	injuries	$\checkmark$	$\checkmark$	Instruction for use
	injulies		$\checkmark$	Marking
			$\checkmark$	Standard
§3.6	Protection against heat and/or fire	$\checkmark$	$\checkmark$	Instruction for use
			$\checkmark$	Marking
§3.7		~	$\checkmark$	Standard
	Protection against cold		$\checkmark$	Instruction for use
	-		$\checkmark$	Marking

## FOOTWEAR CONSTITUTION

	Ref	Material	Color
	LS.C040	Buffalo grain leather 2,0 mm	Black
UPPER	LS.ST01	TPU (toe area)	Black
	LS.LT01	TPU (heel logo)	Black
	LS.AN06	Plastic	Black
COLLAR	LS.SF01	Buffalo split leather 0,7 mm	Black
COLLAR	LS.C610	Luxor (synthetic)	Grey
TONGUE	LS.SF01	Buffalo split leather 0,7 mm	Black
	LS.C040	Buffalo grain leather 2,0 mm	Black
VAMP LINING	VAMP LINING LS.DE08 Textile		Black
	LS.DQ061	Synthetic	Black
QUARTER LINING	LS.DQ08	Microfiber	Black
INSOCK	LS.PP17	Polyethylene	Black and red
OUTSOLE	TSOLE LS.SU48 TRAIL PU NITRILE ANTISTATIC Blac		Black
INSOLE	LS.P08 High tenacity composite fabric		
TOE CAP	LS.BA20	Toecap 604 FIBER	
INSERT	LS.P08	High tenacity composite fabric	

## **PROTECTION SCOPE**

#### **Basic requirements :**

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole. At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

#### Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Outsole : Resistance to hot contact
- Heat insulation
- Cold insulation
- Ankle protection

## MARKING - PACKAGING

#### Information printed on the footwear :

- Logo of the Manufacturer
- \* Logo CE
- Manufacturer's type designation
- \* Postal address of manufacturer
- Footwear's reference
- \* Article code
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

#### Marking example :



The location of marking is : Tongue lining and outsole

#### Method of marking on the footwear :

Printed label on the collar lining + injection moldings on the outsole

#### Packaging :

Individual box and packing box of 5 pairs

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
TTS	1905015/Amendement	СТС	L190816551_1
СТС	D190712074_1	СТС	L200100555_1
СТС	L170610891_1	СТС	L200202190_1
СТС	L180714384_1	СТС	L200202194_1
СТС	L180714404_3	СТС	L200203554_1
СТС	L180714973_1	СТС	L200203567_1
СТС	L180918624_1	СТС	L200405468_1
СТС	L190305229_1	СТС	L200609219_2
СТС	L190306132_1	СТС	L200609223_1
СТС	L190715058_1	СТС	L201118778_2
СТС	L190715059_1	CTC	L210305032_1

d outsolo

BORR S3 40-49

### **MEANS OF CONTROL**

We are ISO 9001: 2015 certified, attached the certificate N° 1998/9390.10 issued by Afaq. Every week we do impact and compression tests. At each delivery of material we do perforation tests.



### PPE subject to ageing :

Peremption period : 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

### **Declaration of conformity :**

Available on : www.lemaitre-securite.com/reg