



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/007/161/07/19/2226 EXT 25/03/21

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : LEMAITRE SECURITE
17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER
France

Description

PPE Type : *a safety footwear*

Product reference : THOR S3 35-39

Construction and material of outsole : Injected PU interlayer / PU outsole

Pictures :



| | |
|-------------------------------|----|
| LEMAITRE | CE |
| 17, rue de Bitschhoffen | |
| 67350 VAL DE MODER - FRANCE | |
| THOR S3 35-39 35 20/12 | |
| S3 CI AN WR SRC | |
| EN ISO 20345 : 2011 | |
| Lot : 3237154404355 / 2012351 | |

Reference standard : EN ISO 20345 : 2011

Classification : I **Category :** S3 CI AN WR

Size range : 35-39 **Slip resistance :** SRC

Toecap nature : Non Metallic **Insert nature :** Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from March 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Date of first issue : 10 March 2021

Didier GUISSADO

End of validity date : 10 March 2026

Certification and Quality Manager



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

LEMAITRE SECURITE

MANUFACTURER'S TECHNICAL FILE

Reference of the product : THOR S3 35-39

Article code :

Technical file index : 01

Last update : March 2021

IDENTIFICATION

Reference of the product : THOR S3 35-39
Article Code :
Major variant of model : PEGASO BTP S3 40-49
Technical file index : 01
Last update : March 2021

Manufacturer :

LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

France

Tel : 388722880

Fax : 388722886

Factory :

SOPIC

Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS

TUNISIE

Tel : +216 71 771 400

Fax : +216 71 771 477

FOOTWEAR DESCRIPTION

Footwear description :

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: B : ankle boot

Visual description :

General view :



Outsole view :



Reference of the mould : TRAILIUM

Range of sizes :

35-39

Construction and material of outsole :

Injected PU interlayer / PU outsole

Field of use :

Construction and public works

| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) | | | |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|---------------------------------------------------------|
| | | Applicable | Covered by |
| §1 | Requirements defined in the Annex II §1 are applicable to all PPE | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §1.4 | Manufacturer's instructions and information is available | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input type="checkbox"/> Marking |
| §2.2 | PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration. | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input type="checkbox"/> Marking |
| §2.4 | If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging. | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §2.6 | PPE is intended for use in potentially explosive atmospheres | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §2.9 | PPE incorporating components which can be adjusted or removed by the user | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input type="checkbox"/> Marking |
| §2.12 | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §2.14 | Multi-risk PPE | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §3.1.1 | The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §3.1.2.1 | The PPE is intended to protect against falls due to slipping | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §3.2 | The PPE is intended to protect against static compression of a part of the body | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §3.3 | The PPE is intended to protect against mechanical injuries | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |
| §3.7 | Protection against cold | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard |
| | | | <input checked="" type="checkbox"/> Instruction for use |
| | | | <input checked="" type="checkbox"/> Marking |

FOOTWEAR CONSTITUTION

| | Ref | Material | Color |
|----------------|-----------------------------|------------------------------------------|---------------|
| UPPER | LS.C040 | Buffalo grain leather 2,0 mm | Black |
| | LS.ST01 | TPU (toe area) | Black |
| | LS.LT01 | TPU (heel logo) | Black |
| | LS.AN06 | Plastic | Black |
| COLLAR | LS.SF01 | Buffalo split leather 0,7 mm | Black |
| | LS.C610 | Retro-reflective material | Grey |
| TONGUE | LS.SF01 | Buffalo split leather 0,7 mm | Black |
| | LS.C040 | Buffalo grain leather 2,0 mm | Black |
| VAMP LINING | LS.DE06 (SYMPATEX) | Textile | Grey |
| QUARTER LINING | LS.DQ061 | Synthetic | Black |
| | LS.DE06 (SYMPATEX) | Textile | Grey |
| INSOCK | LS.PP12 | Polyethylene | Black and red |
| OUTSOLE | LS.SU51 | PU mold TRAILIUM | Grey/Black |
| INSOLE | LS.P08 + LS.DE06 (SYMPATEX) | High tenacity composite fabric + Textile | |
| TOE CAP | LS.BA21 | Toecap LM AHG FIBER | |
| INSERT | LS.P08 | High tenacity composite fabric | |

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Water resistance (through test or machine method)
- Cold insulation
- Ankle protection

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo 
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference THOR S3 35-39
- * Article code
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : Tongue and outsole

Method of marking on the footwear :

Printed label on the tongue lining + injection moldings on the outsole

Packaging :

Individual box and carton of 5 pairs

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

| Laboratory | Reference | Laboratory | Reference |
|------------|--------------|------------|--------------------|
| CTC | D191020868_1 | CTC | L200100555_1 |
| CTC | L170610122_1 | CTC | L200202190_1 |
| CTC | L170610891_1 | CTC | L200203548_1 |
| CTC | L170610893_1 | CTC | L200203554_1 |
| CTC | L180714384_1 | CTC | L200203567_1 |
| CTC | L180714973_1 | CTC | L200405275_1 |
| CTC | L181225758_2 | CTC | L200405468_1 |
| CTC | L190203748_2 | CTC | L200711020_1 |
| CTC | L190305229_1 | CTC | L200711023_1 |
| CTC | L190306132_1 | CTC | L201118777_1 |
| CTC | L190612915_1 | CTC | L201119521_1 |
| CTC | L190715058_1 | CTC | L201221267_1 |
| CTC | L190816551_1 | TTS | 1905015/Amendement |
| CTC | L190816559_1 | | |

MEANS OF CONTROL

We are ISO 9001: 2015 certified, attached the certificate N° 1998/9390.10 issued by Afaq.
Every week we do impact and compression tests.
At each delivery of material we do perforation tests.



PPE subject to ageing :

Peremption period : 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.lemaitre-securite.com/reg