# EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



### Certificate N° 0075/007/161/07/19/2226 EXT 26/03/21

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :

### LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER France

Injection PU interlayer / PU outsole

a safety footwear

**THOR S3 40-49** 

### **Description**

**PPE Type :** 

**Product reference :** 

Construction and material of outsole :

Pictures :



LEMAITRE	
17, rue de Bitschhoffen	
67350 VAL DE MODER - FRANCE	
THOR S3 40-49 42 20/12	
S3 CI AN WR SRC	
EN ISO 20345 : 2011	
Lot: 3237154404423 / 2012351	

CE

Reference standard : Classification : I Size range : 40-49

**Toecap nature : Non Metallic** 

Category : S3 CI AN WR Slip resistance : SRC Insert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

EN ISO 20345 : 2011

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from March 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

### Issued in Lyon by

Didier GUISADO

Certification and Quality Manager

uste



Date of first issue : 10 March 2021

End of validity date : 10 March 2026





Accreditation n# 5-0594 Scope available on: www.cofrac.fr

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC. www.ctcgroupe.com

#### cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

### LEMAITRE SECURITE

# **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :** THOR S3 40-49

Article code :

file index	:	01
	-	
	file index	file index :

Last update : March 2021

## **IDENTIFICATION**

Reference of the product :THOR S3 40-49Article Code :Major variant of model :PEGASO BTP S3 40-49Technical file index :01Last update :March 2021

#### Manufacturer :

#### LEMAITRE SECURITE

### 17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

#### France

Tel: 388722880 Fax: 388722886

#### Factory :

### SOPIC

Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS

#### TUNISIE

Tel : +216 71 771 400 Fax : +216 71 771 477

## **FOOTWEAR DESCRIPTION**

#### Footwear description :

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: B : ankle boot

#### Visual description :

General view :



Outsole view :



Reference of the mould : TRAILIUM

#### Range of sizes :

40-49

#### Construction and material of outsole :

Injection PU interlayer / PU outsole

#### Field of use :

Construction and public works

	isk assessment (Essential Health and Safety Requ			
	1	Applicable		Covered by
64	Requirements defined in the Annex II §1 are applicable to	<ul> <li>✓</li> </ul>	<u> _ </u>	Standard
§1	all PPE	-	<u> _ </u>	Instruction for us
			<u> _ </u>	Marking
5 A A		$\checkmark$		Standard
§1.4	Manufacturer's instructions and information is available	-		Instruction for us
				Marking
	PPE is designed and manufactured in a way that	$\checkmark$	$\checkmark$	Standard
§2.2	perspiration resulting from use is minimised. Otherwise it		$\checkmark$	Instruction for us
	must be equipped with means of absorbing perspiration.			Marking
	If it is known that the design performance of new PPE			Standard
	may be significantly affected by ageing, the month and	$\checkmark$	$\checkmark$	Stanuaru
§2.4	year of manufacture and/or, if possible, the month and		_	Instruction for us
32.4	year of obsolescence must be indelibly and		$\checkmark$	
	unambiguously marked on each item of PPE placed on			Marking
	the market and on its packaging.			
	PPE is intended for use in potentially explosive	$\checkmark$	✓	Standard
§2.6	atmospheres	-	$ \checkmark $	Instruction for us
				Marking
	PPE incorporating components which can be adjusted or	$\checkmark$	$ \checkmark $	Standard
§2.9	removed by the user			Instruction for us
				Marking
	PPE bearing one or more identification markings or	$\checkmark$	$ \checkmark $	Standard
§2.12	indicators directly or indirectly relating to health and		$ \checkmark $	Instruction for us
	safety		$ \checkmark $	Marking
	Multi-risk PPE		$\checkmark$	Standard
§2.14			$ \checkmark $	Instruction for us
			$ \checkmark $	Marking
	The PPE is intended to protect against impact caused by	$\checkmark$	$ \checkmark $	Standard
§3.1.1	falling or ejected objects and collisions of parts of the		√	Instruction for us
	body with an obstacle		<b> </b> √	Marking
	The PPE is intended to protect against falls due to	$\checkmark$	$ \checkmark $	Standard
§3.1.2.1	The PPE is intended to protect against falls due to slipping		<b> </b> √	Instruction for us
	Subburg		~	Marking
		$\checkmark$	√	Standard
§3.2	The PPE is intended to protect against static compression of a part of the body			Instruction for us
			v	Marking
		<		Standard
§3.3	The PPE is intended to protect against mechanical		√	Instruction for us
-	injuries	ł	<b> </b> √	Marking
		<ul> <li>✓</li> </ul>	<b> </b> √	Standard
§3.7	Protection against cold		<b> </b> √	Instruction for us
82.1		ŀ	✓	Marking

## FOOTWEAR CONSTITUTION

	Ref	Material	Color
	LS.C040	Buffalo grain leather 2,0 mm	Black
UPPER	LS.ST01	TPU (toe area)	Black
UPPER	LS.LT01	TPU (heel logo)	Black
	LS.AN06	Plastic	Black
COLLAR	LS.SF01	Buffalo split leather 0,7 mm	Black
COLLAN	LS.C610	Retro-reflective material	Grey
TONGUE	LS.SF01	Buffalo split leather 0,7 mm	Black
TONGUE	LS.C040	Buffalo grain leather 2,0 mm	Black
VAMP LINING	LS.DE06 (SYMPATEX)	Textile	Grey
QUARTER LINING	LS.DQ061	Synthetic	Black
QUARTER LINING	LS.DE06 (SYMPATEX)	Textile	Grey
INSOCK	LS.PP12	Polyethylene	Black and red
OUTSOLE	LS.SU51	PU mold TRAILIUM	Grey/Black
INSOLE	LS.P08 + LS.DE06 (SYMPATEX)	High tenacity composite fabric + Textile	
TOE CAP	LS.BA20	Toecap 604 FIBER	
INSERT	LS.P08	High tenacity composite fabric	

## **PROTECTION SCOPE**

#### **Basic requirements :**

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

#### Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Water resistance (through test or machine method)
- Cold insulation
- Ankle protection

## MARKING - PACKAGING

#### Information printed on the footwear :

- Logo of the Manufacturer
- \* Logo CE
- Manufacturer's type designation
- Postal address of manufacturer
- \* Footwear's reference
- Article code
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

#### Marking example :

LEMAITRE 17, rue de Bitschhoffen 67350 VAL DE MODER - FRANCE THOR S3 40-49 42 20/12 S3 CI AN WR SRC EN ISO 20345 : 2011 Lot : 3237154404423 / 2012351

The location of marking is : Tongue and outsole

#### Method of marking on the footwear :

Printed label on the tongue lining + injection moldings on the outsole

#### **Packaging**:

Individual box and carton of 5 pairs

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
TTS	1905015/Amendement	СТС	L200100555_1
СТС	D190712074_1	СТС	L200202190_1
СТС	L170610122_1	CTC	L200203548_1
СТС	L170610891_1	CTC	L200203554_1
СТС	L170610893_1	CTC	L200203567_1
СТС	L180714384_1	CTC	L200405275_1
СТС	L180714973_1	СТС	L200405468_1
СТС	L181225758_2	CTC	L200711020_1
СТС	L190203748_2	CTC	L200711023_1
СТС	L190305229_1	CTC	L201118777_1
СТС	L190306132_1	CTC	L201119521_1
СТС	L190612915_1	CTC	L201221267_1
СТС	L190715058_1	СТС	L210202306_1
СТС	L190816551_1	СТС	L210202865_1
CTC	L190816559_1		

THOR S3 40-49

## **MEANS OF CONTROL**

We are ISO 9001: 2015 certified, attached the certificate N° 1998/9390.10 issued by Afaq. Every week we do impact and compression tests. At each delivery of material we do perforation tests.

afaq AFNOR CERTIFICATION	C	Certi	<b>ficat</b> Certificate
N° 1998/9390.10			
AFNOR Certification cert AFNOR Certification c	ifie que le système de ma vertifies that the managemen	nagement mis en plac nt system implemented	ce par : <i>by:</i>
LEN	AITRE SECU	JRITE	
	pour les activités suivant for the following activities		
CHAUSSURES DE SECURITE, DE P CONCEPTION, PRODI AUTRES EQUIPEMENT DE PRO	UCTION, VENTE, NEO	GOCE ET DISTRIB	UTION.
SAFETY, PROTECTIVE AND OCCUP PRODUCTION OTHER PERSONAL PROT	N, SALE, TRADE AND	DISTRIBUTION.	
a été évalué et has been asse	jugé conforme aux exiger essed and found to meet the	nces requises par : e requirements of:	
1	SO 9001 : 20	15	
and is 17, RUE DE BITSCH 27 RUE DE STRASBOI 27 RUE DE STRASBOI	st déployé sur les sites su developed on the following HOFFEN LA WALCK FR JRG PFAFFENHOFFEN I IRF UBERACH FR-67350	locations: -67350 VAL DE MODE FR-67350 VAL DE MO	
Ce certificat est valable à compter du (année/mois/jour) This certificate is valid from (year/month/day)	2018-11-23	Jusqu'au Until	2021-11-06
Directeu	Verbeiteren von der Kannen von der K	rtification	
11, 1121 The definitions and particular to the set of t	Inc.ong. Tail foi en temps réel de la certification de l'organisme Accedetation COTFINC n°4-0001, Certification de Systèmes d cion n°4-0001, Managament Systemi Cartification, Scope au marque déponée. AFAQ à a registered bademark - CERTI	<ol> <li>The electronic certificate only, evailable at <u>many at</u> Management, Postle disposible sur <u>www.cofrac</u>. elable on <u>www.cofrac.ht</u> F 0956.7/11-2014</li> </ol>	Restar. R. Flashez ce QR Code B. pour vénîfer la validité du certificat
11 rue Francis de Pressensé - 93571 La Plaine Saint De SAS au	nis Cedex - France - T. +33 (0)1 41 62 8 i capital de 18 187 000 € - 479 076 002 F	0 00 - F. +33 (0)1 49 17 90 00 KCS Bobigny - www.afnor.org	

### PPE subject to ageing :

Peremption period : 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

### **Declaration of conformity :**

Available on : www.lemaitre-securite.com/reg