# EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



### Certificate N° 0075/007/161/12/20/2909 EXT 02/12/20

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :

### LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER France

Injected PU interlayer / Nitrile outsole

a safety footwear

**TYR S3 35-39** 

### **Description**

**PPE Type :** 

**Product reference :** 

Construction and material of outsole :

Pictures :





LEMAITRE 17, rue de Bitschhoffen 67350 VAL DE MODER - FRANCE TYR S3 35-39 35 20/06 S3 CI HI HRO SRC EN ISO 20345 : 2011 Lot: 3237154402429 / 2006325 CE

Reference standard :EN ISO 20345 : 2011Classification : ICategory : S3 CI HI HROSize range : 35-39Slip resistance : SRCToecap nature : Non MetallicInsert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from December 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

#### Issued in Lyon by

Didier GUISADO

Certification and Quality Manager

uistas



#### 

www.ctcgroupe.com

#### cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

CTC NOTHED BODY n°0075 by CTC



Accreditation n# 5-0594 Scope available on: Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Date of first issue : 15 December 2020

End of validity date : 15 December 2025

### **LEMAITRE SECURITE**

# **MANUFACTURER'S TECHNICAL FILE**

Reference of the product :TYR S3 35-39

Article code :

Technical	file index :	01
Technical	file index :	0

Last update : December 2020

## **IDENTIFICATION**

Reference of the product :	TYR S3 35-39	
Article Code :		
Major variant of model :	FREYR S3 40-49	
Technical file index :	01	
Last update :	December 2020	

#### Manufacturer :

#### LEMAITRE SECURITE

#### 17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

#### France

Tel: 388722880 Fax: 388722886

#### Factory :

#### SOPIC

### Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS

#### TUNISIE

Tel : +216 71 771 400 Fax : +216 71 771 477

## **FOOTWEAR DESCRIPTION**

#### Footwear description :

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: C : half-knee boot

#### Visual description :

General view :





Outsole view :



Reference of the mould : TRAIL PU NITRILE

#### Range of sizes :

35-39

#### Construction and material of outsole :

Injected PU interlayer / Nitrile outsole

#### Field of use :

Construction and public works

R	isk assessment (Essential Health and Safety Requ	uirement. Ann	ex II - PPE F	Regulation)
		Applicable	C	overed by
			$\checkmark$	Standard
§1	Requirements defined in the Annex II §1 are applicable to all PPE	$\checkmark$	$\checkmark$	Instruction for use
	all PPE		$\checkmark$	Marking
				Standard
§1.4	Manufacturer's instructions and information is available	$\checkmark$	$\checkmark$	Instruction for use
				Marking
	PPE is designed and manufactured in a way that			Standard
§2.2	perspiration resulting from use is minimised. Otherwise it	$\checkmark$		Instruction for use
3	must be equipped with means of absorbing perspiration.			
				Marking
	If it is known that the design performance of new PPE		$\checkmark$	Standard
	may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and	$\checkmark$		
§2.4	year of obsolescence must be indelibly and		$\checkmark$	Instruction for use
	unambiguously marked on each item of PPE placed on			
	the market and on its packaging.		$\checkmark$	Marking
			I	Standard
§2.6	PPE is intended for use in potentially explosive	$\checkmark$		Instruction for use
	atmospheres		<u> </u>	Marking
			$\checkmark$	Standard
§2.9	PPE incorporating components which can be adjusted or	$\checkmark$	$\checkmark$	Instruction for use
-	removed by the user			Marking
	PPE bearing one or more identification markings or			Standard
§2.12	indicators directly or indirectly relating to health and	$\checkmark$		Instruction for use
<b>9</b>	safety			Marking
				Standard
§2.14	Multi-risk PPE	$\checkmark$		Instruction for use
J				Marking
	The PPE is intended to protect against impact caused by			Standard
§3.1.1	falling or ejected objects and collisions of parts of the	$\checkmark$		Instruction for use
50	body with an obstacle			Marking
	,			Standard
§3.1.2.1	The PPE is intended to protect against falls due to	$\checkmark$		Instruction for use
30111211	slipping		<ul> <li>✓</li> </ul>	Marking
				Standard
§3.2	The PPE is intended to protect against static compression	$\checkmark$		Instruction for use
30.2	of a part of the body			Marking
	The DDF is intended to protect excitate mechanical		$\checkmark$	Standard
§3.3	The PPE is intended to protect against mechanical injuries	$\checkmark$	$\checkmark$	Instruction for use
	injunes		$\checkmark$	Marking
			$\checkmark$	Standard
§3.6	Protection against heat and/or fire	$\checkmark$	$\checkmark$	Instruction for use
			$\checkmark$	Marking
			$\checkmark$	Standard
§3.7	Protection against cold	$\checkmark$		Instruction for use
	-			Marking

## FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	LS.C040	Buffalo grain leather 2,0 mm	Black
	LS.C550	Textile	Black
	LS.ST01	TPU (toe area)	Black
	LS.LT01	TPU (heel logo)	Black
	LS.MZ01	Metallic zip	Blak
COLLAR	LS.SF01	Buffalo split leather 0,7 mm	Black
	LS.C610	Retro-reflective material	Grey
TONGUE	LS.SF01	Buffalo split leather 0,7 mm	Black
VAMP LINING	LS.DE06	Textile	Grey
QUARTER LINING	LS.DQ061	Synthetic	Black
	LS.DE06	Textile	Grey
INSOCK	LS.PP17	Polyethylene	Black and red
OUTSOLE	TSOLE LS.SU48 TRAIL PU NITRILE ANTISTATIC BI		Black
INSOLE	LS.P08	High tenacity composite fabric	
TOE CAP	LS.BA21	Toecap LM AHG FIBER	
INSERT	LS.P08	High tenacity composite fabric	

## **PROTECTION SCOPE**

#### **Basic requirements :**

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

#### Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Outsole :Resistance to hot contact
- Heat insulation
- Cold insulation

## **MARKING - PACKAGING**

#### Information printed on the footwear :

- Logo of the Manufacturer
- \* Logo CE
- Manufacturer's type designation
- Postal address of manufacturer
- \* Footwear's reference
- Article code
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

#### Marking example :



The location of marking is : Tongue and outsole

#### Method of marking on the footwear :

Printed label on the tongue lining + injection moldings on the outsole

#### Packaging :

Individual box and packing box of 5 pairs

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
TTS	1905015/Amendement	СТС	L200202190_1
СТС	D191020868_1	СТС	L200203554_1
СТС	L170610122_1	СТС	L200203567_1
СТС	L170610891_1	СТС	L200405468_1
СТС	L180714384_1	СТС	L200609219_2
СТС	L180714973_1	СТС	L200609223_1
СТС	L180918179_1	СТС	L200711020_1
СТС	L190305229_1	СТС	L200711023_1
СТС	L190306132_1	СТС	L200711773_1
СТС	L190715058_1	СТС	L200813218_1
СТС	L190816551_1	СТС	L200913533_1
СТС	L200100555_1	СТС	L201119521_1

TYR S3 35-39

## **MEANS OF CONTROL**

We are ISO 9001: 2015 certified, attached the certificate N° 1998/9390.10 issued by Afaq. Every week we do impact and compression tests. At each delivery of material we do perforation tests.



### PPE subject to ageing :

Peremption period : 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

### **Declaration of conformity :**

Available on : www.lemaitre-securite.com/reg