EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Certificate N° 0075/007/161/12/20/2909 EXT 03/12/20

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :

LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER France

Injected PU interlayer / Nitrile outsole

a safety footwear

TYR S3 40-49

Description

PPE Type :

Product reference :

Construction and material of outsole :

Pictures:





I EMAITRE 17, rue de Bitschhoffen 67350 VAL DE MODER - FRANCE TYR S3 40-49 42 20/06 S3 CI HI HRO SRC EN ISO 20345 : 2011 Lot : 3237154402429 / 2006325

CE

Reference standard : EN ISO 20345 : 2011 **Classification : I** Size range : 40-49 **Toecap nature : Non Metallic**

Category : S3 CI HI HRO Slip resistance : SRC Insert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from December 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Didier GUISADO

Certification and Quality Manager

uste



Date of first issue : 15 December 2020 End of validity date : 15 December 2025



cofrac

Accreditation n# 5-0594 Scope available on: www.cofrac.fr

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

cemarking@ctcgroupe.com CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France

www.ctcgroupe.com

Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroguinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

LEMAITRE SECURITE

MANUFACTURER'S TECHNICAL FILE

 Reference of the product :
 TYR S3 40-49

 Article code :
 TYR S3 40-49

Technical file index : 01

Last update : December 2020

IDENTIFICATION

Reference of the product :	TYR S3 40-49
Article Code :	
Major variant of model :	FREYR S3 40-49
Technical file index :	01
Last update :	December 2020

Manufacturer :

LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

France

Tel : 388722880 Fax : 388722886

Factory :

SOPIC

Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS

TUNISIE

Tel : +216 71 771 400 Fax : +216 71 771 477

FOOTWEAR DESCRIPTION

Footwear description :

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: C : half-knee boot

Visual description :

General view :





Outsole view :



Reference of the mould : TRAIL PU NITRILE

Range of sizes :

40-49

Construction and material of outsole :

Injected PU interlayer / Nitrile outsole

Field of use :

Construction and public works

F	lisk assessment (Essential Health and Safety Requ	irement. Ann	ex II - I	PPE Regulation)
		Applicable		Covered by
	Requirements defined in the Annex II §1 are applicable to		\checkmark	Standard
§1	all PPE	\checkmark	\checkmark	Instruction for use
	all PPE		\checkmark	Marking
				Standard
§1.4	Manufacturer's instructions and information is available	\checkmark	\checkmark	Instruction for use
				Marking
	PPE is designed and manufactured in a way that		\checkmark	Standard
§2.2	perspiration resulting from use is minimised. Otherwise it	\checkmark	\checkmark	Instruction for use
	must be equipped with means of absorbing perspiration.			Marking
	If it is known that the design performance of new PPE			
	may be significantly affected by ageing, the month and	_	\checkmark	Standard
	year of manufacture and/or, if possible, the month and	\checkmark		
§2.4	year of obsolescence must be indelibly and		\checkmark	Instruction for use
	unambiguously marked on each item of PPE placed on			
	the market and on its packaging.		\checkmark	Marking
	PPE is intended for use in potentially explosive		\checkmark	Standard
§2.6		\checkmark	\checkmark	Instruction for use
	atmospheres		\checkmark	Marking
			\checkmark	Standard
§2.9	PPE incorporating components which can be adjusted or removed by the user	\checkmark	\checkmark	Instruction for use
	Tenioved by the user			Marking
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and	\checkmark	\checkmark	Standard
§2.12			\checkmark	Instruction for use
	safety		\checkmark	Marking
	Multi-risk PPE	\checkmark	\checkmark	Standard
§2.14			\checkmark	Instruction for use
			\checkmark	Marking
	The PPE is intended to protect against impact caused by		\checkmark	Standard
§3.1.1	falling or ejected objects and collisions of parts of the body with an obstacle	\checkmark	\checkmark	Instruction for use
			\checkmark	Marking
	The PPE is intended to protect against falls due to slipping	 	\checkmark	Standard
§3.1.2.1			\checkmark	Instruction for use
			\checkmark	Marking
	The PPE is intended to protect against static compression of a part of the body	V	\checkmark	Standard
§3.2			\checkmark	Instruction for use
			\checkmark	Marking
	The PPE is intended to protect against mechanical	\checkmark	\checkmark	Standard
§3.3	injuries		\checkmark	Instruction for use
				Marking
§3.6	Protection against heat and/or fire	\checkmark		Standard
			\checkmark	Instruction for use
			\checkmark	Marking
				Standard
§3.7	Protection against cold	\checkmark	\checkmark	Instruction for use
			\checkmark	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	LS.C040	Buffalo grain leather 2,0 mm	Black
	LS.C550	Textile	Black
	LS.ST01	TPU (toe area)	Black
	LS.LT01	TPU (heel logo)	Black
	LS.MZ01	Metallic zip	Blak
COLLAR	LS.SF01	Buffalo split leather 0,7 mm	Black
	LS.C610	Retro-reflective material	Grey
TONGUE	LS.SF01	Buffalo split leather 0,7 mm	Black
VAMP LINING	LS.DE06	Textile	Grey
QUARTER LINING	LS.DQ061	Synthetic	Black
	LS.DE06	Textile	Grey
INSOCK	LS.PP17	Polyethylene	Black and red
OUTSOLE	LS.SU48	TRAIL PU NITRILE ANTISTATIC	Black
INSOLE	LS.P08	High tenacity composite fabric	
TOE CAP LS.BA20 Toecap 604 FIBER		Toecap 604 FIBER	
INSERT LS.P08 High tenacity composit		High tenacity composite fabric	

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Outsole : Resistance to hot contact
- Heat insulation
- Cold insulation

MARKING - PACKAGING

Information printed on the footwear :

- Logo of the Manufacturer
- * Logo CE
- Manufacturer's type designation
- Postal address of manufacturer
- * Footwear's reference
- Article code
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : Tongue and outsole

Method of marking on the footwear :

Printed label on the tongue lining + injection moldings on the outsole

Packaging :

Individual box and packing box of 5 pairs

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
TTS	1905015/Amendement	CTC	L200202190_1
СТС	D190712074_1	CTC	L200203554_1
СТС	L170610122_1	CTC	L200203567_1
СТС	L170610891_1	CTC	L200405468_1
СТС	L180714384_1	CTC	L200609219_2
СТС	L180714973_1	CTC	L200609223_1
СТС	L180918179_1	CTC	L200711020_1
СТС	L190305229_1	CTC	L200711023_1
СТС	L190306132_1	CTC	L200711773_1
СТС	L190715058_1	CTC	L200813218_1
СТС	L190816551_1	CTC	L200913533_1
CTC	L200100555_1	СТС	L201119521_1

TYR S3 40-49

MEANS OF CONTROL

We are ISO 9001: 2015 certified, attached the certificate N° 1998/9390.10 issued by Afaq. Every week we do impact and compression tests. At each delivery of material we do perforation tests.



PPE subject to ageing :

Peremption period : 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.lemaitre-securite.com/reg