

## **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/007/161/02/23/0176

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: **LEMAITRE SECURITE** 

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

France

Description

a safety footwear **PPE Type:** 

**Product reference: EDEN S3 NOIR** 

Article code:

Construction and material of outsole: Injection PU mono density

**Pictures:** 



LEMAITRE

17. rue de Bitschhoffen 67350 VAL DE MODER - FRANCE EDEN S3 NOIR 42 21/10 S3S CI FO SR

EN ISO 20345: 2022 Lot: 3237154465424 / 2207328

EN ISO 20345:2022 **Reference standard:** 

Classification: I Category: S3S CI FO SR

Size range: 35-50

**Toecap nature: Non Metallic Insert nature: Non Metallic** 

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from FEBRUARY 2023 and the user instructions index V10 - 23/12/2022.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Séverine AUBERT

MARKIN

CE Expert Team Coordinator

Date of first issue: 15 February 2023 End of validity date: 15 February 2028





www.ctcgroupe.com

cemarking@ctcgroupe.com

cofrac Accreditation n# 5-0594 Scope available on: www.cofrac.fr

Equipment and repealing the Directive 89/686/EEC

### **LEMAITRE SECURITE**

# **MANUFACTURER'S TECHNICAL FILE**

Reference of the product: EDEN S3 NOIR

Article code: /

Technical file index: 01

Last update: FEBRUARY 2023

## **IDENTIFICATION**

Reference of the product: EDEN S3 NOIR

Article Code:

Technical file index: 01

Last update : FEBRUARY 2023

### Manufacturer

### LEMAITRE SECURITE

17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER

France

Tel: 388722880 Tel: 388722886

### **Factory**

### **SOPIC**

Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS

**TUNISIE** 

Tel: +216 71 771 400 Fax: +216 71 771 477

## **FOOTWEAR DESCRIPTION**

### **Footwear description**

The classification of this footwear is I: Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is A: low shoe.

### **Visual description**

General view:



### Outsole view:



Reference of the mould: TRAINER

### Range of sizes

35-50

### **Construction and material of outsole**

Injection PU mono density

### Field of use

Light industry, Supply chain-Service sector, Distribution, Building finishings

# Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable		Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	$\boxtimes$	$\boxtimes$	Standard
			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
§1.4	Manufacturer's instructions and information is available	⊠		Standard
			$\boxtimes$	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	$\boxtimes$	$\boxtimes$	Standard
			$\boxtimes$	Instruction for use
				Marking
	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	$\boxtimes$	$\boxtimes$	Standard
§2.4			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
	PPE incorporating components which can be adjusted or removed by the user	$\boxtimes$	$\boxtimes$	Standard
§2.9			$\boxtimes$	Instruction for use
				Marking
			$\boxtimes$	Standard
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	⊠	$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
	Multi-risk PPE	×	$\boxtimes$	Standard
§2.14			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	$\boxtimes$	$\boxtimes$	Standard
§3.1.1			$\boxtimes$	Instruction for use
				Marking
	The PPE is intended to protect against falls due to slipping	$\boxtimes$	$\boxtimes$	Standard
§3.1.2.1			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
		$\boxtimes$	$\boxtimes$	Standard
§3.2	The PPE is intended to protect against static compression of a part of the body			Instruction for use
				Marking
	The PPE is intended to protect against mechanical injuries	×	$\boxtimes$	Standard
§3.3			$\boxtimes$	Instruction for use
				Marking
§3.7	Protection against cold	$\boxtimes$		Standard
			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking

## **FOOTWEAR CONSTITUTION**

	Reference	Material	Color
UPPER	LS.C530	Microfiber	Black
OFFLR	LS.C770	Textile CORPET i s tr/h2/bo320tci)	Black
	LS.DQ20	Synthetic	Black
TONGUE	LS.C530	Microfiber	Black
	LS.C770	Textile CORPET i s tr/h2/bo320tci)	Black
VAMP LINING	LS.DE01	Textile	Light grey
QUARTER LINING	LS.DQ20	Synthetic	Black
INSOLE	LS.P11	D 37 K BIAGIOLI	White
INSOCK	LS.PP15	Polyethylene	Black
OUTSOLE	LS.SD09	PU mold CARBON mono density	Grey
OUTSOLE	LS.ITPU01		Green
TOE CAP	LS.BA28	N 604 FIBER	
INSERT	LS.P11	D 37 K BIAGIOLI	White

## **PROTECTION SCOPE**

### **Basic requirements**

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACh regulation ( $n^{\circ}$  1907/2006 and revisions)

### **Additional requirements**

The claimed additional requirements are:

- Closed seat region
- Cleated outsole
- Perforation resistance (non-metallic insert type PS)
- Antistatic footwear
- Cold insulation
- Energy absorption of seat region
- Slip resistance (ceramic tile with glycerine)
- Upper: Water penetration and absorption of upper material
- Outsole : Fuel oil resistance

## **MARKING - PACKAGING**

### Information marked on the footwear

- \* Logo of the Manufacturer
- \* Logo **( €**
- \* Manufacturer's name or commercial brand
- \* Manufacturer's postal address
- Manufacturer's type designation
- \* Size
- \* At least year and month of footwear manufacture
- \* The number and year of the applicable specific standard(s)
- \* The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

### Marking example

 $\epsilon$ 

LEMAITRE 17, rue de Bitschhoffen 67350 VAL DE MODER - FRANCE EDEN S3 NOIR 42 21/10 S3S CI FO SR EN ISO 20345 : 2022

Lot: 3237154465424 / 2207328

Method of marking on the footwear: Printed label inner tongue + engravings on the outsole

### **Packaging**

Individual box and carton of 10 pairs

## References of test reports performed in order to verify the compliance with the requirements of the technical rules:

CTC	L210509265_2	CTC	L210304838_1
CTC	L220917827_1	CTC	L220713493_1
CTC	L230100582_1	CTC	L220713494_1
CTC	L230100353_1	CTC	L221121726_1
CTC	L220814648_1	INTERTEK	GZHT91052049
CTC	L220814651_1	CTC	L220917199_1
CTC	L220305232_1	CTC	L220917205_2
CTC	L220305234_1	CTCR	SE-07791
CTC	L210304837_1	CTCR	SE-07825

### **MEANS OF CONTROL**

We are ISO 9001 : 2015 certified, attached the certificate N $^\circ$  1998/9390.11 issued by Afaq. Every week we do impact and compression tests.

At each delivery of anti-penetration inserts we do perforation tests.





N° 1998/9390.11

AFNOR Certification certifie que le système de management mis en place par AFNOR Certification certifies that the management system implemented by:

### LEMAITRE SECURITE

pour les activités suivantes : for the following activities:

CHAUSSURES DE SECURITE, DE PROTECTION ET DE TRAVAIL A USAGE PROFESSIONNEL : CONCEPTION, PRODUCTION, VENTE, NEGOCE ET DISTRIBUTION.

AUTRES EQUIPEMENT DE PROTECTION INDIVIDUELLE: NEGOCE ET DISTRIBUTION.

SAFETY, PROTECTIVE AND OCCUPATIONAL FOOTWEAR FOR PROFESSIONAL USE: DESIGN, PRODUCTION, SALE, TRADE AND DISTRIBUTION. OTHER PERSONAL PROTECTIVE EQUIPMENT: TRADE AND DISTRIBUTION.

> a été évalué et jugé conforme aux exigences requises par : has been assessed and found to meet the requirements of:

> > ISO 9001: 2015

et est déployé sur les sites suivants : and is developed on the following locations:

17, rue de Bitschhoffen LA WALCK FR-67350 VAL DE MODER 27 RUE DE STRASBOURG PFAFFENHOFFEN FR-67350 VAL DE MODER 38 RUE DU CERF UBERACH FR-67350 VAL DE MODER

Ce certificat est valable à compter du (année/mois/jor This certificate is valid from (year/month/day) 2021-12-16

Jusqu'au Until 2024-11-06







Julien NIZRI

<u>Directeur Général d'AFNOR Certification</u>

Managing Director of AFNOR Certification

Sed to cellful decirolipe, consolidate or <u>recording to</u> Mild or temporal data cellfullation in Experience. The electrical cellfullation is cellful and the company is cellful. According to CPPACA\*\* 4000. Cellfullation in Experience, Public deposition or <u>recording.</u>

CPPACA\*\* CELLFORD\*\* 1 4000. Cellfullation is cellful and the company in the CPPACA\*\* according to the cellful and the cellful and

Plashez de Q/t Code pour vérifier la validă

1 rue Francis de Pressensé - 93571 La Plaine Saint-Denis Cedex - France - T. +33 (0)1 41 62 80 00 - F. +33 (0)1 40 17 90 0 6 - 479 076 002 908 Behinny - www.after.com



### PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

### Declaration of conformity:

The EU declaration of conformity can be accessed on the website: www.lemaitre-securite.com/reg