



# INDUSTRIAL CATALOGUE



# PERFORMANCE BRANDS



# CONTENTS

<b>NEW SOLE TECHNOLOGIES</b>	<b>03</b>
<b>OUR LEATHER</b>	<b>04</b>
<b>ABOUT US</b>	<b>05</b>
<b>SUSTAINABILITY</b>	<b>06</b>
<b>SAFETY FOOTWEAR</b>	<b>08</b>
Tera-Lock™ Construction Boots	08
PU/Rubber Construction Boots	16
Safe Step Hi-Vis Boots	18
LTC Torsion Control	20
PU / Rubber Safety Boots	22
Safety Boots	24
Cut Resistant Boots	31
Foundry & Welding Boots	32
Recycled Safety Boots	34
Waterproof Safety Dealer Boots	36
Agri Safety Boots	38
ESD Safety Boots	43
ESD Shoes & Trainers	45
Safety Shoes & Trainers	48
Recycled Safety Shoes & Trainers	52
<b>OCCUPATIONAL FOOTWEAR</b>	<b>54</b>
Slip Resistant Trainers	54
Waterproof Soft Toe Dealer Boots	56
Soft Toe Dealer Boots	57
Soft Toe Derby Boots	59
<b>WELLINGTONS</b>	<b>60</b>
Safety & PU Wellingtons	60

<b>FOOTWEAR ACCESSORIES</b>	<b>62</b>
Insoles, Socks & Foot Scanner	62
<b>WORKWEAR</b>	<b>64</b>
Waterproof Clothing	64
Waterproof Standards	66
Coveralls	68
Work Trousers	72
Gilets & Shirts	76
Sweatshirts & Hats	78
<b>SAFETY HELMETS</b>	<b>80</b>
Safety Helmet Standards	80
Safety Helmets	82
Helmet Accessories	87
<b>GLOVES</b>	<b>88</b>
Glove Standards	88
Thorn Protect	89
Driver Gloves	91
Rigger Gloves	94
Welding Gauntlets	96
Milking Gloves	99
<b>FOOTWEAR STANDARDS</b>	<b>100</b>
<b>POINT OF SALE</b>	<b>102</b>

Performance Brands is a leading UK provider of performance safety footwear and clothing, trusted by thousands of workers operating in a wide range of technical environments from challenging to extreme conditions.

With product development at the forefront of our business, our products are engineered to deliver strength, durability, and all-day comfort.

High-quality finishes and a wide range of sizes and styles give companies the confidence to protect their teams without compromising on comfort or style.

## NEW SOLE TECHNOLOGIES

We've invested in developing advanced sole technologies to improve performance and durability. This includes our new rubber construction sole, Tera-Lock™, engineered for exceptional grip, durability, and support in the toughest conditions.

We've also introduced two additional sole technologies to complement our range and further strengthen our performance footwear offering:

### TERA-LOCK™

Designed to perform across wet, hot, cold and unstable working environments.



- > **Superior Grip:** High-traction rubber compound with an aggressive lug pattern delivers secure footing on wet ground, loose soil and uneven construction surfaces.
- > **Extended Wear Life:** Extra-thick rubber in the key wear zones — heel and forepart — dramatically increases durability and long-term performance on site.
- > **Reinforced for Digging:** A strengthened mid-arch structure provides added rigidity and support when shovelling, levering or climbing, reducing flex-fatigue and boosting power.

See page 8 for full detail

### NAVIGATOR

Lighter-weight PU/rubber hybrid alternative to our heavy-duty rubber range



See page 16 for full detail

### TRAX

High-performance slip-resistant sole - designed to exceed industry slip-resistance standards.



See page 55 for full detail



# OUR LEATHER

As part of the Rahman Group, Performance Brands combines over four decades of leather expertise from our Indian tannery with more than 200 years of craftsmanship at our Mossop tannery in Wellington, South Africa. Renowned worldwide, the Rahman Group sets the standard for high-quality, durable leather, delivering unmatched performance and reliability.

Our leather safety footwear and protective gloves are manufactured from this premium leather, combining strength, comfort, and resilience to perform under the toughest industrial conditions.



Solar Panels on the Rooftops of All Manufacturing Facilities



## PERF R-180 LEATHER

Our specially tanned R-180 leather delivers exceptional water resistance, providing over 180 minutes of protection - three times the S3 standard minimum of 60 minutes. Engineered for long-lasting performance, it keeps you protected even in the harshest conditions.

## SEALED SEAMS

All seams on any R-180 leather uppers of our footwear are fully sealed, providing an additional layer of protection against water ingress and enhancing the overall durability and performance of our footwear.

## KEY BENEFITS

- » **Exceptional Water Resistance** – Provides protection for over 180 minutes, three times longer than the S3 minimum of 60 minutes, keeping feet dry in harsh conditions.
- » **Durability & Longevity** – High-quality, specially tanned leather ensures long-lasting performance, maintaining strength and flexibility over time
- » **Enhanced Protection** – Fully sealed seams prevent water ingress and improve overall reliability, giving footwear superior performance in demanding industrial environments.

## APPROVED SUPPLIER:

Our R-180 leather is sourced exclusively from our approved LWG Gold-rated tannery, reflecting our commitment to sustainable practices and high-quality materials.



# ABOUT US

## PRODUCT DEVELOPMENT

With over forty years' experience, we focus on delivering high-performance safety footwear and workwear built to withstand a wide range of industrial environments. Our R&D team works closely with our factory and component suppliers to innovate and refine designs, ensuring footwear delivers comfort, protection, and long-lasting performance.

## QUALITY CONTROL

Every product in our safetywear range undergoes strict quality checks to meet our high standards. Through careful inspection in our on-site Labs, we test at every stage of development and manufacture, to guarantee consistent safety, durability, and reliability, giving customers confidence in our products.

## WAREHOUSING & LOGISTICS

Our warehouse in Durham houses all stock and serves as the hub of our logistics operations. With a dedicated on-site team, we ensure efficient stock management and timely dispatch to meet our customers' needs. Partnering with trusted transport providers, we maintain reliable nationwide delivery and streamlined distribution.


## SALES SUPPORT

Our experienced sales team provides expert product advice and tailored recommendations to meet each customer's needs. With in-depth knowledge of safety footwear and industry demands, they deliver responsive service and ongoing support to ensure a positive experience from initial contact through to after-sales care.

## MANUFACTURING


Our manufacturing and distribution sites are situated worldwide across France, Germany, Italy, Spain, UAE, South Africa and India, alongside sister companies Lemaitre, PERF, and Safetix. Footwear produced within the group is manufactured in accordance with international safety standards, including EN ISO 20345, with certified ranges carrying CE marking and meeting key performance requirements such as slip resistance, penetration resistance, heat resistance, and water protection.


Group manufacturing facilities operate under recognised quality, environmental, and occupational health & safety management systems, ensuring consistent product performance, compliance, and reliability across global markets.





## BUILDING A LOWER-IMPACT FUTURE ACROSS OUR OPERATIONS

**7**   
ELECTRIC VEHICLES IN OPERATION

**50%**   
SOLAR POWERED FOOTWEAR PRODUCTION




At Performance Brands, we are committed to minimising our environmental footprint.

Through strategic investments in clean transport, renewable energy, water stewardship, energy efficiency, and recycled packaging, we are making our operations more sustainable for today and the future.

### CLEAN TRANSPORT

#### Electric Vehicles




7 electric vehicles have replaced diesel vehicles to move raw materials and products between units, resulting in zero tailpipe emissions across the site.

-  Reduced emissions
-  Lower fuel use
-  Cleaner transport

### RENEWABLE ENERGY

#### Solar Power

Investment in solar panels across our sites has increased total capacity to 4.25 MW, with 50% of footwear manufacturing now solar-powered.

-  Lower carbon footprint
-  Renewable energy
-  Reduced fossil fuel reliance

# SUSTAINABILITY



**WASTE WATER CONVERTED INTO REUSABLE WATER**

**100%**   
RECYCLED PACKAGING MATERIALS






**ENERGY EFFICIENT HEATING SYSTEM INSTALLED**

### WATER RESPONSIBILITY

#### Tannery Water Filtration




Our LWG Gold-rated tanneries have installed filtering systems, converting waste water into useable water to be reintroduced into the production cycle.

-  Water reuse
-  Reduced waste
-  Responsible production

### RESPONSIBLE PACKAGING

#### Recycled Packaging




All packaging is made from recycled materials marked with our FWC logo, and designed to reduce our environmental impact.

-  Reduced virgin materials
-  Lower packaging footprint
-  Consistent sustainability branding

### ENERGY EFFICIENCY

#### Heat-Sourced Water Pumps

We have invested in heat sourced water pump technology, reducing reliance on conventional heating energy sources.

-  Lower carbon footprint
-  Renewable energy
-  Reduced fossil fuel reliance



LEMAITRE

# TERA-LOCK™

ENGINEERED FOR SERIOUS WORK



### TERA-LOCK™ FEATURES

- ▶ **Lightweight performance rubber compound**
- ▶ **Reinforced lug thickness at heel, ball and toe wear zones**
- ▶ **Internal reinforced digging plate for added protection during tool work**
- ▶ **Multi-directional lug geometry for grip in mud and uneven terrain**
- ▶ **High abrasion resistance compound for extended outsole life**

▶ **Superior Grip:** High-traction rubber compound with an aggressive lug pattern delivers secure footing on wet ground, loose soil and uneven construction surfaces.

▶ **Extended Wear Life:** Extra-thick rubber in the key wear zones, heel and forepart, dramatically increases durability and long-term performance on site.

▶ **Reinforced for Digging:** A strengthened mid-arch structure provides added rigidity and support when shovelling, levering or climbing, reducing flex-fatigue and boosting power.

▶ **R-180 Waterproof Leather Upper:** Tough, water-resistant R-180 leather with sealed seams delivers superior protection, flexibility and long-lasting performance in harsh construction environments.

▶ **ALL DAY COMFORT SYSTEM:** Open-cell PU washable footbed. Heel shock absorber. Moisture wicking lining. Reduced fatigue during long shifts. COMFORT THAT WORKS AS HARD AS YOU DO.

▶ **NON-METAL PROTECTION:** Fibreglass toe cap, Lightweight composite construction. Ergonomic toe shape for maximum internal space. Reduced toe pressure and rubbing. STRONG PROTECTION. SMARTER COMFORT.

## GRIP LOCKED. GROUND READY.

Tera-Lock™ is our advanced lightweight rubber outsole system, developed specifically for construction, groundworks, and utilities, designed to perform across wet, hot, cold, and unstable working environments.

## ONE PLATFORM. THREE SOLUTIONS.

**STRATA The Boot**  
LIGHTWEIGHT, AGILE AND BUILT FOR MOBILITY ON DEMANDING SITES.

**BEDROCK The Hiker Boot**  
ENHANCED ANKLE SUPPORT AND STABILITY FOR UNEVEN TERRAIN.

**TERRAFORM The Combat Boot**  
SIDE-ZIP CONVENIENCE. MAXIMUM SUPPORT. BUILT FOR INFRASTRUCTURE AND UTILITIES.

# SAFETY FOOTWEAR

## TERA-LOCK™ CONSTRUCTION BOOTS



### STRATA Non-Metal Safety Boot

EN ISO 20345:2022 S3S CI HI HRO LG FO SR

STRATA PB407C-BLK

The Strata Non-Metal Safety Boot is a lightweight, agile boot built for demanding environments. Featuring the advanced Tera-Lock™ outsole for grip and durability, along with water-resistant leather and non-metal protection, it delivers reliable performance and all-day comfort. Typical applications include construction, groundworks, utilities, and engineering.

**Weight:** 915g  
**Colour:** Black  
**Sizes:** 3-14

- ▶ **Upper:** R-180 full grain leather offering minimum 3 hour water protection.
- ▶ **Lining:** Abrasion resistant, moisture wicking textile.
- ▶ **Toe Cap:** HDPC Fibreglass Non Metal - Resistant to 200J
- ▶ **Midssole:** Textile pierce resistant - Min 1100N.
- ▶ **Sole Unit:** Tera-Lock™ Rubber Outsole. Lightweight performance rubber compound. Reinforced lug thickness at heel, ball and toe wear zones. Internal reinforced digging plate for added protection during tool work. Multi-directional lug geometry for grip in mud and uneven terrain. High abrasion resistance compound for extended outsole life. Anti-static and heat resistant to 300°C.
- ▶ **Footbed:** Moisture wicking, breathable and washable footbed with shock absorber.



Available Autumn 2026!



Sole Technology: TERA-LOCK™

# SAFETY FOOTWEAR

TERA-LOCK™ CONSTRUCTION BOOTS



## BEDROCK Non Metal Safety Hiker

EN ISO 20345:2022 S3S CI HI HRO LG FO SR

BEDROCK PB408C-BLK

The Bedrock Non-Metal Safety Hiker is a lightweight, durable boot designed for stability on uneven terrain. Featuring the advanced Tera-Lock™ outsole for superior grip and longevity, along with water-resistant leather and non-metal protection, it delivers reliable performance with enhanced ankle support and all-day comfort. Typical applications include construction, groundworks, utilities, and engineering.

Weight: 922g  
Colour: Black  
Sizes: 3-14

- > **Upper:** R-180 full grain leather offering minimum 3 hour water protection.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** HDFC Fibreglass Non Metal - Resistant to 200J
- > **Midsole:** Textile pierce resistant - Min 1100N.
- > **Sole Unit:** Tera-Lock™ Rubber Outsole. Lightweight performance rubber compound. Reinforced lug thickness at heel, ball and toe wear zones. Internal reinforced digging plate for added protection during tool work. Multi-directional lug geometry for grip in mud and uneven terrain. High abrasion resistance compound for extended outsole life. Anti-static and heat resistant to 300°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed with shock absorber.



Available Autumn 2026!



Sole Technology: TERA-LOCK™

# SAFETY FOOTWEAR

TERA-LOCK™ CONSTRUCTION BOOTS



## TERRAFORM Non Metal Safety Side Zip Combat

EN ISO 20345:2022 S3S CI HI HRO LG FO SR

TERRAFORM PB409C-BLK

The Terraform Non-Metal Safety Side Zip Combat Boot is an 8-inch, high-support boot built for demanding sites. Featuring the Tera-Lock™ outsole for grip and durability, water-resistant leather, and non-metal protection, it delivers maximum stability with side-zip convenience for easy on-and-off. Typical applications include infrastructure, utilities, construction, and engineering.

Weight: 774g  
Colour: Black  
Sizes: 3-14

- > **Upper:** R-180 full grain leather offering minimum 3 hour water protection.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** HDFC Fibreglass Non Metal - Resistant to 200J
- > **Midsole:** Textile pierce resistant - Min 1100N.
- > **Sole Unit:** Tera-Lock™ Rubber Outsole. Lightweight performance rubber compound. Reinforced lug thickness at heel, ball and toe wear zones. Internal reinforced digging plate for added protection during tool work. Multi-directional lug geometry for grip in mud and uneven terrain. High abrasion resistance compound for extended outsole life. Anti-static and heat resistant to 300°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed with shock absorber.



Available Autumn 2026!



Sole Technology: TERA-LOCK™

# SAFETY FOOTWEAR

TERA-LOCK™ CONSTRUCTION BOOTS



**STRATA SEAL** Waterproof Non Metal Safety Boot  
EN ISO 20345:2022 S7S SR LG CI SC FO HRO

STRATA SEAL PB411C-BLK

Lightweight, agile, and fully waterproof, the Strata is built for demanding sites. Featuring the Tera-Lock™ outsole for grip and durability, water-resistant leather, a waterproof lining, and non-metal protection, it delivers reliable performance and all-day comfort. Typical applications include construction, groundworks, utilities, and engineering.

**Weight:** 941g  
**Colour:** Black  
**Sizes:** 3-14

- > **Upper:** R-180 full grain leather.
- > **Lining:** Waterproof breathable and abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** HDFC Fibreglass Non Metal - Resistant to 200J
- > **Midsole:** Textile pierce resistant - Min 1100N.
- > **Sole Unit:** Tera-Lock™ Rubber Outsole. Lightweight performance rubber compound. Reinforced lug thickness at heel, ball and toe wear zones. Internal reinforced digging plate for added protection during tool work. Multi-directional lug geometry for grip in mud and uneven terrain. High abrasion resistance compound for extended outsole life. Anti-static and heat resistant to 300°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed with shock absorber.

Available Autumn 2026!



Sole Technology: TERA-LOCK™

# SAFETY FOOTWEAR

TERA-LOCK™ CONSTRUCTION BOOTS



**BEDROCK SEAL** Waterproof Non Metal Safety Hiker  
EN ISO 20345:2022 S7S SR LG CI SC FO HRO

BEDROCK SEAL PB412C-BLK

Built for uneven terrain, the Bedrock Waterproof Hiker combines the Tera-Lock™ outsole, water-resistant leather, a waterproof lining, and non-metal protection with enhanced ankle support. Tough and durable, it offers stability, comfort, and reliable waterproof performance. Typical applications include construction, groundworks, utilities, and engineering.

**Weight:** 965g  
**Colour:** Black  
**Sizes:** 3-14

- > **Upper:** R-180 full grain leather.
- > **Lining:** Waterproof breathable and abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** HDFC Fibreglass Non Metal - Resistant to 200J
- > **Midsole:** Textile pierce resistant - Min 1100N.
- > **Sole Unit:** Tera-Lock™ Rubber Outsole. Lightweight performance rubber compound. Reinforced lug thickness at heel, ball and toe wear zones. Internal reinforced digging plate for added protection during tool work. Multi-directional lug geometry for grip in mud and uneven terrain. High abrasion resistance compound for extended outsole life. Anti-static and heat resistant to 300°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed with shock absorber.

Available Autumn 2026!



Sole Technology: TERA-LOCK™



LEMAITRE

# TERRAFORM SEAL

100% WATERPROOF MEMBRANE

R-180 WATERPROOF LEATHER

INTERIOR REMAINS BONE DRY



100% WATERPROOF

# SAFETY FOOTWEAR CONSTRUCTION BOOTS



# TERRAFORM SEAL 100% WATERPROOF



## TERRAFORM SEAL Waterproof Non Metal Safety Side Zip Combat

EN ISO 20345:2022 S7S SR LG CI SC FO HRO



Available Autumn 2026!

TERRAFORM SEAL PB413C-BLK

The 8-inch Terraform Waterproof Combat Boot delivers maximum support and waterproof protection on demanding sites. Featuring the Tera-Lock™ outsole, water-resistant leather, a waterproof lining, and non-metal protection, it offers stability, all-day comfort, and side-zip convenience for quick on-and-off. Typical applications include infrastructure, utilities, construction, and engineering.

Weight: 1020g  
Colour: Black  
Sizes: 3-14

- > **Upper:** R-180 full grain leather.
- > **Lining:** Waterproof breathable and abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** HDFC Fibreglass Non Metal - Resistant to 200J
- > **Midsole:** Textile pierce resistant - Min 1100N.
- > **Sole Unit:** Tera-Lock™ Rubber Outsole. Lightweight performance rubber compound. Reinforced lug thickness at heel, ball and toe wear zones. Internal reinforced digging plate for added protection during tool work. Multi-directional lug geometry for grip in mud and uneven terrain. High abrasion resistance compound for extended outsole life. Anti-static and heat resistant to 300°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed with shock absorber.



Sole Technology: TERA-LOCK™





LEMAITRE

# NAVIGATOR

## PU/RUBBER HYBRID PERFORMANCE SOLE

OUR LIGHTER, TECHNICAL ALTERNATIVE TO TERA-LOCK™  
LIGHTER, MORE AGILE, STILL SITE-TOUGH.

Developed as a lighter-weight alternative to our heavy-duty rubber range, the Navigator PU/Rubber hybrid outsole platform delivers durability with reduced fatigue.

Built for construction, utilities and wind turbine technicians, this range provides all-day wearability without compromising site protection.

### NAVIGATOR SOLE FEATURES

Durable rubber outsole for grip and abrasion resistance

Lightweight PU mid-layer for shock absorption

Slip resistant tread pattern for mixed terrain

Fuel oil resistant outsole

Non-Metal construction

## NAUTIC

100% WATERPROOF. BREATHABLE. BUILT FOR THE ELEMENTS.  
WATERPROOF COMBAT BOOT WITH SYMPATEX®

Fully waterproof combat boot, built for serious exposure to wet conditions. Ideal for utilities, wind farms, infrastructure and exposed environments where staying dry is critical.

#### Key Features:

- Sympatex® waterproof membrane
- 100% waterproof protection
- Breathable lining to manage moisture
- Side zip for fast access
- Lightweight PU/Rubber sole
- Non-Metal safety construction



## ONYX

### LIGHTWEIGHT S3 ESD HIKER BOOT

Lightweight site performance in a classic hiker style. Built with durable S3 leather upper and the PU/Rubber hybrid sole, Onyx is ideal for general construction and industrial environments.

#### Key Features:

- EN ISO 20345 S3
- ESD certified
- Non-Metal construction
- Lightweight PU/Rubber sole
- Shock absorbing comfort



# SAFETY FOOTWEAR

## PU/RUBBER NAVIGATOR RANGE



### NAUTIC Waterproof Combat Boot with Sympatex®

EN ISO 20345:2022 S7S HI CI SR SC FO LG HRO

NAUTIC COMBAT: PB385C-BLK

The Nautic PU/Rubber Safety Combat Boot is suitable for most heavy-duty applications. Typical applications include groundworks, construction, engineering, utilities, and rail. The overcap makes it perfect for jobs which involve kneeling as the cap prevents the leather from being worn away from the boot toe.

Weight: 788g  
Colour: Black  
Sizes: 3-13

- **Upper:** Breathable, grain leather with PU tongue and collar. (Leather 1.8-2.2mm).
- **Inner Lining:** Sympatex® waterproof abrasion resistant lining, moisture wicking textile.
- **Toe Cap:** Lightweight fiberglass toe cap resistant to 200J.
- **Midssole:** Textile pierce resistant midssole – Min. 1100N.
- **Sole Unit:** Lightweight injected dual density PU/RU soling system with anti-static properties, shock absorption, heat resistance to 300°C and SR rated slip resistance.
- **Footbed:** Moisture wicking, breathable and washable footbed with heel shock absorber.



Sole Technology: NAVIGATOR



NEW PRODUCT!

0% METAL

HEAT RESISTANT TO 300°C




sympatex®

### sympatex® SHOE LINER TECHNOLOGY

Specifically developed to guarantee optimal performance, protection and comfort, whatever the weather conditions.

- 100% waterproof and windproof
- Optimal breathability
- Very thin, high stretch poreless membrane
- Dynamic climate control: the rate of humidity elimination improves as physical activity increases
- Extremely hard-wearing
- Recyclable membrane made of 100% recycled materials
- Oeko Tex® standard 100 certified



### ONYX Lightweight S3 ESD Hiker Boot

EN ISO 20345:2022 S3S HI CI SC SR FO HRO LG ESD

ONYX HIKER: PB384C-BLK

The Onyx ESD Safety Hiker is a PU/Rubber non-metal hiker, ideal for use in airports, security areas, or any environment where metal detectors are present, or in areas that need ESD footwear. Other applications include industrial warehousing, security, engineering, distribution, manufacturing, transport and offices.

Weight: 681g  
Colour: Black  
Sizes: 3-13

- **Upper:** Breathable, full grain leather with textile tongue and collar. (Leather 1.8-2.0mm).
- **Inner Lining:** Abrasion resistant, moisture wicking textile.
- **Toe Cap:** Lightweight fibre glass toe cap resistant to 200J.
- **Midssole:** Textile pierce resistant midssole – Min. 1100N.
- **Sole Unit:** Lightweight, injected dual density PU/RU soling system with ESD properties, shock absorption, heat resistance to 300°C and SR rated slip resistance.
- **Footbed:** Moisture wicking, breathable and washable footbed with heel shock absorber.



Sole Technology: NAVIGATOR



NEW PRODUCT!

0% METAL



HEAT RESISTANT TO 300°C



LEMAITRE

# SAFE-STEP™ HI-VIS RANGE

## BUILT TO STAND OUT ON SITE!

The Safe-Step™ Hi-Vis Range uses our lightweight PU/Rubber sole platform across all styles - now available in high visibility colourways to complement modern site PPE.

These boots are designed in bright orange and yellow to coordinate with site clothing and improve visual presence.

Stand out. Stay protected.  
Stay comfortable.

- 100% WATERPROOF INTERNAL MEMBRANE
- LIGHTWEIGHT PU/RUBBER SOLE
- NON-METAL CONSTRUCTION
- SLIP RESISTANT OUTSOLE
- DESIGNED TO MATCH SITE PPE AESTHETICS



# SAFETY FOOTWEAR

## SAFE-STEP™ HI-VIS RANGE



NEW RANGE!

### SAFE-STEP™ HI VIS RANGE

PU/Rubber Safety Hiker & Safety Side Zip Combat

EN ISO 20345:2022 S7S HI CI SC SR HRO FO LG

SAFE STEP HI VIS HIKER - ORANGE	PB395C-ORG
SAFE STEP HI VIS HIKER - YELLOW	PB395C-YEL
SAFE STEP HI VIS COMBAT - ORANGE	PB396C-ORG
SAFE STEP HI VIS COMBAT - YELLOW	PB396C-YEL

The Safe-Step™ Hi-Vis Range uses our lightweight PU/Rubber Navigator sole platform across all styles - now available in high visibility colourways to complement modern site PPE.

These boots are not certified hi-vis garments, but are designed in bright orange and yellow tones to coordinate with site clothing and improve visual presence.

Stand out. Stay protected. Stay comfortable.

Weight: Hiker (711g) Combat (756g)  
Colours: Orange & Yellow  
Sizes: 5-13

- > **Upper:** Full Grain Nubuck leather and high visibility textile.
- > **Lining:** Abrasion resistant waterproof and breathable membrane.
- > **Sole:** PU/Rubber abrasion resistant and heat resistant to 300°C
- > **Toe Cap:** HDPC Composite fibre toe cap resistant to 200J
- > **Midsole:** Textile Midsole - min 1100N
- > **Footbed:** Moisture wicking, breathable and washable footbed with heel shock absorber.



Safe-Step™ Hiker



Safe-Step™ Side Zip Combat



Sole Technology: NAVIGATOR - HI VIS



Sole Technology: NAVIGATOR - HI VIS





# THOR S7S

## TORSION CONTROL

Heavy-duty, built for tough worksites.  
 Exceptional ankle support, lightning-fast UTurn lacing, and top-level Meta Protection keep you safe, secure, and comfortable.

**+61.8%**  
 Ankle support +61.8% compared to standard footwear.  
 Results of tests carried out by CTC for an angle of 15°



**ANTI-TORSION ANKLE PROTECTION**  
 Prevents ankle twisting and injury.

**+61.8%** stronger than standard footwear.

**UTURN®**  
 Quick lacing system ensures secure and comfortable fitting.

**META PROTECTION**  
 Protection of the metatarsals against the risk of impact.

**WATERPROOF**

# SAFETY FOOTWEAR

## LTC TORSION CONTROL



### THOR S7S Waterproof LTC Meta + Torsion Control Safety Boot

EN ISO 20345: 2022 S7S CI HI FO SR LG M SC CR

THOR S7S PB350-BLK

Heavy duty boot available in men's and women's fit. The quick lacing UTURN® system makes it easy to put on and remove. Anti-torsion ankle protection and Meta protection for your foot bridge. Typical applications include civil engineering and forestry works, logistics, automotive, shipyard, construction, petrochemistry and chemistry.

**Weight:** 733g  
**Colour:** Black  
**Sizes:** 2-14 (Incl 6.5 & 10.5)

UTURN® Shoe available (FINN PB344-BLK). See page 49 for detail

- > **Upper:** Smooth full grain water-repellent leather with anti-abrasion TPU scuffcap, Meta protection against impacts and water repellent tongue and collar.
- > **Lining:** 3D microporous fabric for breathability and moisture control.
- > **Toe Cap:** Composite HDPC providing 200 J of impact protection.
- > **Midssole:** Puncture-resistant high tenacity fabric.
- > **Sole Unit:** TRAILIUM PU2D antistatic sole with 4 mm studs, drainage channels, 15 mm raised heel, and large bearing surface for stability. Heat resistance to 120°C and SR rated slip resistance.
- > **Footbed:** Memory Foam Titan sole for immediate and lasting comfort with antibacterial properties.



**UTURN®**  
 ADVANCED LACING SYSTEM



**LTC**  
 LEMAITRE  
 TORSION CONTROL



# SAFETY FOOTWEAR

PU/RUBBER SOLE

## TREK NOIR S3 Heavy Duty Non Metal Vibram Hiker

EN ISO 20345:2011 S3 CI HI HRO SRC

TREK NOIR PB243-BLK

The Trek Noir is a hiker boot suitable for most industrial applications. Typical applications include rail, utilities, construction or any outdoor use. The textile midsole makes the boot ideal for driving as the boot is very lightweight and flexible. 100% non-metal.

**Weight:** 720g  
**Colour:** Black  
**Sizes:** 2-14 (Incl 6.5 & 10.5)

- > **Upper:** Water-repellent full grain leather.
- > **Lining:** High breathable, three-dimensional micro-porous textile.
- > **Toecap:** HDPC fibreglass.
- > **Midssole:** High tenacity composite fabric <<O>> penetration.
- > **Sole:** PU / Nitrile VIBRAM with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable footbed.
- > **Fitting:** Adapted to womens feet morphology from 2 to 6 and mens fitting from 6.5 to 14.



LEMATRE  
DESIGNED FOR ACTION



# SAFETY FOOTWEAR

PU/RUBBER SOLE

## CORVUS Waterproof PU/RU Boot c/w Cap

EN ISO 20345:2011 S3 HRO WR SRC

CORVUS PB256C-BLK

The Corvus is a lightweight waterproof hiker suitable for most industrial applications. The overcap makes it perfect for jobs which involve kneeling as the cap prevents the leather from being worn away from the toe of the boot. Typical applications include logistics, construction, vehicle recovery and mechanics. The ankle support system makes the boot suitable for working on uneven ground.

**Weight:** 770g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Waterproof and breathable. Full grain leather with textile tongue and collar.
- > **Lining:** Waterproof, abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Steel resistant to 200J.
- > **Midssole:** Textile pierce resistant - Min 1100N
- > **Sole Unit:** Lightweight injected dual density PU/RU anti-static. Shock absorption, heat resistant to 300°C.
- > **Footbed:** Moisture wicking, breathable and washable.
- > **Application:** Most industrial applications & agriculture.



PERF



## RAILWAY Heavy Duty Waterproof Safety Hiker

EN ISO 20345:2011 S3 WR SRC

RAILWAY PB305-BLK

Suitable for use in the rail industry working trackside. Also great for utilities companies or any business needing strong waterproof footwear. 100% Non-Metal.

**Weight:** 800g  
**Colour:** Black  
**Sizes:** 5-13

- > **Upper:** Breathable and water-repellent full grain leather.
- > **Lining:** High breathable, three-dimensional micro-porous textile. Sympatex® waterproof and breathable membrane.
- > **Toecap:** HDPC fibreglass.
- > **Midssole:** High tenacity composite fabric <<O>> penetration.
- > **Sole:** PU / Nitrile VIBRAM with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.



PERF



## HURON Waterproof Safety Hiker

EN ISO 20345:2022 S7S LG CI WR SR

HURON PB392C-BRN

When you need a tough boot but still want to keep the flexibility in the sole when driving, the Huron is a great option. Not only is it fully waterproof, the ankle support also provides extra protection when walking across rough ground. The addition of the bump cap protects the leather at the front of the boot making it last longer. The PU sole is light, comfortable and fully waterproof so no more wet socks.

**Weight:** 744g  
**Colour:** Brown  
**Sizes:** 3-13

- > **Upper:** R-180 full grain waterproof leather. Ankle support zone helps prevent ankle twisting.
- > **Lining:** Waterproof and breathable abrasion resistant lining.
- > **Toe Cap:** HDPC composite fibre toe cap-resistant to 200J.
- > **Midssole:** Textile pierce resistant - Min 1100N.
- > **Sole Unit:** Lightweight injected dual density 2PU anti-static. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Moisture wicking, breathable and washable.
- > **Application:** Most industrial applications & agriculture.



PERF



## CONSTRUCTOR S3 Hiker

EN ISO 20345:2011 S3L AN CI HI HRO SRC

CONSTRUCTOR PB400C-BLK

The Constructor is a technical all-terrain boot designed with Vibram® sole for excellent grip in harsh weather conditions. Ideal for construction, road maintenance and green spaces. 100% non-metal.

**Weight:** 686g  
**Colour:** Black  
**Sizes:** 2-14

- > **Upper:** Water-repellent full grain leather.
- > **Lining:** High breathable, three-dimensional micro-porous textile.
- > **Toecap:** HDPC fibreglass.
- > **Midssole:** High tenacity composite fabric <<O>> penetration.
- > **Sole:** PU / Nitrile VIBRAM with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable footbed.
- > **Fitting:** Adapted to womens feet morphology from 2 to 6 and mens fitting from 6.5 to 14.



LEMATRE  
DESIGNED FOR ACTION



## CARSON Waterproof Safety Hiker

EN ISO 20345:2022 S7 FO SR

CARSON PB311C-BLK

The Carson is suitable for most industrial applications. Typical applications include local authorities, parks departments, agriculture and construction.

**Weight:** 755 g  
**Colour:** Black  
**Sizes:** 6-12

- > **Upper:** Breathable and water-resistant microfibre suede.
- > **Lining:** Waterproof, abrasion resistant moisture wicking anti-bacterial textile.
- > **Toe Cap:** Steel - resistant to 200J.
- > **Midssole:** Stainless steel - Min 1100N.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.
- > **Application:** Agriculture and trades.



SAFETIX



# SAFETY FOOTWEAR

## SAFETY BOOTS



### TORSION PRO Non-Metal Hiker

EN ISO 20345:2022 S3S LG CI SC SR FO (Brown & Black)  
EN ISO 20345:2022 S3S LG CI SR FO (Honey)

TORSION PRO - BLACK	PB390G-BLK
TORSION PRO - BROWN	PB390G-BRN
TORSION PRO - HONEY	PB390-HON

The Torsion Pro is a lightweight non-metal hiker suitable for most industrial applications. Typical applications include warehousing, logistics, construction, vehicle recovery and mechanics. The ankle support system makes the boot suitable for working on uneven ground.

**Weight:** 673g  
**Colour:** Brown / Black / Honey  
**Sizes:** 3 - 13 (Incl 6.5 & 10.5)

- > **Upper:** Breathable, full grain leather with textile tongue and collar. (Leather 1.8-2.0mm) Ankle support zone helps prevent ankle twisting.
- > **Lining:** Breathable abrasion resistant lining.
- > **Toe Cap:** HDFC composite fibre toe cap resistant to 200J.
- > **Midssole:** Textile pierce resistant - Min. 1100N.
- > **Sole Unit:** Lightweight injected dual density 2PU anti-static. Shock absorption, heat resistant to 120°C and SR rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



Colour: Honey



Colour: Brown

Colour: Black



NEW PRODUCTS!

0% METAL

NEW PRODUCTS!

0% METAL

# SAFETY FOOTWEAR

## SAFETY BOOTS

### SNIPER Non Metal Hiker

EN ISO 20345:2011 S3 SRC

SNIPER PB307-HON

The Sniper is suitable for most industrial applications including construction, engineering, utilities, warehousing and distribution, transport and logistics.

**Weight:** 760g  
**Colour:** Honey  
**Sizes:** 3-13

- > **Upper:** Breathable, full grain nubuck leather. (Leather 1.8-2.2mm)
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** HDFC composite fibre toe cap resistant to 200J.
- > **Midssole:** Textile midssole - min. 1100N.
- > **Sole Unit:** Dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable, and washable footbed.



0% METAL



### VARADERO S3 Non-Metal Boot

EN ISO 20345:2011 S3 CI SRC

VARADERO PB245C-BLK

The Varadero is suitable for most industrial applications including warehousing, manufacturing and distribution. The textile midssole makes the boot ideal for driving as it is very lightweight and flexible. 100% Non-Metal.

**Weight:** 790g  
**Colour:** Black  
**Sizes:** 2-14 (Incl 6.5 & 10.5)

- > **Upper:** Water repellent full grain pull-up leather with abrasion resistant groove scuffcap, tongue with gusset.
- > **Lining:** 3D micro-porous textile, high breathability.
- > **Sole Unit:** Lightweight PU Parabolic soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Toe Cap:** HDFC fibreglass.
- > **Midssole:** High tenacity composite fabric <<O>> penetration.
- > **Fitting:** Adapted to womens feet morphology from 2 to 6 and mens fitting from 6.5 to 14.



0% METAL



## ParaBolic® Technology



**Parabolic Sole Design:**  
Curved profile shifts weight to the edges on impact, absorbing shock and creating instant grip.



**Dynamic Stability:**  
Under load, the sole compresses to increase ground contact for enhanced grip and balance.



**Built-in Spring:**  
The concave sole flattens as you step, creating a rebound effect that adds energy and reduces fatigue.

# SAFETY FOOTWEAR

## SAFETY BOOTS

### RACER Booster High

EN ISO 20345:2022 S3L LG FO SR

RACER HIGH PB380-BLK

The Perf Racer Booster High is ideal for car manufacturing and other trades that require a lightweight safety hiker.

**Weight:** 508g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Water resistant textile.
- > **Inner Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Aluminium toe cap resistant to 200J.
- > **Midssole:** Textile pierce resistant midssole – Min 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable memory foam footbed.

Low version (PB379-BLK) available. See page 48 for detail

PERF



### AIR 100 High

EN ISO 20345:2022 S3S SR CI HRO FO ESD

AIR 100 HIGH PB415-BLK

The Air 100 High is suitable for use in a variety of applications such as service industry, transport, light industry, handling, logistics, management, driver, local authorities, administration, automotive and electronics sectors, Caution: ESD shoes are not suitable for live-line work.

**Weight:** 518g  
**Colour:** Black  
**Sizes:** 2-15

- > **Upper:** Abrasion-resistant high tenacity textile, water-repellent suede microfiber
- > **Lining:** 3D microporous fabric for breathability and moisture control.
- > **Toe Cap:** Aluminium
- > **Midssole:** Puncture-resistant high tenacity fabric.
- > **Sole Unit:** Eagleair / EVA/ETPU/nitrile rubber.
- > **Footbed:** Moisture wicking, breathable and washable.

Low version (PB414-BLK) available. See page 48 for detail

LEMAITRE  
DESIGNED FOR ACTION



### LIBRA S3 Non Metal Safety Boot

EN ISO 20345:2011 S3 SRC

LIBRA PB360-BLK

The Libra is a lightweight, non-metal hiker suitable for use in airports, security areas, or any environment where metal detectors are present. It is also suitable for use in a variety of industrial applications such as warehousing, distribution, manufacturing, security, transport and offices.

**Weight:** 626g  
**Colour:** Black-Grey  
**Sizes:** 3-13 (Incl 6.5 & 10.5)

- > **Upper:** Breathable leather with textile tongue and collar. (Leather 1.8-2.0mm)
- > **Inner Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Lightweight polycarbonate toe cap resistant to 200J.
- > **Midssole:** Textile pierce resistant midssole – Min. 1100N.
- > **Sole Unit:** Lightweight, injected dual density PU/PU soling system with antistatic properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.

Low version available (Pegasus PB359-BLK). See page 51 for detail

PERF



# SAFETY FOOTWEAR

## SAFETY BOOTS

### DUNE S3 Non Metal Safety Hiker

EN ISO 20345: 2011 S3 SRC

DUNE PB335-BLK

The Dune is suitable for most industrial applications. Typical applications include indoor and outdoor activities, logistics, trade and manufacturing. The textile midssole makes the boot ideal for driving as the shoe is very lightweight and flexible. 100% Non-Metal.

**Weight:** 625g  
**Colours:** Black  
**Sizes:** 3-15

- > **Upper:** Water repellent suede split leather with scuff cap
- > **Inner Lining:** 3D micro-porous textile, high breathability.
- > **Toe Cap:** Polycarbonate safety toe cap – resistant to 200J.
- > **Midssole:** High tenacity fabric <<0>> Penetration.
- > **Sole Unit:** Dual density PU soling system. anti-static, shock absorption, heat resistant to 120°C and SRC slip resistances studded self cleaning cleats.
- > **Footbed:** Moisture wicking, breathable footbed.

LEMAITRE  
DESIGNED FOR ACTION



### SCORPIUS Chukka Boot c/w Overcap

EN ISO 20345:2011 S3 SRC

SCORPIUS PB253C-BLK

The Scorpion is suitable for most industrial applications. Typical applications include construction, warehousing, manufacturing and distribution. The overcap makes it perfect for jobs that involve kneeling or increased abrasion to the toe area.

**Weight:** 650g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Breathable, full grain leather (leather 1.8-2.2mm)
- > **Lining:** Abrasion resistant, moisture wicking Textile.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midssole:** Stainless steel midssole – min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable footbed.

SAFETIX



### NORRIS S1 Chukka Boot

EN ISO 20345:2011 S1 SRC

NORRIS PB320-BLK

The Norris S1 is suitable for most industrial applications. Typical applications include warehousing, manufacturing and distribution.

**Weight:** 600g  
**Colour:** Black  
**Sizes:** 6-13

- > **Upper:** Genuine breathable leather.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** EVA footbed.

SAFETIX



# SAFETY FOOTWEAR

## SAFETY BOOTS

### TAURUS Chukka Boot c/w Overcap

EN ISO 20345:2011 S3 HRO SRC

TAURUS PB228C-BLK

The Taurus is suitable for most industrial applications. Typical applications include construction, engineering, mechanics, local authorities and manufacturing.

**Weight:** 780g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Breathable, full grain water repellent leather. (leather 1.8-2.2mm).
- > **Lining:** Abrasion resistant, 3D micro-porous moisture wicking textile with high breathability.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midssole:** Stainless steel midssole - min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/RU soling system with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.
- > **Additional Features:** Injected PU overcap.



SAFETIX



# SAFETY FOOTWEAR

## SAFETY BOOTS

### PLATFORM Lightweight Side Zip Combat Boot

EN ISO 20345:2011 S3 CI SRC WR ESD

PLATFORM PB303-BLK

The Platform is suitable for industries such as, offshore, oil and gas, uniform and blue light services.

**Weight:** 660g  
**Colour:** Black  
**Sizes:** 5-13

- > **Upper:** Microfibre upper, water resistant to salt water, oils, greases and chemicals with sealed seams. Side zip and hi-vis on heel.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Fibreglass resistant to 200J.
- > **Midssole:** Textile pierce resistant midssole - min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



PERF



### BLAZE S3 Parabolic Safety Boot

EN ISO 20345:2011 S3 CI SRC

BLAZE PB354-BLK

Suitable for most industrial applications.

**Weight:** 709g  
**Colour:** Black  
**Sizes:** 3-13 (Incl 6.5 & 10.5)

- > **Upper:** Water resistant leather, reflective piping.
- > **Lining:** Three-dimensional micro-porous textile, high breathability.
- > **Sole:** Parabolic sole technology, helium, bi-density window / PU2D - 120°C heat resistance.
- > **Toecap:** HDPC Fibreglass.
- > **Midssole:** Stainless steel midssole - min. 1100N



LEMAITRE  
DESIGNED FOR ACTION

ParaBolic®  
Technology



**Parabolic Sole Design:**  
Curved profile shifts weight to the edges on impact, absorbing shock and creating instant grip.



**Dynamic Stability:**  
Under load, the sole compresses to increase ground contact for enhanced grip and balance.



**Built-in Spring:**  
The concave sole flattens as you step, creating a rebound effect that adds energy and reduces fatigue.



PERF

PLATFORM  
OFFSHORE SIDE ZIP BOOT

SEALED SEAMS  
WATERPROOF  
RESISTS SALT WATER

# SAFETY FOOTWEAR

## SAFETY BOOTS

### RIGGER BOOT Unlined Rigger Boots

EN ISO 20345:2022 S3S SR

UNLINED RIGGER PB410C-TAN

These Rigger Boots are suitable for most heavy duty applications. Typical applications include construction and general industry. In jobs that require kneeling, the overcap prevents the leather from wearing away from the boot's toe.

**Weight:** 800g  
**Colour:** Tan  
**Sizes:** 5-13

- > **Upper:** Breathable full grain leather (leather 1.8-2.2mm).
- > **Lining:** Unlined.
- > **Toe Cap:** HDFC composite fibre toe cap resistant to 200J
- > **Midssole:** Textile pierce resistant midssole - Min. 1100N.
- > **Sole Unit:** Dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SR rated slip resistance.
- > **Footbed:** Moisture wicking, breathable, and washable footbed.



0% METAL

# SAFETY FOOTWEAR

## CUT-RESISTANT BOOTS

### SHARP Cut Resistant Boot c/w Overcap

EN ISO 20345:2011 S3 CR HRO SRC

SHARP PB58C-BLK

Suitable for applications where cut resistance is required.

**Weight:** 700g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Breathable, full grain leather with textile tongue and collar (leather 1.8-2.2mm).
- > **Lining:** Cut and abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midssole:** Stainless steel midssole - min. 1100N.
- > **Sole Unit:** Lightweight Dual Density PU/Rubber soling system with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



**LEMAITRE**

**RIGGER BOOTS**



**PERF**

**SHARP CUT RESISTANT BOOTS**

# PERF FOUNDRY BOOTS



- GLUE-FREE BONDED SOLE:** ultra-strong, no failure points
- HIGH-DENSITY RUBBER:** tough, abrasion-resistant performance
- FUSED CONSTRUCTION:** heat-pressed for lasting durability
- SRC SLIP RESISTANCE:** reliable grip underfoot
- HEAT RESISTANT TO 300°C:** built for demanding environments

# SAFETY FOOTWEAR FOUNDRY & WELDING BOOTS

## MID LENGTH FOUNDRY BOOT Steel

EN ISO 20349-1:2017 S3 CI HI HRO SRC Fe

MID FOUNDRY BOOT STEEL PB26-BLK

Suitable for use in foundry environments where there is a high risk of it coming into contact with molten metal.

**Weight:** 850g  
**Colour:** Black  
**Sizes:** 5-13 (Incl 6.5 & 10.5)

- > **Upper:** Full grain leather with special heat resistant properties (leather 1.8-2.0mm).
- > **Inner Lining:** Moisture wicking textile.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midssole:** Stainless steel midssole - min. 1100N.
- > **Sole Unit:** Dual density rubber/rubber soling system with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable, and washable.
- > **Additional Features:** Para Aramid flame resistant stitching, velcro quick release fastening.



## MID LENGTH FOUNDRY BOOT Aluminium

EN ISO 20349-1:2017 S3 HRO HI CI SRC Al

MID FOUNDRY BOOT ALUMINIUM PB26A-BLK

Suitable for use in foundry environments where there is a high risk of it coming into contact with molten aluminium.

**Weight:** 800g  
**Colour:** Black  
**Sizes:** 3-13 (Incl 6.5 & 10.5)

- > **Upper:** Full grain leather with special heat resistant properties (leather 1.8-2.0mm).
- > **Inner Lining:** Moisture wicking textile.
- > **Toe Cap:** Aluminium toe cap resistant to 200J.
- > **Midssole:** Textile penetration resistant midssole - Min. 1100N.
- > **Sole Unit:** Dual density rubber/rubber soling system with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable, and washable.
- > **Additional Features:** Para Aramid flame resistant stitching, velcro quick release fastening.



## QUICK RELEASE WELDERS BOOT c/w Overcap

EN ISO 20345:2011 S3 HRO HI CI SRC

QUICK RELEASE WELDERS BOOT PB94C-BLK

Suitable for use in welding environments where there is a high risk of it coming into contact with hot sparks.

**Weight:** 750g  
**Colour:** Black  
**Sizes:** 3-13 (Incl 6.5 & 10.5)

- > **Upper:** Full grain barton print Buffalo Leather with special heat and flame resistant leather (leather 1.8-2.0mm) and quick release velcro fastening.
- > **Inner Lining:** Moisture wicking textile to vamp only.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midssole:** Textile penetration resistant midssole - Min. 1100N.
- > **Sole Unit:** Dual density rubber/rubber soling system with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable, and washable.
- > **Additional Features:** Para Aramid flame resistant stitching.





LEMAITRE  
DESIGNED FOR ACTION

# SAFETY GREEN RECYCLED FOOTWEAR



### OUR INTERNAL LABEL FOR ECO-DESIGNED PPE.

Our Recycled Footwear is made using recycled & repurposed materials, with at least 80% sourced from short European and Mediterranean supply chains – reducing environmental impact without compromising durability or protection.

UPPER MATERIALS  
>50% recycled or reused

WHOLE SHOE  
>25% recycled or reused

REUSE PRODUCTION WASTE  
(Toe Cap & Soles)

MINIMUM OF 5 recycled/reused materials

100% RECYCLED CARDBOARD PACKAGING



# SAFETY FOOTWEAR RECYCLED BOOTS



### LEVANTE Eco Non-Metal Hiker

EN ISO 20345: 2022 S3S SR SC CI HI LG FO

LEVANTE PB374-BRN

Introducing the Levante, a lightweight safety hiker designed for superior slip resistance and comfort. Crafted with recycled materials, it meets the latest safety standards while promoting sustainability.

Weight: 660g  
Colour: Brown  
Sizes: 2-14

- > **Upper:** Water-repellent split leather with reinforced toe cap. Gusseted tongue for water resistance.
- > **Lining:** Recycled textile lining for eco-friendly design
- > **Toe-cap:** TPU-injected scuffcap for extreme durability
- > **Midssole:** TRAILIUM PU2D design with recycled polyol. Puncture-resistant with 78% recycled composite fabric
- > **Sole Unit:** Lightweight Dual Density PU/PU Soling System with recycled polyol, anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Insole with 77.5% recycled components. Offers arch support and heel cushioning for Repetitive Strain Injury prevention

Low version available (Mistral PB375-BRN). See page 53 for detail

### PLANET HIGH Eco Non-Metal Hiker

EN ISO 20345: 2022 S3S SR CI FO

PLANET HIGH - BLACK PB377-BLK  
PLANET HIGH - BLUE PB377-BLU

Introducing the Planet High, a lightweight safety hiker designed for superior slip resistance and comfort. Crafted with recycled materials, it meets the latest safety standards while promoting sustainability. Ideal for service companies, logistics, public authorities, and more.

Weight: 472g  
Colours: Black / Blue  
Sizes: 2 - 15 (Incl 6.5 & 10.5)

- > **Upper:** Water-repellent velvet effect microfiber and 90% recycled PET fabric.
- > **Lining:** Bamboo fibre and recycled polyester lining, providing an anti-allergic and anti-microbial effect with thermoregulation.
- > **Toe-cap:** Protective HDFC composite fibre.
- > **Midssole:** Puncture-resistant midssole made of 78% recycled high tenacity composite fabric, providing zero penetration.
- > **Sole Unit:** Lightweight Dual Density PU/PU Soling System with recycled polyol, anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Antibacterial memory foam by Lemaitre, with shape memory, energy absorption, and dissipation properties, aimed at preventing musculoskeletal disorders (MSD).

Low version (PB376) available. See page 52 for detail



Eco-designed safety boot made from recycled materials and components > 25% recycled or reused materials (ISO 14021: 2016 standard).



PERF

# PRO AQUA WATERPROOF SAFETY DEALER BOOT



100%  
WATERPROOF



# SAFETY FOOTWEAR WATERPROOF DEALER BOOTS



## PRO AQUA Waterproof Safety Dealer Boot

EN ISO 20345:2011 S3 WR SRC

PRO AQUA WATERPROOF SAFETY PB271WR-BRN

The Pro Aqua Waterproof Safety Dealer Boot is suitable for most applications including agriculture, trades, construction, manufacturing, warehousing and distribution. The R-180 leather and sealed seams along with a full waterproof membrane lining make this the ideal dealer boot for all weathers. It doesn't matter if your walking across a field or stood in water the combination of great leather and waterproof membrane will keep your feet dry all day long.

**Weight:** 685g  
**Colours:** Brown  
**Sizes:** 6-14

- > **Upper:** Breathable and 100% water-resistant R-180 gauchu pull up leather (1.8 - 2.0mm), with sealed seams and non-wicking elastic side panel.
- > **Lining:** Waterproof breathable and abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** Steel resistant to 200J.
- > **Midsole:** Textile pierce resistant - min 1100N.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.
- > **Application:** Wear it anywhere and the R-180 leather and tape sealed seams will give you extra protection against puddles.



PERF 

# AGRI SAFETY FOOTWEAR



**R-180**  
WATERPROOF  
LEATHER

LOOK  
OUT FOR  
OUR R-180  
TAG!

180+  
mins  
**R-180**



**R-180** WATERPROOF  
LEATHER



LEATHER WITH SEALED SEAMS

  
**PERF**

**OUR PERF AGRI FOOTWEAR RANGE USES R-180 LEATHER AND SEALED SEAMS ACROSS ALL STYLES, GUARANTEEING USER COMFORT EVEN IN EXTREME CONDITIONS.**

## LEATHER TECHNOLOGY

Specifically developed in our own tanneries, our R-180 leather provides over 3 hours water protection - **3 times the standard.**

The special solution used in the tanning process causes the water to form droplets on the outside of the leather and run off. This decreases contact time with the leather and increases water resistance.

**SEALED SEAMS:** As added protection, all Perf styles in our Agri range also have sealed seams to prevent water ingress through the stitching.

# SAFETY FOOTWEAR

## AGRI SAFETY DEALER BOOTS



# HARDWICK

**HARDWICK** Lightweight PU-Rubber Safety Dealer Boot  
EN ISO 20345:2022 S3S SR LG CI SC FO HRO

PERF 

**HARDWICK** PB398-GRY

The Hardwick Dealer Boot is suitable for most applications. Typical applications include agriculture, trades, construction, manufacturing, warehousing and distribution.

**Weight:** 597g  
**Colours:** Grey  
**Sizes:** 3-13

- > **Upper:** Breathable, full grain Nubuck leather. (Leather 1.8-2.2mm)
- > **Lining:** Abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** Lightweight fiberglass toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole - Min. 1100N.
- > **Sole Unit:** Lightweight injected dual density PU/Rubber soling system with anti-static properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Breathable and washable footbed.



Sole Technology:  
Navigator Plus

NEW  
PRODUCT!

0%  
METAL

HEAT RESISTANT  
TO 300°C

# SAFETY FOOTWEAR

AGRI SAFETY DEALER BOOTS



**BRANDON PRO** Safety Dealer Boot  
EN ISO 20345:2011 S3 WR SRC

BRANDON PRO - BLACK	PB271-BLK
BRANDON PRO - BROWN	PB271-BRN
BRANDON PRO - STOUT	PB271-STO

The Brandon Pro Dealer Boot is suitable for most applications. Typical applications include agriculture, trades, construction, manufacturing, warehousing and distribution.

**Weight:** 660g  
**Colours:** Black / Brown / Stout  
**Sizes:** Brown - 3-14 (Incl 6.5 & 10.5)  
Stout - 3-13 (Incl 6.5 & 10.5)  
Black - 6-13 (Incl 6.5 & 10.5)


- > **Upper:** R-180 special tanned leather with over 3 hour water protection. Breathable and water-resistant gaucho pull up leather (1.8 - 2.0mm). Sealed seams.
- > **Lining:** Abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** Steel resistant to 200J.
- > **Midsole:** Stainless steel - min 1100N.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.



PERF

# SAFETY FOOTWEAR

AGRI SAFETY DEALER BOOTS



**PRO DEALER PLUS** Dealer Boot c/w Overcap  
EN ISO 20345:2011 S3 SRC

PRO DEALER PLUS	PB56C-BRN
-----------------	-----------

The Pro Dealer Plus Boot is suitable for most applications. Typical applications include agriculture, trades, construction, manufacturing, warehousing and distribution.

**Weight:** 620g  
**Colour:** Brown  
**Sizes:** 5-14 (Incl 6.5 & 10.5)

- > **Upper:** R-180 special tanned leather with over 3 hour water protection. Breathable and water-resistant gaucho pull up leather (1.8 - 2.0mm). Sealed seams.
- > **Lining:** Abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** Steel resistant to 200J.
- > **Midsole:** Textile pierce resistant - min 1100N.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.



PERF

# SAFETY FOOTWEAR

## AGRI SAFETY BOOTS

### PICTOR Dealer Boot

EN ISO 20345:2011 S3 SRC

PICTOR - BLACK	PB290-BLK
PICTOR - BROWN	PB290-BRN

The Pictor is suitable for most industrial applications. Typical applications include construction, warehousing, manufacturing and distribution. Available in Brown and Black.

**Weight:** 725g  
**Colours:** Black / Brown  
**Sizes:** 3-13 (Brown) 6-13 (Black)

- > **Upper:** Breathable, and water-resistant gauccho pull up leather (1.8-2.0mm).
- > **Lining:** Abrasion resistant, moisture wicking anti-bacterial textile.
- > **Toe Cap:** Steel - resistant to 200J.
- > **Midsole:** Stainless steel - Min 1100N.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.



SAFETIX

### MORROW Dealer Boot

EN ISO 20345:2011 S3 SRC

MORROW	PB340-BRN
--------	-----------

The Morrow performs well across most light-to-medium industrial applications, such as warehousing, manufacturing and distribution.

**Weight:** 755g  
**Colour:** Brown  
**Sizes:** 3-13

- > **Upper:** Leather.
- > **Lining:** Abrasion resistant moisture wicking textile.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midsole:** Stainless steel resistant midsole - Min 1100N.
- > **Sole Unit:** Dual Density 2PU soling system with anti-static properties, shock absorption, heat resistant to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



SAFETIX

### BENCRAIG Lightweight PU-Rubber Derby Boot

EN ISO 20345:2022 S3S SR LG CI HI FO HRO

BENCRAIG:	PB397-BRN
-----------	-----------

The Bencraig is a lightweight, general-purpose, non-metal boot. Constructed with R-180 leather and tape-sealed seams, it provides over three hours of water resistance, making it an excellent choice for everyday and general use.

**Weight:** 662g  
**Colour:** Brown  
**Sizes:** 3-13

- > **Upper:** Breathable & water resistant R-180 full grain leather offering over 3 hour water protection.
- > **Inner Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Lightweight HDPC composite.
- > **Midsole:** Textile pierce resistant - Min 1100 N.
- > **Sole Unit:** Lightweight injected dual density PU/rubber soling system, anti-static, shock absorption, heat resistant to 300°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



PERF

NEW PRODUCT!

0% METAL

HEAT RESISTANT TO 300°C

# SAFETY FOOTWEAR

## ESD SAFETY BOOTS

### ELECTROSTATIC DISCHARGE (ESD) PROTECTIVE FOOTWEAR



Designed to safely dissipate static electricity from the wearer, reducing the risk of electro static discharge in sensitive environments including:

**ELECTRONIC MANUFACTURING / CAR PRODUCTION / CHEMICAL SITES / PHARMACEUTICALS.**



### ENDURANCE HIGH ESD Hiker

EN ISO 20345:2011 S3 SRC ESD

ENDURANCE HIGH	PB112-BLK
----------------	-----------

The Endurance High is suitable for any environments that specify an ESD requirement. Typical applications include electronic manufacturing, car production, chemical sites and pharmaceuticals. The extra protection across the toe area makes it perfect for jobs which involve kneeling as the leather is prevented from being worn away from the toe.

**Weight:** 690g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Breathable full grain leather with textile tongue and collar. (Leather 1.8-2.2mm).
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Fibreglass toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole - min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C & SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.
- > **Special Features:** Abrasion resistant material across toe, vamp and heel.

**Low version (PB111-BLK) available. See page 47 for detail**



PERF



0% METAL

### RILEY HIGH S3 ESD HIKER

EN ISO 20345:2011 S3 SRC ESD

RILEY HIGH	PB361-BLRD
------------	------------

The Riley High is suitable for any environments that specify an ESD requirement. Typical applications include electronic manufacturing, car production, chemical sites and pharmaceuticals. The extra protection across the toe area makes it perfect for jobs which involve kneeling as the microfiber is prevented from being worn away from the toe.

**Weight:** 515g  
**Colour:** Black & Red  
**Sizes:** 3-13

- > **Upper:** Water-repellent microfiber with velour finish.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Aluminium toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole - Min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.
- > **Special Features:** Technical waterproof & breathable side insert.

**Low version (PB362-BLRD) available. See page 47 for detail**



LEMAITRE  
DESIGNED FOR ACTION



0% METAL

# SAFETY FOOTWEAR

## ESD SAFETY BOOTS

### PLATFORM Lightweight Side Zip Combat Boot

EN ISO 20345:2011 S3 CI SRC WR ESD

PLATFORM PB303-BLK

The Platform is suitable for industries such as, offshore, oil and gas, uniform and blue light services.

Weight: 660g  
Colour: Black  
Sizes: 5-13

- > **Upper:** Microfibre upper, water resistant to salt water, oils, greases and chemicals with sealed seams. Side zip and hi-vis on heel.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Fibreglass resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole - min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



PERF

0% METAL



### ONYX Lightweight S3 ESD Hiker Boot

EN ISO 20345:2022 S3S HI CI SC HRO FO LG ESD

ONYX HIKER: PB384C-BLK

The Onyx ESD Safety Hiker is a PU/Rubber non-metal hiker suitable for use in airports, security areas, or any environment where metal detectors are present. It is also suitable for use in a variety of industrial applications such as warehousing, engineering, distribution, manufacturing, security, transport and offices. Also can be used in areas that need ESD Footwear.

Weight: 681g  
Colour: Black  
Sizes: 3-13

- > **Upper:** Breathable, full grain leather with textile tongue and collar. (Leather 1.8-2.0mm).
- > **Inner Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Fibre glass toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole - Min. 1100N.
- > **Sole Unit:** Lightweight, injected dual density PU/RU soling system with ESD properties, shock absorption, heat resistance to 300°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.

Shoe version (Opal PB383C) available. See page 48 for detail



LEMAITRE DESIGNED FOR ACTION

NEW PRODUCT!



### AIR 100 High

EN ISO 20345:2022 S3S SR CI HRO FO ESD

AIR 100 HIGH PB415-BLK

The Air 100 High is suitable for use in a variety of applications such as service industry, transport, light industry, handling, logistics, management, driver, local authorities, administration, automotive and electronics sectors, Caution: ESD shoes are not suitable for live-line work.

Weight: 518g  
Colour: Black  
Sizes: 2-15

- > **Upper:** Abrasion-resistant high tenacity textile, water-repellent suede microfiber
- > **Lining:** 3D microporous fabric for breathability and moisture control.
- > **Toe Cap:** Aluminium
- > **Midsole:** Puncture-resistant high tenacity fabric.
- > **Sole Unit:** Eagleair / EVA/ETPU/nitrile rubber.
- > **Footbed:** Moisture wicking, breathable and washable.

Low version (PB414-BLK) available. See page 48 for detail



LEMAITRE DESIGNED FOR ACTION



# LEMAITRE

## AIR 200 MORE THAN JUST A SNEAKER

### AIR 200 S3S ESD

UPPERS IN WATER-REPELLENT RIPSTOP FABRIC AND WATER-REPELLENT 15% RECYCLED SUEDE MICROFIBER: Lightweight, breathable and resistant to tearing and abrasion  
HIGHLY BREATHABLE 3D TEXTILE LINING: Pleasantly cool feel, good foot ventilation

TONGUE WITH GUSSET

TOECAP Aluminium

COMFORT SOLE IN EVA: Good cushioning, immediate comfort, flexibility, lightness.

SCUFFCAP: TPU film

PUNCTURE-RESISTANT MIDSOLE: High tenacity composite fabric «O» penetration. PS type (3mm nail).

AIR BOUNCE INSERT, E-TPU INSERT: Immediate comfort, dynamic rebound, energy restitution, lightness, softness.

NITRILE RUBBER OUTSOLE: Good resistance to abrasion, hydrocarbons (FO), slipping (SR) and heat (HRO - 300°C).

SEMI-ORTHOPAEDIC OPUS INSOLES:  
• Insole for standard feet integrated, additional sale: insoles for flat and hollow feet.  
• Promotes and supports the natural rolling of the foot  
• Reduces fatigue and relieves back strain  
• ESD-compatible  
• Good breathability



ESD PROTECTION AGAINST ELECTROSTATIC DISCHARGE • Electrical resistance between 105 0 and 108 0. • Protects electronic components against electrostatic discharges that could damage them.

2 to 15  
New standard EN ISO 20345 : 2022

# SAFETY FOOTWEAR

ESD SHOES & TRAINERS

## AIR 200 BAS S3S ESD Safety Trainer

EN ISO 20345:2022 S3S CI HRO FO SR ESD

AIR 200 BAS - NAVY	PB401-NVY
AIR 200 BAS - TITANIUM	PB401-TIN
AIR 200 BAS - GRAPHITE	PB401-GHP

The AIR 200 S3S is a low-profile safety sneaker that combines comfort, protection and durability for demanding industrial environments. This safety shoe offers optimal support adapted to each morphology, exceptional breathability and remarkable resistance. Its modern design incorporates advanced technical materials to ensure long-lasting safety and comfort.

**Weight:** 480g  
**Colours:** Navy / Titanium Grey / Graphite Grey  
**Sizes:** 2-15

- > **Upper:** Water-repellent run-resistant ripstop fabric and 15% water-repellent microfiber velvet finish with TPU reinforced toe cap
- > **Lining:** 3D microporous fabric
- > **Toe Cap:** aluminium
- > **Midsole:** 78% recycled composite textile. High tenacity fabric "O" penetration, PS type (new standard, test with 3mm nail)
- > **Sole Unit:** EVA - AIR BOUNCE (ETPU) - NITRILE RUBBER: Dynamic cushioning, energy return, hydrocarbon resistance
- > **Footbed:** Supplied with standard-fit OPUS semi-orthopaedic insoles. Optional insoles available in flat, high arched styles.
- > **ESD protection:** 10<sup>6</sup>-10<sup>9</sup>Ω resistance, S3S anti-static standard
- > **Use:** Logistics, transport, light industry, distribution, local authorities, management & administration, electronics and automotive sectors - Caution: ESD shoes are not suitable for live working.



Colour: Navy



Colour: Graphite Grey



Colour: Titanium Grey



NEW PRODUCT!



# SAFETY FOOTWEAR

ESD SHOES & TRAINERS

## ENDURANCE LOW ESD Trainer

EN ISO 20345:2011 S3 SRC ESD

ENDURANCE LOW	PB111-BLK
---------------	-----------

The Endurance Low is suitable for any environments that specify an ESD requirement. Typical applications include electronic manufacturing, car production, chemical sites and pharmaceuticals.

**Weight:** 700g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Breathable full grain leather with textile tongue and collar (leather 1.8-2.2mm).
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Fibreglass toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole - min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable Footbed.
- > **Special Features:** Abrasion resistant material across toe, vamp and heel.

High version (PB112-BLK) available.  
 See page 43 for detail



## RILEY LOW S3 ESD Trainer

EN ISO 20345:2011 S3 SRC ESD

RILEY LOW	PB362-BLRD
-----------	------------

The Riley Low is suitable for any environments that specify an ESD requirement.

**Weight:** 515g  
**Colour:** Black & Red  
**Sizes:** 3-13

- > **Upper:** Water-repellent microfiber with velour finish.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Aluminium toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole - min. 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.
- > **Special Features:** Technical waterproof & breathable side insert.

High version (PB361-BLRD) available.  
 See page 43 for detail



## OPUS insoles

Designed for optimal comfort and adapting to individual needs, our new AIR range is supplied with standard-fit OPUS semi-orthopaedic insoles, while compatible flat and high-arch OPUS insoles are available as optional extras.

All insole styles come in sizes 2 to 15 and feature ESD protection against electrostatic discharge.

See page 67 for our Footwear Accessories



To determine which OPUS insole suits you best, use our Lemaître Foot Scanner.  
 See page 63 for further detail

# SAFETY FOOTWEAR

## SHOES & TRAINERS

### OPAL ESD PU/Rubber Safety Shoe

EN ISO 20345:2022 S3S HI CI SC SR HRO FO LG ESD

OPAL ESD PB383C-BLK

The Opal ESD is a PU/RU lightweight, non-metal shoe suitable for use in airports, security areas, or any environment where metal detectors are present. It is also suitable for use in a variety of industrial applications such as warehousing, engineering, distribution, manufacturing, security, transport and offices.

**Weight:** 611g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Breathable, full grain leather with textile tongue and collar. (Leather 1.8-2.0mm).
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Lightweight fibre glass toe cap resistant to 200J.
- > **Midssole:** Textile pierce resistant midssole - Min. 1100N.
- > **Sole Unit:** Lightweight, injected dual density PU/RU soling system with anti-static properties, shock absorption, heat resistance to 300°C and SR rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.

Boot version (Onyx PB384C) available.  
See page 17 for detail



### AIR 100 Low

EN ISO 20345:2022 S3S SR CI HRO FO ESD

AIR 100 LOW PB414-BLK

The Air 100 Low is suitable for use in a variety of applications such as service industry, transport, light industry, handling, logistics, management, driver, local authorities, administration, automotive and electronics sectors, Caution: ESD shoes are not suitable for live-line work.

**Weight:** 476g  
**Colour:** Black  
**Sizes:** 2-15

High version (PB415-BLK) available. See page 44 for detail

- > **Upper:** Abrasion-resistant high tenacity textile, water-repellent suede microfiber
- > **Lining:** 3D microporous fabric for breathability and moisture control.
- > **Toe Cap:** Aluminium
- > **Midssole:** Puncture-resistant high tenacity fabric.
- > **Sole Unit:** Eagleair / EVA/ETPU/nitrile rubber.
- > **Footbed:** Moisture wicking, breathable and washable.



### RACER Booster Low

EN ISO 20345:2022 S3L LG FO SR

RACER LOW PB379-BLK

The Racer Booster Low is ideal for car manufacturing and other trades that require a lightweight safety trainer.

**Weight:** 546g  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Water resistant textile.
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Aluminium toe cap resistant to 200J.
- > **Midssole:** Textile pierce resistant midssole - Min 1100N.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SR rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable memory foam footbed.

High version (PB380-BLK) available.  
See page 26 for detail



### FINN S3 Safety UTURN® Shoe

EN ISO 20345:2022 S3S CI HI FO SR LG SC

FINN S3 PB344-BLK

Available in men's and women's fit. The quick lacing UTURN® system makes it easy to put on and remove. Typical applications include civil engineering and forestry works, logistics, automotive, shipyard, construction, petrochemistry and chemistry.

**Weight:** 630g  
**Colour:** Black  
**Sizes:** 2-14 (Incl 6.5 & 10.5)

- > **Upper:** Smooth full grain water-repellent leather with abrasion-resistant TPU scuffcap material.
- > **Lining:** 3D microporous fabric for breathability and moisture control.
- > **Toe Cap:** Composite HDFC providing 200 J of impact protection.
- > **Midssole:** Puncture-resistant high tenacity fabric.
- > **Sole Unit:** TRAILIUM PU2D antistatic sole with 4 mm studs, drainage channels, 15 mm raised heel, and large bearing surface for stability.
- > **Footbed:** Memory Foam Titan sole for immediate and lasting comfort with antibacterial properties.



### THUNDER Non-Metal Trainer

EN ISO 20345:2011 S1P SRC

THUNDER PB55-GRY

Lightweight, non-metal trainer suitable for use in airports, security areas, or any environment where metal detectors are present.

**Weight:** 500g  
**Colour:** Grey  
**Sizes:** 3-13

- > **Upper:** Breathable, perforated suede leather with textile tongue and collar (leather 1.8-2.0mm).
- > **Lining:** B-dry abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Lightweight polycarbonate toe cap resistant to 200J.
- > **Midssole:** Textile pierce resistant midssole - min. 1100N.
- > **Sole Unit:** Lightweight, injected dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.



# SAFETY FOOTWEAR

## SHOES & TRAINERS

# SAFETY FOOTWEAR

SHOES & TRAINERS

## DURAN Non-Metal Safety Trainer

EN ISO 20345:2011 S3 SRC

DURAN PB334-BLK

The Duran is suitable for most industrial applications. Typical applications include indoor and outdoor activities, logistics, trade and manufacturing. The textile midsole makes the boot ideal for driving as the shoe is very lightweight and flexible. 100% Non-Metal.

**Weight:** 579g  
**Colour:** Black  
**Sizes:** 3-13 (Incl 6.5 & 10.5)

- > **Upper:** Water repellent suede split leather with scuff cap.
- > **Inner Lining:** 3D micro-porous textile, high breathability.
- > **Toe Cap:** Polycarbonate safety toe cap – resistant to 200J.
- > **Midsole:** High tenacity fabric <<O>> penetration.
- > **Sole Unit:** Dual density PU soling system, anti-static, shock absorption, heat resistant to 120°C and SRC slip resistance. studded self cleaning cleats.
- > **Footbed:** Moisture wicking, breathable footbed.



0% METAL

## JAXSON Lightweight Safety Trainer

EN ISO 20345:2011 S1P SRC

JAXSON PB310-BLGY

The Jaxson is suitable for most industrial applications. Typical applications include warehousing, manufacturing and distribution.

**Weight:** 520g  
**Colour:** Black & Grey  
**Sizes:** 4-13

- > **Upper:** Suede leather.
- > **Inner Lining:** 3D micro-porous textile with high breathability.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midsole:** Stainless steel midsole – min. 1100N.
- > **Footbed:** Moisture wicking, breathable and washable.

SAFETIX



## ARA Lightweight Safety Trainer

EN ISO 20345:2011 S3 SRC

ARA PB363-BLGY

The Ara is suitable for most industrial applications. Typical applications include warehousing, manufacturing and distribution.

**Weight:** 540g  
**Colour:** Black & Grey  
**Sizes:** 3-13

- > **Upper:** Breathable leather with reflective piping.
- > **Lining:** 3D micro-porous textile with high breathability.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midsole:** Stainless steel midsole – min. 1100N.
- > **Footbed:** Moisture wicking, breathable and washable footbed.

SAFETIX



# SAFETY FOOTWEAR

SHOES & TRAINERS

## PEGASUS Non-Metal Shoe

EN ISO 20345:2011 S3 SRC

PEGASUS PB359-BLK

The Pegasus is a lightweight, non-metal shoe suitable for use in airports, security areas, or any environment where metal detectors are present.

**Weight:** 640G  
**Colour:** Black  
**Sizes:** 3-13

- > **Upper:** Breathable leather with textile tongue and collar (leather 1.8-2.0mm)
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Lightweight polycarbonate toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole – min. 1100N.
- > **Sole Unit:** Lightweight, injected dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable and washable.



0% METAL

## EXECUTIVE BROGUE Executive Brogue c/w Midsole

EN ISO 20345:2011 S3 SRC

EXECUTIVE BROGUE PB69-BLK

Lightweight executive shoe suitable for most industrial applications.

**Weight:** 575g  
**Colour:** Black  
**Sizes:** 6-13

- > **Upper:** Breathable, full grain leather with leather tongue and collar (leather 1.8-2.0mm).
- > **Lining:** Abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Steel toe cap resistant to 200J.
- > **Midsole:** Textile puncture resistant midsole.
- > **Sole Unit:** Lightweight dual density PU/PU soling system with anti-static properties, shock absorption and heat resistance to 120°C.
- > **Footbed:** Moisture wicking, breathable, and washable.



## TORNADO LOW Non-Metal Trainer

EN ISO 20345:2011 S3 SRC

TORNADO PB52-BLBU

Lightweight, non-metal trainer suitable for use in airports, security areas, or any environment where metal detectors are present.

**Weight:** 500g  
**Colour:** Black & Blue  
**Sizes:** 3-13 (Incl 6.5 & 10.5)

- > **Upper:** Breathable, full grain leather with textile tongue and collar (leather 1.8-2.0mm).
- > **Lining:** B-dry abrasion resistant, moisture wicking textile.
- > **Toe Cap:** Lightweight fibre glass toe cap resistant to 200J.
- > **Midsole:** Textile pierce resistant midsole – min. 1100N.
- > **Sole Unit:** Lightweight, injected dual density PU/PU soling system with anti-static properties, shock absorption, heat resistance to 120°C and SRC rated slip resistance.
- > **Footbed:** Moisture wicking, breathable, and washable.



0% METAL

# SAFETY FOOTWEAR

RECYCLED SHOES & TRAINERS



**LEMAITRE**  
**SAFETY GREEN**  
**RECYCLED FOOTWEAR**

## PLANET LOW Eco Non-Metal Trainer

EN ISO 20345: 2022 S3S SR CI FO

PLANET LOW - BLACK	PB376-BLK
PLANET LOW - BLUE	PB376-BLU

Introducing the Planet Low, a lightweight safety trainer designed for superior slip resistance and comfort. Crafted with recycled materials, it meets the latest safety standards while promoting sustainability. Ideal for service companies, logistics, public authorities, and more.

**Weight:** 460g  
**Colour:** Black / Blue  
**Sizes:** 2 - 15 (Incl 6.5 & 10.5)

- > **Upper:** Water-repellent velvet effect microfiber and 90% recycled PET fabric.
- > **Lining:** Bamboo fibre and recycled polyester lining, providing an antiallergic and anti-microbial effect with thermoregulation.
- > **Toe-cap:** Protective HDFC composite fibre.
- > **Midssole:** Puncture-resistant midsole made of 78% recycled high tenacity composite fabric, providing zero penetration.
- > **Sole Unit:** Lightweight Dual Density PU/PU Soling System with recycled polyol, anti-static properties, shock absorption, heat resistance to 120°C and SR rated slip resistance.
- > **Footbed:** Antibacterial memory foam by Lemaître, with shape memory, energy absorption, and dissipation properties, aimed at preventing musculoskeletal disorders (MSD).

High version available. See page 35 for detail



0% METAL

# SAFETY FOOTWEAR

RECYCLED SHOES & TRAINERS

## MISTRAL Eco Non-Metal Trainer

EN ISO 20345: 2022 S3S SR SC CI HI LG FO

MISTRAL	PB375-BRN
---------	-----------

Introducing the Mistral, a lightweight safety trainer designed for superior slip resistance and comfort. Crafted with recycled materials, it meets the latest safety standards while promoting sustainability.

**Weight:** 635g  
**Colour:** Brown  
**Sizes:** 2-14 (Incl 6.5 & 10.5)

- > **Upper:** Water-repellent oiled split leather with anti-abrasion/anti-wear groove toe cap and heel, 90% recycled textile tongue, collar, and quarters.
- > **Inner Lining:** Air bamboo, 61% recycled materials.
- > **Toe-cap:** HDFC composite fiber.
- > **Midssole:** Puncture-resistant, made from 78% recycled composite fabric.
- > **Sole Unit:** Lightweight Dual Density PU/PU Soling System with recycled polyol, anti-static properties, shock absorption, heat resistance to 120°C and SR rated slip resistance.
- > **Footbed:** Contains 77.5% recycled components.



0% METAL

## EDEN Eco Non-Metal Trainer

EN ISO 20345: 2022 S3S SR CI FO

EDEN ECO TRAINER - BLACK	PB373-BLK
EDEN ECO TRAINER - BLUE	PB373-BLU

Introducing the Eden S3S, a lightweight safety trainer designed for superior slip resistance and comfort. Crafted with recycled materials, it meets the latest safety standards while promoting sustainability. Ideal for service companies, logistics, public authorities, and more.

**Weight:** 473g  
**Colours:** Black / Blue  
**Sizes:** 2-15 (Incl 6.5 & 10.5)

- > **Upper:** Water-repellent velvet effect microfiber and 90% recycled PET fabric.
- > **Inner lining:** 61% recycled materials (bamboo & recycled polyester).
- > **Toe cap:** Protective HDFC composite fibre.
- > **Midssole:** Puncture-resistant with 78% recycled high tenacity composite fabric.
- > **Sole Unit:** Lightweight Dual Density PU/PU Soling System with recycled polyol, anti-static properties, shock absorption, heat resistance to 120°C and SR rated slip resistance.
- > **Footbed:** Memory Foam insole by Lemaître with antibacterial properties and made from recycled materials.



0% METAL

# OCCUPATIONAL SLIP RESISTANT TRAINERS



**TRAX**  
SOLE TECHNOLOGY

PERF

**SLIP  
RESISTANT  
SOFT TOE TRAINER**

## SUPERIOR SLIP RESISTANCE

FORWARD HEEL  
SLIP  
**55%**  
ABOVE MINIMUM  
STANDARD

BACKWARDS  
FOREPART SLIP  
**36%**  
ABOVE MINIMUM  
STANDARD

FORWARD HEEL  
SLIP  
**37%**  
ABOVE MINIMUM  
STANDARD

BACKWARDS  
FOREPART SLIP  
**36%**  
ABOVE MINIMUM  
STANDARD

Tested on Ceramic Tile Floor with NaLS

Tested on Ceramic Tile Floor with Glycerine

### TRAX 360 Slip Resistant Trainer

EN ISO 20347:2022 + A1:2024 OB CI E SR WPA HRO FO

TRAX 360 SLIP RESISTANT TRAINER PB399-BLK

A high-performance slip-resistant trainer featuring an advanced anti-slip rubber sole that exceeds industry standards. Heat resistant up to 300°C with insulation against cold, Trax 360 delivers reliable grip, comfort, and durability for demanding environments. Ideal for food, service, and hospitality professionals working on slippery surfaces.

**Weight:** 405g  
**Colour:** Black  
**Sizes:** 2 - 14 (Incl 6.5 & 10.5)

- > **Upper:** Water resistant and breathable PU.
- > **Inner Lining:** Abrasion Resistant, Moisture Wicking Textile.
- > **Sole Unit:** Special anti-slip rubber soling system with heat resistance to 300°C, Insulation against the cold, Energy absorption of the seat region and SR rated Slip Resistance. Sole is resistant to fuel oils.
- > **Footbed:** Moisture wicking, breathable and washable footbed.

PERF



Sole Technology: Trax



# OCCUPATIONAL

## WATERPROOF SOFT TOE DEALER BOOTS



### PRO AQUA Waterproof Soft Toe Dealer Boot

EN ISO 20347:2012 O2 SRC

PRO AQUA WATERPROOF SOFT TOE PB278WR-BRN

The Pro Aqua Waterproof Soft Toe Dealer Boot is suitable for most applications including agriculture, trades, construction, manufacturing, warehousing and distribution. The R-180 leather and sealed seams along with a full waterproof membrane lining make this the ideal dealer boot for all weathers. It doesn't matter if your walking across a field or stood in water the combination of great leather and waterproof membrane will keep your feet dry all day long.

**Weight:** 685g  
**Colours:** Brown  
**Sizes:** 6-14

- > **Upper:** Breathable and 100% water-resistant R-180 gauchu pull up leather (1.8 - 2.0mm), with sealed seams and non-wicking elastic side panel.
- > **Lining:** Waterproof and breathable membrane lining, with abrasion resistant, moisture wicking and anti-bacterial properties.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.
- > **Application:** Wear it anywhere and the R-180 leather and tape sealed seams will give you extra protection against puddles.



PERF

R-180 leather outer skin

Inner waterproof membrane lining

Open Cell PU insole

Midsole and sole unit



R-180 WATERPROOF LEATHER

# OCCUPATIONAL

## SOFT TOE DEALER BOOTS

PERF

### COUNTRY DEALER Soft Toe Dealer Boot

EN ISO 20347:2012 O2 SRC

COUNTRY DEALER - STOUT	PB278-STO
COUNTRY DEALER - BROWN	PB278-BRN

If you don't need a safety cap then this general purpose soft toe dealer boot is a great option. Wear it anywhere and the R-180 leather and tape sealed seams will give you extra protection against puddles. Available in Brown and Stout.

**Weight:** 490g  
**Colour:** Brown / Stout  
**Sizes - Stout:** 3-13 (Incl 6.5 & 10.5)  
**Sizes - Brown:** 6-14 (Incl 6.5 & 10.5) Kids sizes available in Brown. See below listing.

- > **Upper:** R-180 special tanned leather with over 3 hour water protection. Breathable and water-resistant gauchu pull up leather (1.8 - 2.0mm).
- > **Lining:** Abrasion resistant, moisture wicking anti-bacterial textile.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.



### COUNTRY K Kids Soft Toe Dealer Boot

COUNTRY K DEALER - BROWN PB378-BRN

Kids general purpose dealer. Wear it anywhere and the R-180 leather and tape sealed seams will give you extra protection against puddles.

**Weight:** 300g  
**Colour:** Brown  
**Sizes:** 12k, 13K, 1, 2, 3, 4 & 5

- > **Upper:** R-180 special tanned leather with over 3 hour water protection. Breathable and water-resistant gauchu pull up leather (1.8 - 2.0mm).
- > **Lining:** Abrasion resistant, moisture wicking anti-bacterial textile.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.



PB378-BRN (Brown only)

PERF

KIDS SIZES

# OCCUPATIONAL

## SOFT TOE DEALER BOOTS

### CERES Soft Toe Dealer Boot

EN ISO 20347:2022 06 SR FO LG

CERES NON SAFETY DEALER BOOT PB372-BRN

The Ceres is suitable for work environments that don't require impact toe protection.

**Weight:** 510g  
**Colours:** Brown  
**Sizes:** 3-13

- > **Upper:** Breathable, Full Grain Leather. (Leather 1.8-2.2mm).
- > **Lining:** Abrasion Resistant, Moisture Wicking Textile.
- > **Sole Unit:** Lightweight Dual Density PU/PU Soling System with Anti-static Properties, Shock Absorption, Heat Resistance to 120°C and SRC rated Slip Resistance.
- > **Footbed:** Moisture Wicking, Breathable and Washable Footbed.



SAFETIX

### NAVI Soft Toe Dealer Boot

EN ISO 20347:2022 06 SR FO LG

NAVI NON SAFETY DEALER BOOT PB371-BRN

The Navi performs well across most light-to-medium applications where impact toe protection is not required.

**Weight:** 550g  
**Colours:** Brown  
**Sizes:** 3-13

- > **Upper:** Breathable Leather. (Leather 1.8-2.2mm).
- > **Lining:** Abrasion Resistant, Moisture Wicking Textile.
- > **Sole Unit:** Dual Density PU/PU Soling System with Anti-static Properties, Shock Absorption, Heat Resistance to 120°C and SRC rated Slip Resistance.
- > **Footbed:** Moisture Wicking, Breathable and Washable Footbed.



SAFETIX

# OCCUPATIONAL

## SOFT TOE DERBY BOOTS

### CROFT Soft Toe Leather Hiker Boot

EN ISO 20347:2022 03S SR FO CI

CROFT PB403-BRN

The Croft features a full waterproof membrane lining making this a great waterproof boot for all weathers.

**Weight:** 590g  
**Colour:** Brown  
**Sizes:** 3-13

- > **Upper:** Full Grain leather upper textile, tongue and collar. Ankle Support Zone.
- > **Inner Lining:** Abrasion resistant, waterproof and moisture wicking textile.
- > **Midssole:** Textile Midssole - min 1100N
- > **Sole Unit:** Lightweight injected dual density PU/PU Anti-static. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



PERF

### MANGERTON Soft toe Derby Boot

EN ISO 20347:2012 02 SRC

MANGERTON PB318-BRN

The Mangerton is a great general purpose soft toe boot. The R-180 Leather and tape sealed seams give extra protection against puddles. Don't wade in streams in them, but for general use this is a great option.

**Weight:** 580g  
**Colour:** Brown  
**Sizes:** 3-13 (Incl 6.5 & 10.5)

- > **Upper:** Breathable & water resistant R-180 full grain leather with over 3 hour water protection.
- > **Inner Lining:** Abrasion resistant, moisture wicking textile.
- > **Sole Unit:** Lightweight injected dual density PU/PU Anti-static. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Moisture wicking, breathable and washable footbed.



PERF

### MANGERTON CARDBOARD DISPLAY STAND

MANGERTON CARDBOARD DISPLAY STAND STAND-CB-BLK-01

The Perf Mangerton Cardboard Stand is a sturdy, compact display designed to showcase the Perf Mangerton dog walking boots.

- > **Sturdy construction:** Crafted from strong cardboard for durability and longevity.
- > **Eye-catching graphics:** To attract customers and boost sales.

**Colour:** Red-Black



POINT OF SALE SUPPORT

VIEW OUR FULL RANGE OF POINT OF SALE DISPLAY & ACCESSORIES ON PAGES 104 - 111

PERF


# WELLINGTONS

## SAFETY & PU WELLINGTONS

### PURE MAX

FLEX TESTED TO OVER 900 000 FLEXES\* WITH NO SIGNIFICANT DETERIORATION

#### UPPER



**Vertically-Injected Air Bubbles** - Enhanced lightweight and thermal resistance for increased comfort and reduced fatigue with no compromise on strength or durability




**Cross-Link Structure** - The chemical composition of Pure Max polyurethane sees a cross-linked three-dimensional system enforcing a dynamic molecular structure



**Multi-Stage Curation** - Results in a protective 'outer skin' for resistance against chemicals, dirt, oil and water

#### LINING



**Antimicrobial** - A durable defence barrier which helps fight odour-causing bacteria, mould and mildew



**Moisture Wicking** - Added comfort and hygiene through protection against humidity and condensation

#### FOOTBED



**Unique Memory Foam** - Advanced cushioning technology allows the footbed to mould and shape to the contours of the foot



**Antimicrobial** - A durable defence barrier which helps fight odour-causing bacteria, mould and mildew



**Moisture Wicking** - Absorbs moisture retained inside the gumboot and expels it away from the foot

#### SOLE



**SRC-Rated Slip Resistance** - Pure Max soles are enhanced with clean edges and flow lines, plus SRC-Rated technology



**Anti-Static** - Regulates the build-up of electrical charge and protects against the dangers of static build-up



**Unique Tread-Groove & Depth** - Non-clogging soles paired with considered tread-groove depth afford torsion control ladder grips



### PU SAFETY PLUS WELLINGTON S5 Safety Wellington with Midsole

EN ISO 20345:2011 S5 SRC

PU SAFETY WELLINGTON W1-GRN

Lighter and more comfortable than PVC equivalents with enhanced thermal properties providing good insulation against heat and cold. The Wayne S5 Safety Plus Wellingtons are perfect for use in any industry where water is present. Food, agriculture, fisheries and wet rooms are just a few areas where this product would be ideal.

**Weight:** 905g  
**Colour:** Green  
**Sizes:** 4-14

- > **Upper:** PUREMAX high quality PU.
- > **Lining:** Anti-bacterial lining.
- > **Toe Cap:** Steel - resistant to 200J.
- > **Midsole:** Stainless steel - Min 1100N.
- > **Sole Unit:** Injected 2PU sole. Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.
- > **Application:** Agriculture, food processing.



### PU WELLINGTON Soft Toe Wellington

EN ISO 20347:2012 04 SRC

PU SOFT TOE WELLINGTON W2-GRN

Suitable for use in any industry where water is present. Food, agriculture, fisheries and wet rooms are just a few areas where this product would be ideal. Lighter and more comfortable than PVC equivalents with enhanced thermal properties providing good insulation against heat and cold.

**Weight:** 810g  
**Colour:** Green  
**Sizes:** 4-14

- > **Upper:** PUREMAX high quality PU.
- > **Lining:** Anti-bacterial lining.
- > **Sole Unit:** Injected 2PU sole, Shock absorption, heat resistant to 120°C.
- > **Footbed:** Breathable and washable footbed.
- > **Application:** Agriculture, food processing.



### WAYNE WELLINGTON STAND

WAYNE WELLINGTON DISPLAY STAND STAND-WEL-BLU

The Wayne Wellington Stand offers great storage for up to ten boxes of Wayne Wellingtons, with space to have the product out of the box on display.

- > **Built-in Feature Display Area:** For out of product display and including product information.
- > **Easy Construction:** Quick and easy assembly.
- > **Stable Framework:** Ideal for storing heavy duty wellingtons.

**Colour:** Blue



POINT OF SALE SUPPORT

VIEW OUR FULL RANGE OF POINT OF SALE DISPLAY & ACCESSORIES ON PAGES 104 - 111

\*Equates to over 900 000 steps, over 450 miles or over 720km. Standard testing norm is 30 000 flexes.

# ACCESSORIES

## INSOLES & SOCKS

### SPACER INSOLE

SPACER INSOLE | INSOLESPA-BLK

Ideal for people who are in-between sizes or have one foot larger than the other. The spacer insole fits underneath the comfort insole and can be used in all footwear. Fit may vary depending on the style.

- > Anti-static.
- > Fit: Reduces footwear fitting by half a size.

**Material:** EVA insole laminated with Taibrelle®.  
**Weight:** 10g  
**Colour:** Black  
**Sizes:** 3-14 (Incl 6.5 & 10.5)



### OPEN CELL PU INSOLE

OPEN CELL PU INSOLE | FA10-RED

Typically used in footwear designed for light duty industrial applications. This insole is breathable, moisture wicking and machine washable to allow for easy cleaning.

- > Breathable
- > Moisture wicking
- > Machine washable.
- > Comfort: Shock absorber incorporated in heel. Memory foam padding.

**Material:** Open cell PU  
**Weight:** 25g  
**Colour:** Red  
**Sizes:** 3-14 (Incl 6.5 & 10.5)



### COOLMAX CREW SOCKS

COOLMAX CREW SOCKS | FA25-BLGY

The Lemaitre Coolmax Socks are thick, warm socks that keep your feet dry. They are a comfortable sock with good thermal insulation.

- > **Moisture-wicking:** PES Coolmax and wool blend for effective perspiration control and thermal insulation.
- > **Comfort:** Reinforced terry fabric in heel and toe areas.
- > **Semi-cushioned sole.** Non-friction band for all-day relief.
- > **Fit:** Fine rib guarantees a perfect fit around the top and adjustment band around the foot.

**Material:** 50% PES Coolmax, 37% wool, 11% polyamide, 2% elastane.  
**Weight:** 10g  
**Colour:** Black-Grey  
**Sizes:** XS-XL



# ACCESSORIES

## OPUS INSOLES & FOOT SCANNER

### OPUS ESD INSOLES

OPUS FLAT INSTEP INSOLE - GREEN	FA30-GRN
OPUS HIGH INSTEP INSOLE - RED	FA29-RED
OPUS STANDARD INSTEP INSOLE - BLUE	FA28-BLU

Compatible with our AIR 200 range of ESD trainers and designed to provide optimal comfort, adapting to everyone's specific needs, OPUS semi-orthopaedic insoles come in three styles, adapted to the main foot shapes: flat, standard, and high-arched feet. These ESD insoles also offer protection against electrostatic discharges.

- > Semi-orthopaedic insoles
- > Provide additional arch support
- > Reduce fatigue
- > Improve comfort throughout the day
- > ESD compatible
- > A choice of Flat, High and Standard Instep options

**Material:** PU foam (blue, green, red): 99.2% PU, 0.8% recycled rubber  
 PU foam (black): 100% PU  
 Cover: 85% polyester, 15% Carbon  
**Weight:** 25g  
**Colour:** Green, Red, Blue  
**Sizes:** 2-15



FLAT FEET



HIGH ARCH



STANDARD


### FOOT SCANNER

EN ISO 20345:2022

FOOT SCANNER | FOOT-SCANNER-LEMAITRE

The Lemaitre Foot Scanner uses thermal imprinting technology to determine which OPUS insole suits you best. The user places their feet on the platform, which gradually reveals a thermal imprint of the foot shape, allowing for quick and accurate identification of the appropriate insole for fit and support.

- > Thermal imprinting technology
- > Developed for use with AIR 200 and OPUS insoles



PERF 

# WATERPROOF CLOTHING

## MORE THAN 6X THE UK WATERPROOF BENCHMARK

- ✓ BEYOND 10,000MM WATERPROOF PROTECTION
- ✓ DRY INSIDE: RET < 10 MAX BREATHABILITY
- ✓ EN 343 CLASS 4:4 CERTIFIED - TOTAL PROTECTION & COMFORT



EN343:2019

# WORKWEAR WATERPROOF CLOTHING

PERF 

## NAUTILUS Premium Waterproof Breathable Over-Head Jacket


EN343:2019 CLASS 4 WATERPROOF (TESTED>10,000MM)  
CLASS 4 BREATHABLE (RET<10) EN ISO 13688:2013+A1:2021

NAUTILUS WATERPROOF OVERHEAD WP3-BLK

Whether you're tackling daily tasks or facing unpredictable weather, this jacket is designed to keep you comfortable and protected.

**Fabric Composition:** 100% High Elastic Polyester  
**Colour:** Black  
**Sizes:** XS - 4XL

- > **Reinforced Cordura Patches:** Strategically placed on the elbows and shoulders for enhanced abrasion resistance.
- > **Ample Pocket Storage:** Includes side pockets with waterproof zip fastenings and a VELCRO®-fastened front pouch pocket for secure storage.
- > **Ventilation Options:** Pit zips provide additional airflow to help regulate your temperature during intense activities.
- > **Easy On and Off:** The waterproof side access zip makes getting in and out of the jacket a breeze.
- > **Customisable Fit:** An adjustable hood and cuffs ensure comfort and protection, making this jacket ideal for outdoor working.



## NEPTUNE Premium Waterproof Breathable Jacket

EN343:2019 CLASS 4 WATERPROOF (TESTED>10,000MM)  
CLASS 4 BREATHABLE (RET<10) EN ISO 13688:2013+A1:2021

NEPTUNE WATERPROOF JACKET WP1-BLK

Your Ultimate Outdoor Companion: This jacket is designed to handle it all, providing the perfect balance of flexibility and comfort for any task.

**Fabric Composition:** 100% High Elastic Polyester  
**Colour:** Black  
**Sizes:** XS - 4XL

- > **Innovative Stretch Fabric:** Made from revolutionary stretch material, it offers waterproof, windproof and breathable performance, keeping you dry and comfortable in all conditions.
- > **Durable Design:** Reinforced Cordura elbow patches enhance durability, ensuring this jacket stands up to tough outdoor activities.
- > **Functional Storage:** Multiple waterproof velcro fastened pockets keep your essentials secure and easily accessible while you're on the move.
- > **Adjustable Features:** The adjustable drawstring hood and pit zips provide added ventilation and a customisable fit, allowing you to adapt to changing weather conditions.
- > **Versatile Protection:** Don't let the elements hold you back, gear up for work with this multifunctional jacket that keeps you protected and ready for anything.



# WATERPROOF STANDARDS

## UNDERSTANDING EN343:2019 4:4



EN343:2019

EN 343:2019 is the European standard for protective clothing against rain, assessing garments on two key factors: **waterproofing** and **breathability**.

The rating system ranges from 1 to 4, with 4:4 representing the highest level in both categories—maximum resistance to water penetration and optimal breathability for comfort during prolonged wear.

OUR GEAR DOESN'T JUST MEET THE WATERPROOF STANDARD — IT SURPASSES IT!



### WATERPROOF PERFORMANCE GUIDE (HYDROSTATIC HEAD)

Rating	Hydrostatic Head mm	Performance Level
Level 1	>= 800mm	(Basic Water Resistance)
Level 2	1,300mm	(Waterproof - Light Protection)
Level 3	2,000 mm	(Waterproof - Moderate Protection)
Level 4	4,000mm	(Highest Class)
Perf Waterproofs	>10,000mm	(Heavy Storms/All weather)

### PERFORMANCE TESTING - EN343: BREATHABILITY STANDARD

Class Rating	RET Value	Breathability	Wear Comfort	Typical Use
Class 1	>40	Very Low	Hot, clammy	Short use, low activity
Class 2	25 - 40	Low	Warm	Light Activity
Class 3	15-25	Good	Comfortable	General outdoor work
Class 4	<=15	Very High	Cool & Comfortable	High Activity Premium Garments
Perf Waterproofs	<10	Exceptional	The best	Any work environment

IN THE UK TYPICALLY GARMENTS ARE CONSIDERED WATERPROOF FROM AROUND 1,500MM HYDROSTATIC HEAD.

Tested beyond 10,000 mm water column pressure, our clothing provides **more than 6 times the typical waterproof protection** while maintaining Class 4 breathability (RET < 10).

That means **maximum dryness and comfort** even in all-day British rain!


**Stay dry. Stay comfortable. Keep moving.**



EN343:2019



WATERPROOF



BREATHABLE



WINDPROOF



DURABLE



STRETCHY

# WORKWEAR

## WATERPROOF CLOTHING



### POSEIDON Premium Waterproof Breathable Trousers

EN343:2019 CLASS 4 WATERPROOF (TESTED>10,000MM)  
CLASS 4 BREATHABLE (RET<10) EN ISO 13688:2013+A1:2021

POSEIDON WATERPROOF TROUSERS WP2-BLK

Reinforced for durability and providing 100% waterproof and windproof protection, the Poseidon trousers ensure you stay comfortable and dry in all weather conditions. Ideal for any outdoor applications including trades, agriculture, utilities and site work.

**Fabric Composition:** 100% High Elastic Polyester  
**Colour:** Black  
**Sizes:** XS - 2XL

- > **Stay Dry and Mobile:** Crafted from innovative stretch waterproof and breathable fabric, these trousers ensure you stay comfortable in any weather.
- > **Durable Design:** Reinforced Cordura patches on the knees provide exceptional durability for long wear, making them ideal for rugged outdoor activities.
- > **Convenient Storage:** A cargo pocket on the leg offers easy access to your essentials, keeping your hands free while you work.
- > **Tailored Fit:** Press-stud adjustments at the hem allow you to customise the fit, ensuring optimal comfort and mobility.
- > **All-Weather Protection:** Engineered to protect against rain, wind and snow, these trousers feature high tear and tensile strength for all-day performance.
- > **Waterproof and Windproof:** With 100% waterproof and windproof capabilities, these trousers are the perfect choice for any outdoor work, especially on the farm.



### WATERPROOFS DISPLAY STAND

WATERPROOFS DISPLAY STAND STAND-WP-BLK  
OPTIONAL SIDE ARM FOR STAND-WP-BLK STAND-WP-BLK

Sturdy metal display stand for showcasing our Waterproof Clothing Range.

- > **Multi-level arm design:** Ensures multiple sizes can be simultaneously displayed and accessed easily.
- > **Integral Header Board:** Featuring attractive branding and product information.
- > **Optional arm bracket:** Creating an area for displaying the product out of the box

**Colour:** Black



POINT OF SALE SUPPORT

VIEW OUR FULL RANGE OF POINT OF SALE DISPLAY & ACCESSORIES ON PAGES 104 - 111

# WORKWEAR COVERALLS



## CLEVELAND Zip Coverall

CLEVELAND ZIP COVERALL - NAVY	CC2-NVY
CLEVELAND ZIP COVERALL - GREEN	CC2-GRN

The Cleveland is a great all round coverall with good quality fabric, durable and practical with enough pockets to store all your tools. Available in Tall or Regular sizing.

**Materials:** 65% polyester, 35% cotton  
**Sizes:** 36"-56"  
**Leg Length:** Regular (30"), Tall (32")  
**Colour:** Green/Navy

- > Action back and elasticated waistband.
- > Arm, back, chest and knee pad pockets.
- > Hip pockets with side access.
- > Ruler pocket.
- > Stud fastened collar.
- > High Quality two way zip.
- > Application: Mechanics, agriculture and trades.



Colour: Green

Colour: Navy

## CLEVELAND with Adjustable Hems


CLEVELAND - ADJUSTABLE HEMS - NAVY	CC3-NVY
CLEVELAND - ADJUSTABLE HEMS - GREEN	CC3-GRN

Available as an option with adjustable hems, the Cleveland Zip Coverall offers a flexible fit for wearers between sizes. Supplied as 30" leg, with hem adjustable up to 32".

**Sizes:** 36"-56"  
**Leg Length:** Adjustable (30-32")  
**Colour:** Green/Navy

### HEM ADJUSTMENT:

1. Turn the coverall inside out and locate stitch line near bottom of the leg hem
2. Unpick and remove stitching along marked line
3. Release the hem by unfolding the extra fabric
4. Press new hemline with an iron



# PERF CLEVELAND COVERALLS

# WORKWEAR COVERALLS



PERF

MADISON  
COVERALLS

## MADISON Press Stud Coverall

MADISON STUD COVERALL - NAVY CC1-NVY

A great value for money coverall with plenty of pockets and stud fastening to prevent paintwork scratching. Suitable for many applications including mechanics, agriculture and trades. Available in Tall or Regular sizing.

**Materials:** 65% polyester, 35% cotton  
**Sizes:** S-2XL  
**Leg Length:** Regular (30"), Tall (32")  
**Colour:** Navy

- > Concealed stud front.
- > Elasticated waistband.
- > Arm pocket.
- > Back pocket.
- > Chest pockets.
- > Hip pockets with side access.
- > Ruler pocket.
- > Application: Mechanics, agriculture and trades.



PERF



## MADISON Press Stud Coverall

MADISON STUD COVERALL - GREEN CC1-GRN

A great value for money coverall with plenty of pockets and stud fastening to prevent paintwork scratching. Suitable for many applications including mechanics, agriculture and trades. Available in Tall or Regular sizing.

**Materials:** 65% polyester, 35% cotton  
**Sizes:** S-2XL  
**Leg Length:** Regular (30"), Tall (32")  
**Colour:** Green

- > Concealed stud front.
- > Elasticated waistband.
- > Arm pocket.
- > Back pocket.
- > Chest pockets.
- > Hip pockets with side access.
- > Ruler pocket.
- > Application: Mechanics, agriculture and trades.



PERF



# WORKWEAR

## WORK TROUSERS



### FRANKLIN Work Trousers

FRANKLIN WORK TROUSERS - NAVY	CT2-NVY
FRANKLIN WORK TROUSERS - BLACK	CT2-BLK

The Franklin Work Trousers have been designed to offer great value for all everyday work environments. Applications include trades, manufacturing, logistics and agriculture. Available in Short, Regular or Tall sizing.

**Materials:** 65% polyester, 35% cotton  
**Sizes:** 28"-46"  
**Leg Length:** Short (29"), Regular (31"), Tall (33")  
**Colour:** Navy or Black

- > Back, hip, cargo and knee pad pockets
- > Button and zip fastening
- > Hammer loop
- > Key fob
- > Ruler pocket
- > Triple stitch detailing



Colour: Navy



Colour: Black

### FRANKLIN with Adjustable Hems


FRANKLIN - ADJUSTABLE HEMS - NAVY	CT4-NVY
FRANKLIN - ADJUSTABLE HEMS - BLACK	CT4-BLK

Available as an option with adjustable hems, the Franklin Work Trousers offer a flexible fit for wearers between sizes. Supplied as 31" leg, with hem adjustable up to 33".

**Sizes:** 28"-46"  
**Leg Length:** Adjustable (31-33")  
**Colour:** Navy or Black

#### HEM ADJUSTMENT:

1. Turn the trousers inside out and locate stitch line near bottom of the leg hem
2. Unpick and remove stitching along marked line
3. Release the hem by unfolding the extra fabric
4. Press new hemline with an iron



PERF

# FRANKLIN WORK TROUSERS

# WORKWEAR

## WORK TROUSERS



PERF

# JEFFERSON WORK TROUSERS

### JEFFERSON Work Trousers

JEFFERSON WORK TROUSERS - BLACK CT3-BLK

Designed for tradesmen, they feature reinforced CORDURA and on the knees and hem to provide extra strength, plenty of deep pockets and knee pad pockets. Suitable for many applications including mechanics, agriculture and trades. Available in Tall or Regular sizing.

**Materials:** 65% polyester, 35% cotton

**Sizes:** 28"-46"

**Leg Length:** Short (29"), Regular (31"), Tall (33")

**Colour:** Navy

- > Back pockets
- > Adjustable waist
- > Rear pockets
- > Cargo pockets
- > CORDURA hem-protect
- > CORDURA knee pad pockets
- > Hammer loop
- > Holster pockets
- > Ruler pocket
- > YKK zip



PERF

### JEFFERSON Work Trousers

JEFFERSON WORK TROUSERS - NAVY CT3-NVY

Designed for tradesmen, they feature reinforced CORDURA and on the knees and hem to provide extra strength, plenty of deep pockets and knee pad pockets. Suitable for many applications including mechanics, agriculture and trades. Available in Tall or Regular sizing.

**Materials:** 65% polyester, 35% cotton

**Sizes:** 28"-46"

**Leg Length:** Short (29"), Regular (31"), Tall (33")

**Colour:** Navy

- > Back pockets
- > Adjustable waist
- > Rear pockets
- > Cargo pockets
- > CORDURA hem-protect
- > CORDURA knee pad pockets
- > Hammer loop
- > Holster pockets
- > Ruler pocket
- > YKK zip



PERF

# WORKWEAR

GILETS & SHIRTS



## PERF HEAVYWEIGHT GILET

### GILET Heavy Weight Anti-Pill Fleece Gilet

HEAVY WEIGHT GILET CF2-NVY

Crafted from durable 100% anti-pill polyester fleece (380g/m<sup>2</sup>), this gilet offers exceptional insulation, a snug adjustable fit, fleece-lined zip pockets, a quality YKK zip, and practical inner storage—perfect for demanding tasks.

**Sizes:** XS - 4XL

**Colour:** Navy

**Materials:** 100% polyester anti-pill fleece (380gsm)

- > 100% polyester.
- > Quality YKK zips.
- > Zippered pockets.
- > Extra inside pockets.
- > Elasticated adjustable hem.
- > Scoopback.
- > Applications: Industrial trades, agriculture and logistics.



PERF

# WORKWEAR

GILETS & SHIRTS



## PERF CHECK WORK SHIRT

### CHECK WORK SHIRT

CHECK WORK SHIRT CS1-BRN

Engineered for the toughest worksites, our industrial work shirt is built to handle the demands of your trade.

**Materials:** 100% Cotton

**Sizes:** XS - 3XL

**Colour:** Brown

- > **Reinforced Collar:** Inner placket adds structure to help the collar withstand daily wear.
- > **Abrasion-Resistant Nylon Shoulder Panels:** Durable shoulder fabric suited to carrying heavier loads.
- > **Abrasion-Resistant Nylon Elbow Reinforcements:** Strengthened elbows for improved durability in high-wear areas.
- > **Extended Shirt Length:** Designed to stay tucked in during bending, stretching, or reaching.
- > **Velcro Fastened Front Chest Pocket:** Secure pocket for convenient storage.

Reinforced Collar

Cordura Reinforced Shoulders

Velcro-Fastened Chest Pocket

Cordura Reinforced Elbows

Extended Shirt Length

PERF



# WORKWEAR

## SWEATSHIRTS & HATS



PERF 

# QUARTER ZIP SWEATSHIRT

### QUARTER ZIP SWEATSHIRT

QUARTER ZIP SWEATSHIRT CS2-BLK

Built to keep you warm and ready for anything, our quarter-zip sweatshirt is a staple for the industrial workforce. Made from a super-soft cotton blend, it stands up to heavy use while providing comfortable, all-day wear.

**Materials:** Cotton blend  
**Sizes:** XS - 2XL  
**Colour:** Black

- > Super-soft cotton blend.
- > Heavy rib cuffs.
- > Quarter zip design.
- > Unisex fit.
- > Durable and long-lasting.



### PERF BEANIE

PERF BEANIE CB1-GRY

Stay warm and protected on the job with the Perf Beanie 24 cm. Designed for demanding work environments like trades, agriculture, and warehousing, this durable knit beanie offers one-size-fits-most coverage and is easy to care for.

**Sizes:** One Size  
**Colour:** Grey

- > Unisex fit.
- > Versatile and durable.



PERF 

# HELMET SYSTEMS & STANDARDS

## UNDERSTANDING EN397

Head protection is essential in most industries to safeguard workers from injury caused by falling objects, impacts in restricted head space, and hazards associated with working at height. Compliance with recognised standards is critical, as it ensures the equipment has been tested and certified to provide the required level of protection and performance.



### EUROPEAN STANDARD

#### BS EN 397:2012 + A1:2012

Industrial Safety Helmets for general use in construction and industry to provide protection to the wearer against falling objects and consequential brain injury and/or skull fracture.

#### HELMET LIFE

When stored in appropriate conditions, this helmet may be kept in storage for up to 5 years from the date of manufacture. Once in use, the helmet has a maximum service life of up to 5 years from first use. The helmet must be replaced immediately if it has been subjected to impact, damage, or shows signs of wear or degradation.

#### DATE OF MANUFACTURE

The date is moulded into each helmet on the inside rim of the peak. The format is as follows:



December - 2017

### PERF Y-SHIELD RANGE

The new range of Perf Y-Shield helmets have been designed following an exhaustive product study, benchmarking and addressing customers needs.

This has resulted in several patented technologies and innovations that benefit the end user such as the 3D Adjustment system or new mechanisms for faster fit and comfort adjustment.

#### Y-SHIELD RANGE KEY FEATURES:

- Fluid, Performance-Optimized Design: Smooth curves and an arch-shaped front blending into the Y-shaped rear.
- Easy to Clean: Curved surfaces allow for simple maintenance.
- Reinforced Shell: Peripheral reinforcements with stepped styling provide strength against top and side impacts.
- Dynamic 3D Adjustment System: Continuously adapts to the wearer's head size for a secure, comfortable fit.
- No Manual Height Adjustments Needed: Automatic adjustment ensures real-time comfort and fit.

#### CHOICE OF ADJUSTMENT SYSTEMS:

##### Direct-S

Direct-S is a simple and reliable slip-ratchet mechanism adjustment that makes a very economical solution to safety helmet sizing and retention needs.



##### Orbit-R

Orbit-R Adjustment system is a premium rotary-ratchet system with a precision mechanism for ease of use, reliability & ergonomic enhancements. It has a four way balanced ratchet system operating mechanism with patented design and unique alignment of gear locking arms for a well balanced force in both directions enabling easy size adjustment even when wearing gloves.



# SAFETY HELMETS

## SAFETY STANDARDS

# EYE PROTECTION EXPLAINED

## UNDERSTANDING EN166



#### WHAT IS EN 166?

EN 166 is the European safety standard for eye protection. It ensures safety glasses, goggles and visors are tested to protect against everyday workplace hazards such as flying particles, dust and impact.

#### WHAT PROTECTION DOES IT GIVE?

EN 166 eyewear is designed to protect against:

- Flying debris (wood, metal, stone)
- Low to medium impact hazards
- Dust and splashes (depending on style)
- General site risks across construction, agriculture and industry

#### COMFORT MATTERS TOO

EN 166 also ensures:

- Clear vision (Optical Class 1) for all-day wear
- Secure fit and coverage
- Durability for daily use

#### IMPACT RATINGS EXPLAINED: Tested with a 6mm steel ball

Rating	Impact Level	Protection	Application
F	Low	Protects against small particles at up to 45 m/s	Ideal for general site use
B	Medium	Higher protection at up to 120 m/s	Suitable for more demanding environments
A	High	Maximum protection at up to 190 m/s	Specialist applications



# SAFETY HELMETS

## INDUSTRIAL SAFETY HELMETS



PERF

# HYDRO-SHIELD HELMET

PERF

### HYDRO-SHIELD SAFETY HELMET c/w Integrated Faceshield

EN397:2012 + A1:2012 / EN166 CLASS 1 A K N

HYDRO-SHIELD SAFETY HELMET - WHITE	H6-A-WHCL
HYDRO-SHIELD SAFETY HELMET - BLACK	H6-A-BLCL

The Hydro-Shield safety helmet with integrated visor provides both head and face protection, and is suited to environments where impact, splash, or spray hazards exist. Typical applications include chemical handling, water treatment, food processing, marine work, and high-pressure cleaning.

**Sizes:** One size: 53-64cm  
**Colour:** Black / White

- > **High-Impact ABS Shell** for durable head protection
- > **CE Certified – EN397:2012** for industrial safety
- > **Internal Retractable Visor** – EN166 Class 1 optical - suitable for continuous wear
- > **Extended Visor Length & Depth** offering extra protection during jet washing and fitting safety spectacles & FFP3 masks without impacting on visor
- > **Foam Seal** prevents water ingress at visor top
- > **Smooth Retraction** for easy visor adjustment
- > **Neat Fit** – visor lip sits securely under helmet peak
- > **Anti-Scratch & Anti-Fog Coatings** for clear vision
- > **High-Speed Impact Protection** – 6mm ball at 190 m/s
- > **Strong 25mm Terylene Webbing** for secure suspension
- > **Three-Layer Sweatband** with embedded foam for comfort
- > **Temperature Resistant** down to -20°C
- > **Durability Tested** – lasts up to 5 years



CERTIFIED FOR USE WITH HP1-BLRD

### HELMET MOUNTED EAR DEFENDERS - SNR 32DB

EN 352-1:2020

HELMET EAR DEFENDERS	HP1-BLRD
----------------------	----------

Helmet mounted ear defenders compatible with our entire range of safety helmets.

**Colour:** Red & Black

- > Helmet mounted ear defenders.
- > New technology with double casing that minimises resonance in the holder casing, making it easier to understand speech and signals.
- > The sealing rings are broad and filled with soft plastic foam for the best fit and low contact pressure.
- > Good inner space for the ear.
- > Certified to EN352:2020
- > 32 dB.



# SAFETY HELMETS

## INDUSTRIAL SAFETY HELMETS

### Y-SHIELD OR7 Fully Auto Rotary Ratchet Orbit-R™

EN397:2012 + A1:2012



Y-SHIELD OR7 - WHITE	H3C-WHT
Y-SHIELD OR7 - BLUE	H3C-BLU
Y-SHIELD OR7 - BLACK	H3C-BLK
Y-SHIELD OR7 - YELLOW	H3C-YEL
Y-SHIELD OR7 - ORANGE	H3C-ORG
Y-SHIELD OR7 - GREEN	H3C-GRN

The Y Shield OR7 is suitable for use in construction and general industrial environments, offering dependable protection with a vented HDPE shell and secure eight-point webbing harness. Its Orbit-RTM rotary ratchet and 3D adjustment system provide a comfortable, balanced fit with easy one-handed adjustment, even when wearing gloves.

**Weight:** 370g  
**Colours:** Black, Blue, Orange, White, Yellow, Green  
**Size:** One size: 53-64cm

- > HDPE vented shell, high grade 25mm woven textile webbing.
- > Designed to take a 4 point chinstrap
- > Eight point attachment, designed to take a 4-point chinstrap.
- > High quality cleanable coated foam sweatband four millimetres thick.
- > 3D adjustment system for better fit.
- > Universal side slots for accessories.
- > Orbit-RTM adjustment system with premium precision rotary ratchet for reliable, ergonomic operation
- > Four-way balanced ratchet mechanism aligns gear locking arms to deliver smooth, even force for easy size adjustment
- > Rotary ratchet design enables simple one-handed adjustment, even with gloves



### COLOUR OPTIONS:



White Blue Black Orange Yellow Green

# SAFETY HELMETS

## INDUSTRIAL SAFETY HELMETS

### Y-SHIELD DS3 Slip Ratchet Drect-S™

EN397:2012 + A1:2012



Y-SHIELD DS3 - WHITE	H1C-WHT
Y-SHIELD DS3 - BLUE	H1C-BLU
Y-SHIELD DS3 - BLACK	H1C-BLK
Y-SHIELD DS3 - YELLOW	H1C-YEL
Y-SHIELD DS3 - ORANGE	H1C-ORG
Y-SHIELD DS3 - GREEN	H1C-GRN

The Y Shield DS3 is suitable for use in construction and general industrial applications, providing reliable protection with a vented HDPE shell and secure eight-point webbing harness. Its Drect-S™ slip-ratchet system offers a simple, economical way to achieve a comfortable, adjustable fit, complemented by a 3D adjustment system, cleanable foam sweatband, and universal accessory slots.

**Weight:** 370g  
**Colours:** Black, Blue, Orange, White, Yellow, Green  
**Size:** One size: 53-64cm

- > HDPE vented shell, high grade 25mm woven textile webbing.
- > Eight point attachment, designed to take a 4-point chinstrap.
- > High quality cleanable coated foam sweatband four millimetres thick.
- > 3D adjustment system for better fit.
- > Universal side slots for accessories.
- > Drect-S™ is a simple and reliable slip-ratchet mechanism adjustment that makes a very economical solution to a safety helmet sizing and retention needs.



### COLOUR OPTIONS:



White Blue Black Orange Yellow Green

# SAFETY HELMETS

## INDUSTRIAL SAFETY HELMETS

### Y-SHIELD MAXXTRA Drect-S™ Safety Helmet EN 397:2012 + A1:2012

Y-SHIELD MAXXTRA - BLUE	H7-BLU
Y-SHIELD MAXXTRA - WHITE	H7-WHT
Y-SHIELD MAXXTRA - BLACK	H7-BLK

The Y Shield Maxxtra is suitable for construction and industrial use, featuring a high-impact HDPE shell with excellent shock absorption and a lightweight, strong design. Its six-point harness, wide fit, and universal accessory slots provide comfort and versatility, and it performs reliably in temperatures down to -20°C.

**Colours:** Black, Blue, White  
**Size:** One size

- > Shell Made of High Impact HDPE
- > Non-Vented Appealing Aesthetics
- > Excellent Shock Absorption
- > Light Weight & Strong
- > Universal Slots on both sides for mounting accessories
- > Extra wide
- > High Tensile Strength PE
- > 6-point mounting
- > Withstand sub zero temp to -20°C.



**Drect-S**  
**PERF**

### COLOUR OPTIONS:



White

Blue

Black

# SAFETY HELMETS

## HELMET ACCESSORIES

### 4 POINT FASTENING CHINSTRAP

4 POINT FASTENING CHINSTRAP HA5-RDBK



Our 4-point fastening chinstrap provides enhanced stability and security when wearing safety helmets, ensuring a reliable fit in demanding environments. Compatible with our HTC and H3C helmets and Hydroshield helmets.

**Colour:** Red & Black

- > Compatible with our range of PERF safety helmets
- > Secure 4-point anchorage
- > Easy adjustment for comfortable, secure fitting



### HELMET MOUNTED EAR DEFENDERS - SNR 32DB

EN 352-1:2020

HELMET EAR DEFENDERS HP1-BLRD

Helmet mounted ear defenders compatible with our entire range of safety helmets.

**Colour:** Red & Black

- > Helmet mounted ear defenders.
- > New technology with double casing that minimizes resonance in the holder casing, making it easier to understand speech and signals.
- > The sealing rings are broad and filled with soft plastic foam for the best fit and low contact pressure.
- > Good inner space for the ear.
- > Certified to EN352:2020
- > 32 dB.



**PERF**

# SAFETY GLOVE STANDARDS

## UNDERSTANDING EN388:2016

**MECHANICAL HAZARDS: EN388**

- Abrasion (1-4)
- Cut (Coup Test) (1-5)
- Tear (1-4)
- Puncture (1-4)
- Cut (TDM Test) (A-F)
- Impact Protection (P, F, X)

EN388:2016



1 2 3 4 B P

According to this standard, characteristics such as abrasion resistance, cut resistance, tearing strength, puncture resistance and impact protection are tested. In conjunction with the pictogram, four numbers and one, or two letters, will be displayed. These signs indicate the performance of the glove.

**ABRASION RESISTANCE**

The material is subjected to abrasion by a sandpaper under a determined pressure. The protection level is indicated on a scale of 1 to 4 depending on the number of turns required until a hole appears in the material. The higher the number, the better the resistance to abrasion.

**CUT RESISTANCE - COUP TEST**

The cut protection is tested. A knife is passed over the glove material until it cuts through. The protection level is given by a number between 1 and 5, where 5 indicates the highest cut protection. If the material dulls the knife during this test, the cut test ISO 13997(TDM test) shall be performed instead, see point 5.

**TEARING STRENGTH**

The force required to tear the glove material apart is measured. The protection level is indicated by a number between 1 and 4, where 4 indicates the strongest material.

**PUNCTURE RESISTANCE**

Based on the amount of force required to puncture the material with a tip. The protection function is indicated by a number between 1 and 4, where 4 indicates the strongest material.

**CUT RESISTANCE - TDM TEST ISO 13997**

If the knife gets dull during the coup test, see point 2, this test shall be performed instead. The result is given by a letter, A to F, where F indicates the highest level of protection. If any of these letters is given, this method determines the protection level instead of the coup test.

ISO 13997:1999 – Determination of resistance to cutting by sharp objects. An alternative cut test recommended for cut protection gloves. Shall be used in EN388:2016 for cut protection gloves where the cut material dulls the cutting knife during testing. A knife cuts with constant speed but increasing force until breakthrough of the cut protection material. Level of protection is given in Newton, the force needed for cut through at 20mm cut length.

**IMPACT PROTECTION**

This test is intended for work gloves designed for optimal hand protection against impact. Gloves that don't offer impact protection, will not be subjected to this test. For this reason, there are three potential ratings that will be given, based on this performance test, P (pass), F (fail) or X (not tested).

Puncture and Tear resistance are measured with a tensometer. Puncture resistance is measured as the force required to break through samples from gloves with a standard puncture needle (it should be noted that the design of this needle is comparable to that of a large nail, and the puncture strength from this test cannot be used to assess resistance to puncture by hypodermic needles). Tear resistance is measured as the force required to tear through samples.

TEST	PERFORMANCE LEVEL				
	1	2	3	4	5
Abrasion resistance (cycles)	100	500	2000	8000	
Blade cut resistance (factor)*	1.2	2.5	5	10	20
Tear resistance (newton)	10	25	50	75	
Puncture resistance (newton)	20	60	100	150	

\*Coupe test before Blade cut resistance

### EN 388 – CLAUSE 6.3

**CUT RESISTANT METHOD (EN ISO 13997:1999)**

The EN ISO 13997:1999 cut resistance test has been introduced in addition to the coupe test method and aims to better demonstrate how more complex yarns which may have blunted the coup test blade can be effectively assessed.

### PERFORMANCE AND MARKING

The cut level achieved is defined using the letters A to F, denoting increasing levels of protection.

TEST	LEVEL A	LEVEL B	LEVEL C	LEVEL D	LEVEL E	LEVEL F
6.3 EN ISO Cut resistance (N)	2	5	10	15	22	30

Manufacturers can choose to use the coupe test or the ISO cut test when measuring cut resistance during certification or use both methods. The ISO cut test is only mandatory when blunting of the blade occurs during the coupe test. When blunting occurs the manufacturer still has an option to display a coupe test score but these results are indicative only, whilst the displayed ISO cut result is the reference performance result – a statement to this effect must be included in the user information notice.

# SAFETY GLOVES

## THORN PROTECT GLOVES



SPUR



BARB

### SPUR Thorn Protect Leather Gloves

SPUR LEATHER GLOVES G24-GLD

Heavy duty, yet light and comfortable, these soft grain leather gloves with a fleece lining offer reliable protection against nettles, thorns, and brambles - excellent for demanding gardening and outdoor work.

**Materials:** Soft Grain Leather  
**Sizes:** 7-12  
**Colour:** Gold

- > Soft grain heavy duty leather gloves.
- > Double thickness on fingertips, thumb and palm.
- > Great protection against nettles, thorns and brambles.
- > Cotton fleece lining.
- > Elasticated cuff and keystone thumb.

MULTIPLE SIZES



### PERF THORN PROTECT



### BARB Thorn Protect Cuffed Leather Gloves

BARB CUFFED LEATHER GLOVES G22-WHT

Made from soft grain leather with snug elasticated cuffs, these gloves combine comfort, durability, and protection against nettles, thorns, and brambles. Ideal for everyday gardening and outdoor work.

**Materials:** Soft Grain Leather  
**Sizes:** 7-12  
**Colour:** White

- > Soft grain lined gardening glove
- > Long elasticated cuff for secure and comfortable fit.
- > Double thickness on fingertips, thumb and palm.
- > Vein patch for extra safety.
- > Great protection against nettles, thorns, and brambles

MULTIPLE SIZES



### PERF THORN PROTECT



# SAFETY GLOVES

## THORN PROTECT GLOVES



### SPIKE Thorn Protect Gardening Gauntlet

SPIKE THORN PROTECT GARDENING GAUNTLET G23-GLD

Designed for comfort, durability and extended protection, these gauntlet gloves feature a fleece lining and long cuffs to guard wrists and forearms - ideal for heavy-duty gardening tasks and outdoor work.

**Materials:** Soft Grain Leather  
**Sizes:** 7-12  
**Colour:** Gold

- > Soft grain lined gardening glove.
- > Velcro fastening offers secure and comfortable fitting and keeps debris out when cutting hedges.
- > Double thickness on fingertips, thumb and palm.
- > Vein patch for extra safety.
- > Great protection against nettles, thorns, and brambles.



Size 7   Size 8   Size 9   Size 10   Size 11   Size 12

# SAFETY GLOVES

## DRIVER GLOVES

### DACTYL Drivers Gloves

EN388:2016 2.1.4.4.X

DACTYL DRIVERS GLOVES G1-GLD

Soft, flexible leather gloves with a keystone thumb and cotton fleece lining for comfort and warmth. Made from high-grade leather, they are ideal for driving, handling loads, and general transport, distribution, and logistics tasks.

**Colour:** Gold  
**Sizes:** 7-10

- > Soft, flexible, comfortable leather.
- > Keystone thumb for enhanced comfort and flexibility.
- > Quality cotton fleece lining for warmth and comfort.
- > High grade leather.



### METIS Premium Drivers Gloves

EN388:2016 2.1.4.4.X

METIS PREMIUM DRIVERS GLOVES G12-BLK

Durable, soft grain leather gloves featuring a keystone thumb and soft cotton fleece lining for comfort and warmth. Perfect for driving, securing loads, and general tasks in transport, distribution, and logistics.

**Colour:** Black  
**Sizes:** 9-10

- > Soft, flexible, comfortable leather.
- > Keystone thumb for enhanced comfort and flexibility.
- > Quality cotton fleece lining for warmth and comfort.
- > High grade leather.



# SAFETY GLOVES

## DRIVER GLOVES

### KORE Unlined Drivers Gloves

EN388:2016 2.1.4.4.X

**KORE UNLINED DRIVERS GLOVES** G14-GLD

Soft, flexible leather gloves with a keystone thumb for enhanced comfort and flexibility - ideal for driving or general handling tasks.

**Colour:** Gold  
**Sizes:** 9-10

- > Soft, flexible, comfortable leather.
- > Keystone thumb for enhanced comfort and flexibility.



### NEMESIS Lined Drivers Gloves

EN388:2016 2.1.4.4.X

**NEMESIS LINED DRIVERS GLOVES** G18-GLD

The Nemesis Lined Driver Gloves are made from soft grain leather with a cotton fleece lining for comfort and warmth. Featuring a wing thumb and elasticated cuff, they provide flexibility and a secure fit - ideal for driving and general handling tasks.

**Colour:** Gold  
**Sizes:** 9-10

- > Soft, flexible, comfortable leather.
- > Wing thumb for enhanced comfort and flexibility.
- > Cotton fleece lining for warmth and comfort.
- > Suitable for transport, distribution, and general handling tasks.



# SAFETY GLOVES

## DRIVER GLOVES

### ATLAS Superior Soft Grained Lined Gloves

EN388:2016 2.1.4.4.X

**ATLAS SUPERIOR LINED GLOVES** G13-GLD

The Atlas Superior Soft Grained Lined Gloves feature soft, flexible leather with a keystone thumb and fleece lining for comfort and warmth. Ideal for protection against thorns, driving, and general tasks in transport, distribution, and logistics.

**Colour:** Gold  
**Sizes:** 7-12

- > Soft, flexible, comfortable leather.
- > Keystone thumb for enhanced comfort and flexibility.
- > Quality fleece lining for warmth and comfort.
- > Suitable for thorns & flexible for driving.
- > Colour coded sizes for easy identification in workplaces



# SAFETY GLOVES

## RIGGER GLOVES

### PORTIA Rigger Gloves

EN388:2016 3.1.4.4.X

PORTIA RIGGER GLOVES G7-GLD

The Portia Rigger Gloves feature premium leather for maximum flexibility, a protective knuckle strap, vein patch, and rubberised cuff for wrist safety. An elastic tensioner ensures a secure, comfortable fit - ideal for handling, lifting, and general industrial tasks.

Colour: Gold  
Sizes: 10

- > Best quality leather for maximum flexibility.
- > Rubberised cuff for increased wrist protection.
- > Protective Knuckle strap.
- > Vein patch for extra safety.
- > Elastic tensioner for better fit.



### CARPO Rigger Gloves

EN388:2016 3.1.4.4.X

CARPO RIGGER GLOVES G6-RDGY

The Carpo Rigger Gloves feature reinforced palm, first finger, and thumb, with a leather knuckle strap for added protection. A heavy-duty rubberised cuff and elastic tensioner ensure a secure, comfortable fit - ideal for demanding handling and industrial tasks.

Colour: Red-Grey  
Sizes: 10

- > Reinforced palm, first finger and thumb.

- > Leather knuckle strap for extra protection.
- > Heavy duty rubberised cuff and elastic tensioner for better fit.



### CYGNUS Rigger Gloves

EN388:2016 3.1.4.4.X

CYGNUS RIGGER GLOVES G17-YLRD

The Cygnus Rigger Gloves are a top-quality, heavy-duty glove designed for tough handling jobs. Featuring strong leather, reinforced palm, first finger, and thumb, a leather knuckle strap, heavy-duty rubberised cuff, vein patch, and elastic tensioner, they provide maximum protection, comfort, and a secure fit for demanding industrial tasks.

Colour: Yellow-Red-White  
Sizes: 10

- > Top quality rigger glove for tough handling jobs.
- > Strong leather for heavy duty use.
- > Reinforced palm, first finger and thumb for increased protection in key areas.
- > Leather knuckle strap for extra protection.
- > Heavy duty rubberised cuff.
- > Elastic tensioner for better fit.
- > Vein patch for extra safety.
- > Durable heavyweight backing for comfort.



### ARIEL Heavy Duty Rigger Gloves

EN388:2016: 3.1.4.4.X

ARIEL HEAVY DUTY RIGGER GLOVES G3-BLGY

Featuring a leather knuckle strap, durable heavy-weight backing, and a heavy-duty rubberised cuff for maximum protection. With a vein patch for safety and an elastic tensioner for a secure fit, they are ideal for demanding industrial and manual handling tasks.

Colour: Black-Grey  
Sizes: 10

- > Leather knuckle strap for extra protection.
- > Heavy duty rubberised cuff.
- > Elastic tensioner for better fit.
- > Vein patch for extra safety.
- > Durable heavy weight backing for comfort.



### NIX Standard Rigger Gloves

EN388:2016: 3.1.4.4.X

NIX STANDARD RIGGER GLOVES G5-RDGY

The Nix Standard Rigger Gloves are designed for general handling, made from durable split leather with a virgin cotton fleece lining on the palm and fingers for comfort. Featuring high-quality taped cuffs and a vein patch for added safety, they are ideal for industrial and manual tasks.

Colour: Red-Grey  
Sizes: 10

- > Split leather.
- > Virgin Cotton fleece lining in palm and fingers.
- > Heavy duty rubberised cuff.
- > Vein patch for additional safety.



### TRITON Standard Rigger Gloves

EN388:2016: 3.1.4.4.X

TRITON STANDARD RIGGER GLOVES G4-GRY

The Triton Standard Rigger Gloves are made from soft, comfortable leather with a wing thumb for flexibility. Fleece-lined for warmth, they offer reliable protection for transport, distribution, and general handling work.

Colour: Grey  
Sizes: 10

- > Soft, flexible, comfortable leather.
- > Wing thumb for enhanced comfort and flexibility.
- > Heavy duty rubberised cuff.
- > Cotton fleece lining for warmth and comfort.
- > Suitable for transport, distribution, and general handling tasks.



# SAFETY GLOVES

## RIGGER GLOVES

# WELDING GAUNTLETS STANDARDS EXPLAINED

## CLASS II – Intermediate Protection

Provides moderate protection for general welding tasks, balancing heat resistance with dexterity.

### BS EN 12477 – Type A

This is the European standard for protective gloves against thermal risks (heat and/or fire). Type A gloves offer higher levels of heat and mechanical protection, suitable for prolonged welding or tasks involving higher risks of sparks and molten metal.

### BS EN 407:2004 – Thermal Risk Protection

This European standard measures protective glove performance against heat and/or fire hazards. Performance is rated on a scale of 1–4 (4 being the highest) or X (not tested/not applicable):

- > Flammability (4): Excellent resistance; gloves resist ignition and burning.
- > Contact Heat (1): Can withstand brief contact with hot surfaces.
- > Convective Heat (3): Provides good protection against heat carried by hot air or gases.
- > Radiant Heat (X): Not tested or not applicable.
- > Small Splashes of Molten Metal (4): Offers high protection from sparks and small droplets.
- > Large Quantities of Molten Metal (X): Not tested or not applicable.



# SAFETY GLOVES WELDING GAUNTLETS



## ALCOR Superior Long Welding Gauntlets

CAT II Intermediate Design  
APPROVED TO BS EN 12477 TYPE A  
EN388:2016: 4.1.4.4.X  
EN407:2004: 4.1.3.X.4.X

ALCOR WELDING GAUNTLETS **G20-BLU**

The Alcor Superior Long Welding Gauntlet is a 40 cm glove designed for gas welding and fabrication. Made from shoulder split leather with a cotton fleece lining, it features a reinforced palm grip, Kevlar stitching, and welted seams for maximum protection, durability, and comfort during heavy-duty welding tasks.

**Sizes:** 10  
**Colour:** Blue

- > 40cm Length.
- > Shoulder split leather.
- > Cotton fleece inner lining.
- > Reinforced grip on palm. Kevlar stitching.
- > Welted seams.



## CAPELLA Welding Gauntlets

CAT II Intermediate Design  
APPROVED TO BS EN 12477 TYPE A  
EN388:2016: 4.1.4.4.X  
EN407:2004: 4.1.3.X.4.X

CAPELLA WELDING GAUNTLETS **G19-BLU**

This 35 cm Welding Gauntlet is designed for gas welding and fabrication. High-quality leather with Kevlar stitching and a reinforced thumb provides extra protection, durability, and security for demanding welding tasks.

**Sizes:** 7-12  
**Colour:** Blue

- > 35cm High quality Kevlar stitched welders gauntlet.
- > Reinforced thumb for extra security.
- > Kevlar stitching.



Size 7 Size 8 Size 9 Size 10 Size 11 Size 12



**MULTIPLE SIZES**



# SAFETY GLOVES

## WELDING GAUNTLETS

### EUROPA Reinforced TIG Welders Gauntlet

CAT II Intermediate Design  
APPROVED TO BS EN 12477 TYPE A  
EN388:2016: 2.1.2.2.X  
EN407:2004: 4.1.3.X.4.X

EUROPA REINFORCED TIG WELDERS GAUNTLET G11-GRY

The Reinforced TIG Welders Gauntlet is made from soft grain goat leather for comfort and flexibility. It features a reinforced palm grip and a soft tanned leather cuff for improved dexterity. With durable, cut- and flame-resistant Kevlar stitching, this glove is ideal for electric arc welding and is available in multiple sizes.

- > Soft grain goat leather.
- > Reinforced grip on palm.
- > Kevlar stitching

Sizes: 7-12  
Colour: Grey



### ALPHA Standard Welders Gauntlets

CAT II Intermediate Design  
APPROVED TO BS EN 12477 TYPE A  
EN388:2016: 4.1.4.4.X  
EN407:2004: 4.1.3.X.4.X

ALPHA WELDING GAUNTLETS G21-RED

Perf 35cm FR Aramid Welding Gauntlet with welted seams and a high-grade lining for comfort and durability. Suitable for gas welding and other general welding applications.

- > 35cm Leather welders gauntlet.
- > Welted seams.
- > High grade cotton lining.

Sizes: 10-11  
Colour: Red



### TEMPEST Superior Welders Gauntlet

CAT II Intermediate Design  
APPROVED TO BS EN 12477 TYPE A  
EN388:2016: 4.1.4.4.X  
EN407:2004: 4.1.3.X.4.X

TEMPEST WELDING GAUNTLET G10-RED

The Tempest Welders Gauntlet is a 35 cm leather glove with welted seams, FR Aramid stitching and a high-grade lining for comfort and durability. Suitable for gas welding and other general welding applications.

- > 35cm Leather welders gauntlet.
- > Welted seams.
- > High grade cotton lining.

Sizes: 10-12  
Colour: Red



# SAFETY GLOVES

## MILKING GLOVES



### MILKING GLOVES

EN ISO 374 -1: 2016 +A1: 2018  
EN ISO 374 -5: 2016  
EN 455-1, EN 455-2 and EN 374-2: 2019

240MM MILKING GLOVES (BOX OF 100) G96-BLK  
300MM MILKING GLOVES (BOX OF 50) G97-BLK

Designed for durability and comfort, our thick nitrile milking gloves provide excellent protection and dexterity for all your milking needs. Made from high-quality nitrile, these gloves offer superior resistance to punctures, chemicals, and abrasions. The thick material ensures a secure grip and long-lasting performance, making them perfect for the demanding environment of dairy farming.

Glove Lengths: 240mm and 300mm  
Quantity per Box: 100 x 240mm, 50 x 300mm  
Hand Sizes: XS-2XL  
Colour: Black

- > **Durable Construction:** Thick nitrile material for enhanced protection.
- > **Excellent Grip:** Textured surface for a secure hold, even in wet conditions.
- > **Chemical Resistant:** Protects against a wide range of chemicals and substances, including peracetic acid.
- > **Comfortable Fit:** Flexible and comfortable for prolonged use.
- > **Reliable Protection:** Ensure your hands stay protected and efficient with our thick nitrile milking gloves, designed to meet the rigorous demands of dairy farming.
- > **Food Safe:** Glove materials meet 21CFR 177.2600 for food contact & comply with directive 2002/27/EEC for plastics in contact with food.



PERF



# STANDARDS

## SAFETY & PROTECTIVE FOOTWEAR

### SAFETY FOOTWEAR

This type of Footwear protects the wearer's toes against risk of injury from falling objects and crushing up to 15000 Newtons when worn in work environments where potential hazards occur.

#### OLD STANDARDS STILL IN EFFECT

##### Safety Footwear EN ISO 20345: 2011

<b>S1</b>		<b>A E Fo</b>				
<b>S1P</b>			<b>A E Fo</b>			
<b>S3</b>			<b>A E Fo Wru</b>			
<b>S5</b>			<b>A E Fo WR</b>			

##### Safety Footwear EN ISO 20349-1: 2017

<b>S3</b>			<b>A E Fo Wru</b>			
-----------	--	--	-------------------	--	--	--

#### NEW STANDARD

##### Safety Footwear EN ISO 20345: 2022

<b>S3</b>			<b>A E Wpa</b>			
<b>S3L</b>			<b>A E Wpa</b>			
<b>S3S</b>			<b>A E Wpa</b>			
<b>S7</b>			<b>A E Wpa WR</b>			
<b>S7S</b>			<b>A E Wpa WR</b>			

### PROPERTY CODES

<b>A</b>	Antistatic	<b>An</b>	Ankle Protection
<b>E</b>	Energy absorption of seat region	<b>HRO</b>	Heat Resistant Outsole 300°C
<b>Ci</b>	Cold Insulation	<b>FO</b>	Fuel Oil Resistant
<b>Hi</b>	Heat Insulation	<b>Lg</b>	Ladder Grip
<b>ESD</b>	Electro-Static Discharge Protection	<b>Wru</b>	Water Penetration & Water Absorption Resistant Upper

### OCCUPATIONAL FOOTWEAR

This type of footwear incorporates no toe protection against mechanical hazards. Safety footwear can be recognised by safety standards.

#### OLD STANDARDS STILL IN EFFECT

##### Occupational Footwear EN ISO 20347: 2012

<b>O2</b>	<b>A E Wru</b>	
<b>O4</b>	<b>A E WR</b>	

#### NEW STANDARD

##### Occupational Footwear EN ISO 20347: 2022

<b>OB</b>	No toe protection against mechanical hazards. Must provide protection to one or more of the categories P, C, A, M, Cl, or HI			
<b>O6</b>	<b>A E Wpa WR</b>			

### DEFINITIONS

- Toe protection 200 Joules, Compression resistance, 15000 Newtons.
- Penetration resistant metal midsole 1100 Newtons.
- Non-metallic, 3mm penetration resistance midsole. 1100 Newtons.
- Non-metallic, 4.5mm penetration resistance midsole. 1100 Newtons.
- Closed seat region
- Cleated Outsole
- Slip resistance on ceramic tile floor with NaLS

<b>Wpa</b>	Water Penetration & Absorption (upper)	<b>P</b>	Penetration Resistant 1100 Newtons
<b>WR</b>	Water Resistance	<b>M</b>	Metatarsal Protection
<b>C</b>	Conductive	<b>SR</b>	Slip Resistance
<b>Fe</b>	Ferrous Metals	<b>Cr</b>	Cut Resistance
<b>Sc</b>	Scuff Cap Abrasion Resistance	<b>AL</b>	Aluminium

# STANDARDS

## SAFETY & PROTECTIVE FOOTWEAR

### STANDARDS EXPLAINED

The following table shows European standards.

	Europe
Standard	ISO EN 20345 / 20346 / 20347
Toe Cap Impact Resistance	200 joules
Toe Cap Compression	15,000 Newton of Compression Force
Penetration Resistance	Minimum force 1100N

**CE**

### SLIP RESISTANCE MARKING

#### EN ISO 20345: 2022 - NEW STANDARD:

Under EN ISO 20345:2022, the 'SRA', 'SRB' and 'SRC' markings are no longer used. Instead, all appropriate safety shoes must demonstrate basic slip resistance by undergoing a test similar to the previous SRA certification on ceramic tiles. Safety footwear can be marked 'SR' if they also pass a slip test on a ceramic tile with glycerol. Products with this marking therefore replace those that had a 'SRC' certification under the 2011 standard.

		Minimum Coefficient of Friction by EN ISO 13278:2007	
Marking	Footwear Slip Resistance on:	Forward Heel Slip	Forward Flat Slip
SR	Tested under updated method (replaces SRA/SRB)	PASS	PASS

#### EN ISO 20345:2011 - OLD STANDARD:

Footwear may have been tested to 2011 standard until Nov 2024, with certificates remaining valid for up to five years. As a result, products may still be labelled as compliant with EN ISO 20345:2011 until as late as 2029.

		Minimum Coefficient of Friction by EN ISO 13278:2007	
Marking	Footwear Slip Resistance on:	Forward Heel Slip	Forward Flat Slip
SRA	Ceramic tile with SLS1	0.28	0.32
SRB	Steel with Glycerol	0.13*	0.18*
SRC	Ceramic tile with SLS and steel with Glycerol	0.28 0.13*	0.32 0.18*

### PERFORMANCE BRANDS: SIZE CONVERSION

UK	2	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13	14
EUROPE	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
USA	4	4.5	5	6	7	7.5	8	9	10	11	11.5	12	13	14	15

Please note that there is no real standard for converting shoes. You should always have your foot measured at a local distributor if possible or select the closest estimated size above.

# POINT OF SALE

## SLAT WALL & ACCESSORIES

# POINT OF SALE

## SLAT WALL & ACCESSORIES

### SLAT WALL COVER SET


SLAT WALL COVER SET | SLAT-SET-PERF-RED

Create a striking display that stands out to your customers with our red slat wall covers. The red slats are eye catching but do not take attention away from the product. They also include a perf header board and kick board to add branding to the display.

**Colour:** Red  
**Size:** Fits 1m (w) x 2m (h) slat wall display

- Full Set includes:**
- > 1x Perf Slat Header (black/white/red)
  - > 8x Double Slat Covers (red)
  - > 1x Single Slat Cover (red)
  - > 1x 7mm Taped Slat Cover (red)
  - > 1x taped Slat Wall Base Cover (red)
  - > 1x Perf Slat Wall Kickboard (black/white/red)

For compatible accessories see page 105



### SLAT WALL ACRYLIC SHELF

CODE: SHELF-A-CLR

For use with Slat Wall Shelf Label

Our sturdy 30cm acrylic shelves are expertly designed to endure the weight of heavy-duty footwear. The shelves incorporate a label slot, giving you the opportunity to showcase your brand and enhance its visibility.

**Colour:** Clear  
**Size:** 30cm x 15cm



### SLAT WALL SHELF LABEL

PERF | SHELF LABEL-PERF-BL  
SAFETIX | SHELF LABEL-SAFETIX-BL

LEMAITRE | SHELF LABEL-LEMAITRE-BL  
WAYNE - AVAILABLE ON REQUEST

For use with Slat Wall Acrylic Shelf

We offer a variety of branded labels to seamlessly slot into the front of our Slat Wall Acrylic Shelves. Branded labels available include PERF, SAFETIX, LEMAITRE and WAYNE.

**Colour:** Various  
**Size:** 30 x 5cm



### ACRYLIC INFORMATION HOLDER

CODE: INFO-A-CLR

For use with Information Card Insert

A6 landscape acrylic holder slots directly into your slat wall to provide information on the key features and the technical details of the products.

**Colour:** Clear  
**Size:** A6



### INFORMATION CARD INSERT

AVAILABLE ON REQUEST

For use with Acrylic Information Holder

A6 information card which slots into our Acrylic Information Holders. Each information card has the product name and description, an image of the product, the standards, size ranges and a list of features.

**Size:** A6



### A4 ACRYLIC POSTER HOLDER

CODE: POSTER-A-CLR



A4 portrait acrylic holder slots directly into your slat wall to provide information on the key features and the technical details of the products.

**Colour:** Clear  
**Size:** A4

### SLAT WALL HOOK

CODE: HOOK-M-CHR



Strong metal slat wall hook with a rubber end to prevent stock from falling off and scuffing.

**Colour:** Chrome

### CLOTHING HANGER - PERF

CODE: HANGER-W-BLK



Robust wooden Perf branded clothing hanger

**Colour:** Black  
**Size:** One size

# POINT OF SALE

## GRID WALL & ACCESSORIES

### GRID WALL STAND

GRID WALL STAND STAND-GW-BLK

Introducing our versatile multi-use display system, designed to provide exceptional branding opportunities and flexibility.

- > **Adjustable shelving system:** ensures even distribution of merchandise, regardless of range size.
- > **Double-sided graphics and framework:** offering double the storage space, making it easy to expand your product range.
- > **Compatible grid wall accessories:** available to customise display options.

**Colour:** Black  
**Size:** 74 x 210 x 29cm

For compatible accessories see page 107



# POINT OF SALE

## GRID WALL & ACCESSORIES

### GRID WALL ACRYLIC SHELF

CODE: SHELF-AWG-CLR

For use with Grid Wall Shelf Label

Our sturdy acrylic shelves are designed to clip onto your grid wall and endure the weight of heavy-duty footwear. The shelves incorporate a label slot, giving you the opportunity to showcase your brand and enhance its visibility.

**Colour:** Clear  
**Size:** 25 x 10cm



### GRID WALL SHELF LABEL

AVAILABLE ON REQUEST

For use with Grid Wall Acrylic Shelf

We offer a variety of branded labels to seamlessly slot into the front of our Grid Wall Acrylic Shelves. Branded labels available include PERF, SAFETIX, LEMAITRE and WAYNE.

**Colour:** Various



### SUPER GRIP SIGN HOLDER

CODE: SIGNGRIP-A-CLR

For use with Information Holder & Information Card Insert

Our Super Grip Sign Holder is an essential accessory for displaying information on your grid wall stand. Designed to provide a secure and sturdy grip, this holder is compatible with our Acrylic Information Holders.

**Colour:** Clear  
**Size:** A6



### ACRYLIC INFORMATION HOLDER

CODE: INFO-A-CLR

For use with Super Grip Sign Holder & Information Card Insert

A6 landscape acrylic holder slots into our Super Grip Sign Holder to provide information on the key features and the technical details of the products.

**Colour:** Clear  
**Size:** A6



### INFORMATION CARD INSERT

AVAILABLE ON REQUEST



For use with Super Grip Sign Holder & Information Holder

A6 information card which slots into our Acrylic Information Holders. Each information card has the product name and description, an image of the product, the standards, size ranges and a list of features.

**Size:** A6

### GRID WALL HOOK

CODE: HOOK-M-GW-CHR



Strong metal grid wall hook with a rubber end to prevent stock from falling off and scuffing.

**Colour:** Chrome

### CLOTHING HANGER - PERF

CODE: HANGER-W-BLK



Robust wooden Perf branded clothing hanger

**Colour:** Black  
**Size:** One size

# POINT OF SALE

## DISPLAY STANDS



Displays up to 10 boxes



Displays up to 36 products



Displays up to 54 pairs



### WAYNE WELLINGTON STAND

CODE: STAND-WEL-BLU

The Wayne Wellington Stand offers great storage for up to ten boxes of Wayne Wellingtons, with space to have the product out of the box on display.

- > **Built-in Feature Display Area:** For out of product display and including product information.
- > **Easy Construction:** Quick and easy assembly.
- > **Stable Framework:** Ideal for storing heavy duty wellingtons.

Colour: Blue  
Size (cm): 173 x 48 x 48



### WATERPROOFS DISPLAY STAND

CODE: STAND-WP-BLK

Sturdy metal display stand for showcasing our PERF Waterproof Clothing Range.

- > **Multi-level arm design:** Ensures multiple sizes can be simultaneously displayed and accessed easily.
- > **Integral Header Board:** Featuring attractive branding and product information.
- > **Optional arm bracket:** Creating an area for displaying the product out of the box

Colour: Black  
Size (cm): 228 x 60 x 53



### GLOVE STAND

LARGE STAND: STAND-GL-BLK  
SMALL STAND: STAND-GL-SMALL-BLK

Bespoke metal display stand for showcasing our PERF Thorn Protect glove range.

- > **Multi-level arm design:** Ensures multiple sizes can be simultaneously displayed and accessed easily.
- > **Integral Header Board:** Featuring attractive graphics and product information.

Colour: Black  
Size (cm): Large: 204 x 46 x 45  
Small: 161 x 46 x 45

# POINT OF SALE

## DISPLAY STANDS & STICKERS



THE VERY BEST IN FARMING FOOTWEAR

### MANGERTON CARDBOARD STAND

CODE: STAND-CB-BLK-01

The Perf Mangerton Cardboard Stand is a sturdy, compact display designed to showcase the Perf Mangerton dog walking boots.

- > **Sturdy construction:** Crafted from strong cardboard for durability and longevity.
- > **Eye-catching graphics:** To attract customers and boost sales.

Colour: Red-Black



### DOOR & WINDOW STICKER


DOOR VINYL STICKER A5: DOOR-ST-FW-GRN  
WINDOW VINYL STICKER A5: WINDOW-ST-FW-GRN

Our door and window stickers provide an excellent marketing opportunity. They are made using a reusable vinyl so are easy to move around the store.

Sizes: A5



THE VERY BEST IN FARMING FOOTWEAR



# POINT OF SALE

## WALL & FLOOR SIGNAGE

### FLOOR MAT

FLOOR MAT	FLOOR-MAT-PERF-FARM-BLK
-----------	-------------------------

Rubber backed non-slip Perf mat for indoor and outdoor use. The print quality is amazing and very hard wearing. Show off the brand in a unique way.

**Colour:** Black-Red  
**Size:** 90 x 60cm



### FLOOR VINYL

FLOOR VINYL (30CM)	FLOOR-VIN-PERF-BLRD
FLOOR VINYL (10CM)	FLOOR-VIN-PERF-S-BLRD

Our self-adhesive vinyl indoor floor stickers have a non slip grain-textured finish and are scuff and scratch resistant. They are easy to apply to your flooring and can be removed without damaging your floor. These are suitable for finished floors including wood, laminate, concrete or tiled.

**Colour:** Black-Red  
**Size:** Large: 30 x 30cm and Small 10 x 10cm



### FOAMEX AGRI GRAPHIC

FOAMEX GRAPHIC (100CM)	GRAPHIC-FC BLRD-L
FOAMEX GRAPHIC (50CM)	GRAPHIC-FC BLRD-S

Enhance your brand in the agri market with our Foamex graphic board. Turn any wall into effective advertising space, uniquely showcasing the Perf brand.

**Colour:** Black-Red  
**Sizes:** Large: 100 x 40cm and Small 50 x 20cm



# POINT OF SALE

## EXTERNAL SIGNAGE

### PVC BANNERS

PERF DEALER BOOTS (3M)	BANNER-AGRI-BOOTS-GRN
PERF DEALER BOOTS (2M)	BANNER-AGRI-BOOTS-SMALL-GRN
PERF COVERALLS (3M)	BANNER-COVERALLS-WHT
PERF GILET (3M)	BANNER-GILET-GRN
WAYNE WELLINGTONS (3M)	BANNER-WELLINGTONS-BLU

Eyeletted outdoor banners offering excellent advertising.

- > **Weatherproof construction:** Crafted from sturdy PVC for durability in all weather.
- > **Eye-catching graphics:** To attract attention and boost sales.

**Sizes:** Large: 3m x 1m  
Small: 2m x 40cm (Dealer Boots design only)

#### Banner: Perf Dealer Boots



#### Banner: Perf Coveralls



#### Banner: Perf Gilet



#### Banner: Wayne Wellingtons



# INDEX

# INDEX

**0-9**

4 Point Fastening Chinstrap HA5-RDBK **87**

**A**

A4 Acrylic Poster Holder POSTER-A-CLR **103**  
 Acrylic Information Holder INFO-A-CLR **103**  
 Air100 High PB415-BLK **26**  
 Air100 Low PB414-BLK **48**  
 Air200 PB401 **46**  
 Alcor Welding Gauntlets G20-BLU **97**  
 Alpha Welders Gauntlets G21-RED **98**  
 Ara PB363-BLGY **50**  
 Ariel Rigger Gloves G3-BLGY **95**  
 Atlas Gloves G13-GLD **93**

**B**

Barb Thorn Protect Gloves G22-WHT **89**  
 Bedrock PB408C-BLK **10**  
 Bedrock Seal PB412C-BLK **13**  
 Bencraig PB397-BRN **42**  
 Blaze PB354-BLK **28**  
 Brandon Pro Dealer Boot PB271 **40**

**C**

Capella Welding Gauntlet G19-BLU **97**  
 Carpo Rigger Gloves G6-RDGY **94**  
 Carson PB311C-BLK **23**  
 Ceres PB372-BRN **58**  
 Check Work Shirt CS1-BRN **77**  
 Cleveland Zip Coveralls CC2 & CC3 **69**  
 Clothing Hanger HANGER-W-BLK **103**  
 Constructor PB400C-BLK **22**  
 Coolmax Crew Socks FA25-BLGY **62**  
 Corvus PB256C-BLK **23**  
 Country Dealer PB278 **57**  
 Country K Kids Dealer PB378-BRN **57**  
 Croft PB403-BRN **59**  
 Cygnus Rigger Gloves G17-YLRD **94**

**D**

Dactyl Drivers Gloves G1-GLD **91**  
 Door Sticker DOOR-ST-FW-GRN **107**  
 Dune PB335-BLK **27**  
 Duran PB334-BLK **50**

**E**

Eden PB373 **53**  
 Endurance High PB112-BLK **43**  
 Endurance Low PB111-BLK **47**  
 Europa Welders Gauntlet G11-GRY **98**  
 Executive Brogue PB69-BLK **51**

**F**

Finn PB344-BLK **49**  
 Floor Mat FLOOR-MAT-PERF-FARM-BLK **108**  
 Floor Vinyls FLOOR-VIN-PERF-BLRD **108**  
 Foamex Agri Graphics GRAPHIC-FC-BLRD **108**  
 Foot Scanner FOOT-SCANNER-LEMAITRE **63**  
 Franklin Trousers CT4 & CT2 **73**

**G**

Gilet CF2-NVY **76**  
 Glove Stand STAND-GL-BLK **106**  
 Grid Wall Acrylic Shelf SHELF-AWG-CLR **105**  
 Grid Wall Hook HOOK-M-GW-CHR **105**  
 Grid Wall Shelf Label N/A **105**  
 Grid Wall Stand STAND-GW-BLK **104**

**H**

Hardwick PB398-GRY **39**  
 Helmet Mounted Ear Defenders HP1-BLRD **87**  
 Huron PB392C-BRN **23**  
 Hydro-Shield HG-A **83**

**I**

Information Card Insert N/A **103**

**J**

Jaxson PB310-BLGY **50**  
 Jefferson Trousers CT3 **75**

**K**

Kore Drivers Gloves G14-GLD **92**

**L**

Levante PB374-BRN **35**  
 Libra PB360-BLK **26**

**M**

Madison Coverall CC1 **71**  
 Mangerton PB318-BRN **59**  
 Mangerton Cardboard Stand STAND-CB-BLK-01 **107**  
 Metis Drivers Gloves G12-BLK **91**  
 Mid Length Foundry Boot (Aluminium) PB26A-BLK **33**  
 Mid Length Foundry Boot (Steel) PB26-BLK **33**  
 Milking Gloves G96-BLK & G97-BLK **99**  
 Mistral PB375-BRN **53**  
 Morrow PB340-BRN **42**

**N**

Nautic PB385C-BLK **17**  
 Nautilus Waterproof Over-Head Jacket WP3-BLK **65**  
 Navi PB371-BRN **58**  
 Nemesis Drivers Gloves G18-GLD **92**  
 Neptune Waterproof Jacket WP1-BLK **65**  
 Nix Rigger Gloves G5-RDGY **95**  
 Norris PB320-BLK **27**

**O**

Onyx PB384C-BLK **17**  
 Opal PB383C-BLK **48**  
 Open Cell PU Insole FA10-RED **62**  
 OPUS ESD Insoles FA30, FA29 & FA28 **63**

**P**

Pegasus PB359-BLK **51**  
 Perf Beanie CB1-GRY **79**  
 Pictor PB290 **42**  
 Planet High PB377 **35**  
 Planet Low PB376 **52**  
 Platform PB303-BLK **29**  
 Portia Rigger Gloves G7-GLD **94**  
 Poseidon Waterproof Trousers WP2-BLK **67**  
 Pro Aqua Waterproof Safety PB271WR-BRN **37**  
 Pro Aqua Waterproof Soft Toe PB278WR-BRN **56**  
 Pro Dealer Plus PB56C-BRN **41**  
 PVC Banners BANNER **109**

**Q**

Quarter Zip Sweatshirt CS2-BLK **79**  
 Quick Release Welders Boot PB94C-BLK **33**

**R**

Racer Booster High PB380-BLK **26**  
 Racer Booster Low PB379-BLK **49**  
 Railway PB305-BLK **22**  
 Rigger Boot PB410-TAN **30**  
 Riley High PB361-BLRD **43**  
 Riley Low PB362-BLRD **47**

**S**

Safe Step Hi-Vis Combat PB396C **19**  
 Safe Step Hi-Vis Hiker PB395C **19**  
 Scorpius PB253C-BLK **27**  
 Sharp PB58C-BLK **31**  
 Slat Wall Acrylic Shelf SHELF-A-CLR **103**  
 Slat Wall Cover Set SLAT-SET-PERF-RED **102**  
 Slat Wall Hook HOOK-M-CHR **103**  
 Slat Wall Shelf Labels SHELF LABEL **103**  
 Sniper PB307-HON **25**  
 Spacer Insole INSOLESPA-BLK **62**  
 Spike Thorn Protect Gloves G23-GLD **90**  
 Spur Thorn Protect Gloves G24-GLD **89**  
 Strata PB407C-BLK **9**  
 Strata Seal PB411C-BLK **12**  
 Super Grip Sign Holder SIGNGRIP-A-CLR **105**

**T**

Taurus PB228C-BLK **28**  
 Tempest Welders Gauntlet G10-RED **98**  
 Terraform PB409C-BLK **11**  
 Terraform Seal 413C-BLK **15**  
 Thor S7S PB350-BLK **21**  
 Thunder PB55-GRY **49**  
 Tornado Low PB52-BLBU **51**  
 Torsion Pro PB390C **24**  
 Trax 360 PB399-BLK **55**  
 Trek Noir PB243-BLK **22**  
 Triton Rigger Gloves G4-GRY **95**

**V**

Varadero PB245C-BLK **25**

**W**

Waterproofs Display Stand STAND-WP-BLK **106**  
 Wayne PU Safety Plus Wellington W1-GRN **61**  
 Wayne PU Wellington W2-GRN **61**  
 Wayne Wellington Stand STAND-WEL-BLU **106**  
 Window Sticker WINDOW-ST-FW-GRN **107**

**Y**

Y-Shield DS3 H1C **85**  
 Y-Shield Maxxtra H7C **86**  
 Y-Shield OR7 H3C **84**

**PERFORMANCE**  
**BRANDS**

Performance Brands Ltd  
The Pavilion, Bowcliffe Hall, Bramham, Wetherby LS23 6LP

Tel. 0113 457 5938 | E. [sales@performance-brands.co.uk](mailto:sales@performance-brands.co.uk)

[www.performance-brands.co.uk](http://www.performance-brands.co.uk)

**V5**